Journal of
Polymer Science

Combined Subject Index to Volume 30

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 30, 1992. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

ab initio, 2011C
Ab initio, 2497C
Abhesion, 671C
Ablation, 1233C
Absorption of water and dielectric relaxation of Nylon-12, 341P
Absorption spectra, 945C, 543C
Acetylene-terminated, 1747C
Acid additives, 1219C
Acid dialysis, 1407C
Acidolysis, 345C
Acrylamide, 2399C, 2459C
Acrylamide, positron lifetime study of, 1P
Acrylamide, solid-state polymerization of, 1P
Acrylated silicones, 2755C
Acrylates, 913C, 1511C, 1519C
Acrylic acid, 569C
Acrylic acid and fluoro polymer, 1969C
Acrylonitrile, 2003C, 2341C
Acrylonitrile-methyl acrylate copolymers, 2549C
Activation energy, 2531C
Activation energy for diffusion, 497P
Activation energy of β relaxations of poly(cyclohexyl acrylate), 1239P
Acylation, 2285C
Adamantane polymers, 1747C
Addition polymerization, 227C
Addition polymers, 305C
Additive, 1061C
Adhesion mechanism, 133C
Adhesives, 533C
Adsorption, 1129C, 1145C, 1155C
Agar-agar hydrogel, 1775C
Aging, 895C
Aliphatic diols, 513C
Alkoxyethyl vinyl ether, 2407C
Alkyl acrylates, 2531C
Alkylation, 1299C
Allophanate, 287C
Allyl ether, 2203C
Allylation, 2303C
Alternating copolymer, 2471C
Alternating copolymerization, 1495C, 2011C, 2735C
Alternating copolymers, 967C
Alternative copolymer, 2181C
Aluminum catalysts, 1123C
AM1, 2497C
Amines, 1589C
2-Aminobenzimidazole, 2595C
Aminolysis, 211C, 625C, 635C
4-Aminophthalonitrile, 1477
(3-^{13}C)-aminopropyltriethoxysilane, 133C
Amphipathic block copolymers, 1925C
Amphiphilic, 1061C
Amphiphilic block copolymer, 2143C
Amphiphilic gels, 1705C
Amphiphilic polyelectrolyte, 2099C
Amphiphilic polymers, 355C, 1799C
Anhydride, 1589C
Anhydro saccharides, 2059C
Anhydroglucose (AHG) unit, 2303C
Anion exchange membrane, 1407C
Anionic coordination polymerization, 2067C
Anionic polymerization, 21C, 1449C, 1935C, 2349C
Anionic polymerization of *p*-xylenesulfonium salts, 977C
Anisotropic and mesophase formation in cellulose/NH_3/NH_4SCN, 315P
Anisotropic diffusion, 1437P
Annealing, 775P
Annealing and crack growth in ethylene-hexene copolymer, 899P
Annealing and crack growth in ethylene-octene copolymer, 1207P
Annealing, orientation, and gas transport in films of liquid crystalline polymers, 837P
Anomalous diffusion, 1451P
Ansa-metallocene catalyst, 2601C
Antenna effect, 271C
Anthracene, 2037C
Anthrahydroquinone, 257C
Anthraquinone, 257C
Aqueous polymerization, 2459C
Aramids, 1111C
Aromatic diacid chlorides, 197C
Aromatic dichloride, 1567C
Aromatic diisocyanates, 1363C
Aromatic polyamides, 1327C, 1583C
Aromatic polyether, 429C
Aromatic polyetherketone, 1977C
Aromatic polyethers, 1675C
Aromatic polymers, 2511C
Aromatic polyureas, 1363C
Aromatic tetracarboxylic dianhydride, 1477
Aromatic tetracarboxylic dianhydrides, 1099C
Aromatic tetracarboxylic dithioanhydrides, 1027C
Articulated rigid rod, 1515P
Aryl compound, 1993C
Aspect ratio, 1515P
Association, 1129C, 1145C, 1155C
Association in ionomer blends, influence on properties by, 1045P
Association of polymers, 299P
Associative polymers, 1383C
Asymmetric induction, 1821C
Asymmetric reduction, 685C
ATR-IR, 389C
Autoacceleration, 2531C
Autoxidation, 1917C
Azlactone (oxazolone) styrene monomer, 329C
Azomethine linkages, 513C

Beads, 505C
Before and after irradiation, 517P
Behenyl acrylate, 2273C
1,4-benzenediselenol, 227C
Benzophenone, 485C
Benzophenones, 829C
1,4-benzoquinodimethane, 2223C
1,4-benzoquinodimethanes, 2233C
Benzotriazole, 1443C
Benzyl cation, 2365C
1-Benzyl-2-phenylbenzimidazole, 2595C

Betaine salt, 203C
Biased reptation, 1451P
2,2′-bibenzoic acid, 2195C
Bifunctional initiator, 333C
Binary blends, 943P
Binary mixture, 363C
Biocompatibility, 929C
Biodegradation, 389C
Biosensor, 929C
Biphenyl-2,2′-diol, 2195C
Biphenylyl acrylate, 2173C
Birefrigence, 409P
Birefringent sphere, theory of light scattering from, 865P
1,5-bis(phenoxy)pentanes, 439C
Bis(2-thienyl)silanes, 1667C
2,5-bis(4-trimellitimidophenyl)-3,4-diphenylthiophene, 1855C
2,5-bis(trimethylsilyl)-thiophene, 1667C
Bis(vinylbenzyl)ether, 509C
2,5-bisalkylthio-1,4-phenylenediamine, 197C
Bis-amide-imides, 157C
Bisaroyl amine, 1227C
Bisfurfurylpyromellitimide, 2559C
Bishydrophilic copolymer, 2251C
Bismaleamic acid, 2559C
Bismaleimide, 2559C
Bismaleimides, 723C
Bisphenol, 1401C
Bisphenol-a polycarbonate, 1429P
Bisphenol-A-polycarbonate small diffusants and unoccupied space in, 415P
Bis-*p*-toluene sulphonate) of 2,4-hexadiyne-,1,6-dial and its polymer, conductivity and dielectric properties of, 381P
Biuret, 287C
Blends, ^{129}Xe as NMR probe of, 527P
Blends, copolymer, miscibility diagrams of, 577P
Blends, Nylon-6/polystyrene, reactive compatibilization of, 1021P
Blends of ethylene-methacrylate copolymers ionomers, structure and properties of, 1045P
Blends of Nylon-6 with styrenic polymers, morphology of, 1273P
Blends of PBT and liquid crystalline copolyester, orientation and mechanical properties of, 505P
Blends of poly(3-octylthiophene) and polyethylene, mechanical and electrical properties of, 871P
Blends of polystyrene and poly(*o*-chlorostyrene-co-*p*-chlorostyrene, miscibility and phase behavior in, 49P
Blends of rodlike and flexible polyimides, structure and properties of, 133P
Blends, polyethersulfone/polyimide, thermal and rheological properties of, 465P
Blends, ternary copolymers, miscibilities and interaction parameter χ in, 1351P
Block copolyetheramides, 951C
Block copolymer, 211C, 2251C
Block copolymerization, 333C
Block copolymers, 779C, 2033C
Block junctions, 2033C
Bombyx mori, 693P
Boron trifluoride, 2011C
Brillouin spectroscopy of ultraoriented poly(ϵ-caprolactone) films, 1173P
Bromine phosphorus synergism, 819C
5-bromo-, 2063C
Bromochloromethane, 313C
Bulk copolymerization, 1083C
2-butene, 679C
Butyl acrylate, 2063C

^{13}C CP/MAS NMR, 509C
Ca-alginate, 505C
Calorimetry, 787C
Capillary, effect on miscibility of polymers confined in, 1401P
ϵ-caprolactam, 1449C
Carbazole-containing polyimines, 1953C
Carbocationic polymerization, 41C, 163C
Carbohydrates, 1775C
Carbon whisker, 561C
Carbonation, 2349C
Carbonxylic acid, 1589C
Carboxyl terminal functionalities in polymerizing PET films from FTIR study, 1305P
Catalysis, 625C, 635C, 1305C, 1899C, 1917C, 2791C
Catalyst, 2725C
Catalyst deactivation mechanism, 1017C
Catalyst residues, 1873C
Catalysts, 83C
Catechol, 1789C
Cationic, 13C
Cationic photoinitiators, 1999C
Cationic photopolymerization, 1999C
Cationic polymerization, 933C, 1C, 31C, 583C, 1987C, 2497C, 2569C
Cationic salts, 1219C
Cation-radical, 429C
Cation-radical polymerization, 439C, 1037C
CD, 551C
Cellulose acetate, stress-dependent transport of penetrants in films of, 971P, 983P
Cellulose triacetate, methyl methacrylate—*n*-butyl acrylate, permeation of CO_2/CH_4 mixture in, 105P
Cellulose/NH_3/NH_4SCN system, lyotropic mesophases of, 315P
Cesium, 313C, 1355C
CF_4 plasma, 323C
Chain composition distribution, 751C
Chain dynamics of irradiated PEO, NMR study of, 91P
Chain ends, 1213C
Chain folding, 1483P
Chain motion and conductivity of polymers, 637P
Chain motions and NMR relaxation in melts, 931P
Chain orientation in polymer solutions under external electric field, 401P
Chain scission, 1601C
Chain scission in impact fracture of polystyrene, 1123P
Chain scission mechanism in fracture of polystyrene, 1311P
Chain segment distribution of high MW polymer in small sphere, 787P
Characterization, 989C, 1961C
Characterization of rubber, 471C
Charge transfer complex, 111C
Charge transfer complexes, 589C, 1953C
Charge-transfer complex, 2181C
Chemical modification, 211C
Chemical synthesis, 1609C
Chemically-induced polymerization, 2173C
Chemiluminescence, 1247C
Chiral configuration, 1633C
Chiral nylons, 713C
Chiral polyamides, 713C
Chiral stationary phase, 2699C
Chitin, 685C, 2187C
Chitin-graft-polyalanine, 685C
Chitosan, 2187C
Chlorocarbons, 2489C
Chloromethyl polystyrene, 1911C
Chloromethyl styrene, 509C
5-chloro-2-vinyl thiophene, 2063C
Chromatographys of polyimide precursor fractions with on-line light scattering detector, 177P
Chromium, 1873C
Cinnamate, 2451C

cis-Polybenzoxazole/polyphosphoric acid, MWD from viscometry liquid of, crystalline solutions of, 259P
α-cleavage, 1601C
^{13}C-NMR, 111C, 185C, 287C
Cobaloxime, 643C
Cobalt initiators, 31C
Cocondensation, 1615C
Cohesive energy density, 497P
Colloid, 1917C
Colloids, 1499C
Color, 2321C, 2467C
Compartmentalization, 2099C
Compatibility, 2025C
Compatibility and rheology in mixed gels, 681P
Complex conformation, 1953C
Complex formation, 1495C
Complex initiators, 1511C
Complexation, 1089C
Complexation percentage, 1717C
Composites, finite element analysis of stresses in, 603P, 619P
Composites of silicone elastomer and glass blends, interfacial quality and sorption of gas in, 959P
Compressive properties, 1111C
Computer simulation, 1451P
Concentration effects, 1287C
Condensation polymerization, 1443C
Condensing agent, 1993C
Conducting polymer, 1891C
Conducting polymers, 1315C, 2223C, 2233C
Conducting polypyrrole, 1609C
Conductivity, 19P
Conductivity and electric modulus in polymers, 637P
Conjugated imine, 2003C
Conjugated polymer, 227C, 959C, 1369C, 1375C
Consolidation, 1515P
Contact angle, 671C, 1425C
Controlled release of active agents from swellable polymer matrices, 717P
Cooperative coordination, 1089C
Cooperative effect, 1535C
Coordination of donors, 2263C
Coordination polymerization, 679C
Copoly(carbonate formal), 299C
Copoly(styrene-acrylamide)s, 1705C
Copoly(styrene-trichlorophenyl acrylate), 1705C
Copolycarbonates, pure and in blends, chain fragmentation in, 203P
Copolyesters, thermotropic, application of TEM to study of, 61P
Copolyimide, 1227C
Copolymer, 1199C, 1891C, 1515P
Copolymer deposition rates, 2683C
Copolymer, ethylene-hexene, annealing and slow crack growth in, 899P
Copolymer, ethylene-hexene, fatigue failure of, 477P
Copolymer, ethylene-octene, effect of thermal history and morphology on crack growth in, 1207P
Copolymer microspheres, 2149C
Copolymer networks in mixed aqueous solvents, bulk and microscopic properties of, 1233P
Copolymer, poly(butadiene-*b*-dimethylsiloxane), crystallization of PDMS block in, 727P
Copolymer structure, 983C, 2313C
Copolymerization, 797C, 13C, 153C, 983C, 1163C, 1347C, 2165C, 2181C, 2313C
Copolymerization of styrene and divinylbenzene to produce uniformly crosslinked microbeads, 1189P
Copolymers, 649C, 659C, 2333C, 1527P
Copolymers, diblock, relation between microphase separation transition and glass transition, 1013P
Copolymers, ethylene isophthalate terephthalate, dielectric relaxation in, 701P
Copolymers, ethylene-methacrylate ionomers, structure and properties of blends of, 1045P
Copolymers, ethylene-methylacrylate, cloud-point of mixtures with low MW hydrocarbons, 1365P
Copolymers, Markoffian, equilibrium theory for crystallization of, 809P
Copolymers, miscibility diagrams of blends of, 577P
Copolymers, nonsymmetrical, in solution, dynamical relaxation of, 733P
Copolymers, wholly aromatic, nature of order in solid state of, 1375P
Copper, 1097P
Copper acetylide, 2503C
Copper(II) salt, 1193C
Core-shell, 2211C
Corrosion, 119C
Corrosion inhibition, 1097P
Coupling agent, 133C
Coupling polymerization, 1567C
Covalently bound antioxidant, 1163C
CP/MAS NMR, 2033C
Crack growth in ethylene-hexene copolymer, 899P
Crack growth in ethylene-octene copolymer related to thermal history and morphology, 1207P
Craze initiation and fatigue in glassy polymers, 221P
Creep of aramid fibers, temperature and stress effects, 1391P
Critical surface energy, 671C
Croconic dianion, 2399C
Cross-coupling polymerization, 2511C
Cross-coupling reaction, 2503C
Crosslink, 1589C
Crosslinkable, 2303C
Crosslinked domains, 235C
Crosslinked methacrylic polymer, 379C
Crosslinked monodisperse polymer spheres, 2443C
Crosslinked PMAA, 787C
Crosslinked polymethacrylates, 1463C
Crosslinked polystyrene, 1463C
Crosslinked polystyrene, synthesis and characterization of microbeads of, 1189P
Crosslinking, 845C, 185C, 509C, 1111C, 2149C, 2187C, 2645C
Crosslinking kinetics, 2379C
Crosslinking reaction, 723C
Crystal morphology of thermoplastic polyimide derived from IDPA and 1,3-BABB, 71P
Crystal orientation induced by confinement, 785P
Crystal structure, 1469P
Crystal structure of poly(*p*-phenylene) from organometallic preparation, 294P
Crystal structures, 1073P
Crystalline phase of Nylon 6 and sorption of nonionic azo dyes, 563P
Crystallinity and near-surface structure of drawn PET, 887P
Crystallite morphology in thermotropic random copolymers, application of TEM to, 61P
Crystallization, 1489P
Crystallization in drawn PET, 687P

Crystallization of Markoffian copolymers (theory), 809P
Crystallization of PDMS and morphology of block copolymer with butadiene, 727P
Crystallization of PEEK, solvent-induced, 251P
Crystallization of poly(phenylene sulfide), 163P
Crystallization of ultra-oriented poly(ϵ-caprolactone) on PTFE substrate, 1173P
Cure rate, 1941C
Curing, 2045C
Curing agents, 533C
Curing kinetics, 2203C
Current density, 19P
Curtius rearrangement, 513C
Cyano-containing copolymers, 2341C
Cyanoimidazole, 1413C
Cyclic dithioacetals, 485C
Cyclic voltammetry, 1609C, 1891C
1,3-Cyclohexadiene, 967C
Cyclohexene oxide, 2067C
Cyclosilazanes, 461C
C—H bond activation, 389C
C—T stacking, 1495C

2-D ^{1}H-NMR spectroscopy, 1213C
Decafluorobiphenyl, 1767C
Decomplexation, 1953C
Deformation mechanisms in thermoset and thermoplastic polyimide resins, 643P
Deformation of PET by stretching and forging, 687P
Degradation, 895C, 1693C
Degradation kinetics, model equation for multiple reaction mechanisms in, 455P
Degradation, thermal, of copolycarbonates and their blends, 203P
Degree of substitution (DS), 2303C
Density distribution in quenched polycarbonate, Schlieren optical study of, 83P
Deprotonation, 1123C
Desorption, 1129C, 1145C, 1155C
Dextran, 211C
α,ω-di(trichloromethyled) end grouped telomers, 49C
Diacetate chemistry, 2467C
Diacetylenes, 2159C
Dialkyl fumarate, 1559C
Diaminotriphenylamine, 1027C
Dianhydrides, 111C
Dianilinodiphenylsilane, 1401C
DIBAL-O, 1123C
Dibenzoburan, 1977C
Dibromide, 119C
Dibromodecane, 1355C
Dicarboxylate, 313C
Dicarboxylic acid, 1993C
Dichlorotriazine, 1535C
Dicobaltoctacarbonyl, 31C
1,2-dicyanoethylene, 2003C
4,5-dicyanoimidazole, 203C
Dielectric effects during curing of epoxide-based thermosets, 433P
Dielectric properties during curing of epoxide-ethylene-diamine thermoset, 655P
Dielectric properties in post-cure and aging of epoxide-based thermosets, 445P
Dielectric properties of dry and water-saturated Nylon-12, 341P
Dielectric properties of monomer and polymer of bis(*p*-toluene sulfonide) of 2,4-hexadyne-1,6-diol, 381P
Dielectric properties of poly(vinylidene fluoride), pressure dependence of, 669P
Dielectric properties of stiff polyimide thin films, 1321P
Dielectric relaxation, 1443P
Dielectric relaxation in PET and ethylene isophthalate terephthalate copolyester, 701P
Dielectric relaxation of poly(phenylene sulfide) containing rigid amorphous phase, 239P
Diels-Alder crosslinking, 1755C
Diels-Alder polymerization, 125C, 2017C, 2559C
Diethyl 2-acetamido-2-vinylbenzyl malonate, 149C
1,4-diethynylbenzene, 227C
Different photosensitive groups, 449C
Differential scanning calorimetry, 845C, 2379C
Differential scanning calorimetry (DSC) of atactic polystyrene, T_{ll} from, 1177P
Differential scanning calorimetry (DSC) of poly(butylene terephthalate), 755P
Differential scanning calorimetry (DSC) of poly(phenylene sulfide), 163P
Differential scanning calorimetry (DSC) of polycarbonate under cyclic stress, 221P
Differential scanning calorimetry (DSC) of semicrystalline thermoplastic polyimide, 71P
Diffusant in polymeric glass, model for space available to, 415P
Diffusion coefficient of ethylene glycol in PET melts, 707P
Diffusion coefficient of water in polyimide films, 1223P
Diffusion in glassy polymers, model for, 127P
Diffusion, non-Fickian, in polymer-penetrant systems, 145P
Diffusion of gases in isomeric poly(vinyl methylbenzoates), 539P
Diffusion of gases in polyimides, 907P
Diffusion of solvents in polystyrene-solvent systems, 1081P
Diffusion with chemical reaction of ethyleneglycol in PET melts, 707P
Dihydronicotinamide, 1199C
Dihydroxyacetone, 2247C
Diimide, 397C
Diimides, 111C
Diisocyanates, 513C
Dimethacrylates, 485C
3,3′-Dimethoxy-2,2′-bithiophene, 1741C
2,6-dimethylphenol, 901C
Diphenyl phosphite, 597C
Diphenylcarbonate, 1525C
4,4′-diphenylmethane diisocyanate (MDI), 287C
Diphenylphosphorylazide (DPPA), 1809C
Dipole moments of poly(*p*-chlorostyrene) in benzene, isopropyl benzene and *n*-propyl benzene, 197P
Direct observation, 779P
Direct polycondensation, 597C, 1583C, 1993C
Direct resolution, 2699C
Disiloxane-containing copolyamides, 2357C
Disiloxane-containing diamine, 2357C
Dispersibility, 2241C
Dispersion polymerization, 2765C
Display device, 1725C
Distribution coefficient, 271C
1,1-Disubstituted epoxides, 1123C
Dithiadiazolium salts, 2653C
Divinylbenzene, copolymerization, 245C
DNA, 779P
Drawing techniques and deformation of PET, 687P
DSC, 659C, 1299P
Dynamic mechanical properties of blends and random copolymers of bisphenol-A and tetramethyl bisphenol-A polycarbonates, 1131P
Dynamic scaling, 779P

Dynamics of silk fibroin and of sorbed water, 693P

EDTA-Ce(IV) redox initiator, 2459C
Effect of radiation on, 517P
Effective medium theory, 127P
Elastomer, 1171C
Electric field effect on chain segment orientation in polymer solutions, 401P
Electrical charge accumulation and decay in friction charging of polymers, 859P
Electrical conductivity, 937C
Electrically conducting polymers, 1741C
Electrically conductive blends of poly(3-octylthiophene) and polyethylene, 871P
Electroactive polymers, 1315C
Electrochemical polymerization, 945C, 1315C, 1667C, 1891C, 19P
Electrochemistry, 1741C
Electrochromic device, 1725C
Electrochromism, 1725C
Electron beam, 363C
Electron microscopy of poly(p-xylylene) crystals, 1285P
Electron microscopy of thermotropic random copolymer morphology, 61P
Electron spin resonance (ESR), 379C
Electron spin resonance (ESR) study of redox initiated vinyl polymerization, 427P
Electron transfer, 1199C
Electron-accepting monomer, 1187C
Electron-acceptors, 1953C
Electronic affinity, 2285C
Electrostatic potential, 769P
Emeraldine, 543C
Emulsifier free emulsion polymerization, 137C
Emulsifier-free, 171C, 2443C
Emulsifier-free emulsion polymerization, 2077C
Emulsion, 1305C
Emulsion copolymerization, 751C, 171C
Emulsion copolymerization, divinylbenzene, 235C
Emulsion homopolymerization, 731C
Emulsion polymerization, 1463C, 2211C, 2443C, 2619C, 2789C
Emulsion polymerization, kinetics, 2619C
Emulsion polymerization, polymerizable surfactant, 2619C
End group effect, 2055C
End groups, 1123C
End-to-end linking, 2055C
Enhanced gel effect, 171C
Enhanced petroleum recovery, 1071C
Epichlorohydrin, 2187C
Epoxidation, 1305C, 2303C
Epoxidation reaction, 2791C
Epoxide, 2109C
Epoxide, ethylene-diamine cured, relaxations in, 791P
Epoxide polymerization, 1C, 31C
Epoxide-based thermosets, 433P
Epoxide-based thermosets, sub-T_g relaxations during post-cure and aging of, 445P
Epoxide-ethylene-diamine thermoset, dielectric studies during cure of, 655P
Epoxy, 913C, 1831C, 1845C
Epoxy adhesives, 533C
Epoxy composites with PE filler, Raman spectroscopy of single fibers of, 325P
Epoxy resins, 2045C
EPR, 851C
EPR spin probe, 1145C
Equilibration of mixed polyamic acids, MWD study of, 373P
ESCA, 1731C
ESR, 959C, 1935C, 1069P
ESR spectra, 2159C
Esterification, 895C
Etherification reaction, 1977C
Ethylene, 2683C
Ethylene-carbon monoxide polymers, 2735C
2-Ethylhexylacrylate, 1511C, 1519C
Ethylα-hydroxymethylacrylate, 2313C
Evaporation, 309P
Excited states, 323C
Exciton-phonon coupling, 1625C
Extrusion from hyperbolic dies, characteristics and design procedures in, 557P
Extrusion of HMW polyethylene under minimum flow resistance, 923P

FAB-MS, 525C
Facilitated transport, 77C
Fermi resonance, 1073P
Fiber, 2295C
Fiber reinforced composites, stress distributions in, 603P, 619P
Fibers, 2187C
Filament production with constant extensional strain rate with hyperbolic dies, 557P
Film, 2187C
Films, 1209C
Flame-retardant monomer, 819C
Flammability, 2521C
Flammability mesophase, 337C
Flory interaction parameter in ternary polymer-solvent systems, concentration dependence of χ, 1157P
Flory principle of equal reactivity, 901C
Flow birefringence of concentrated polystyrene solution in two-roll mill, 1329P
Flow improvers, 2273C
Fluorescence, 1525C
Fluorescence microscope, 779P
Fluorescence probes, 605C
Fluorinated acrylic monomers, 1279C
Fluorinated epoxides, 1123C
Fluorinated polymers, 1233C
Fluorinecontaining aramids, 1203C
Fluorine-containing polyimides, 2281C
Fluorine-containing polymers, 1383C
α-Fluoroacrylonitrile, 967C
Fluoro-displacement, 519C
Fluoroelastomers, 1077C
Fluoropolymers, 967C, 1675C
Folded chains, 1489P
Formaldehyde, 1615C
Formamide, 1549C
Formose reaction, 2247C
Fracture of glassy polymers, energy consuming micromechanisms, 1311P
Fracture of polystyrene on impact, chain scission in, 1123P
Free radical polymerization, 2313C
Free radical polymerization: kinetics of, catalytic inhibition in, catalytic chain transfer in, 643C
Free volume, 497P
Free volume and diffusivity in isomeric poly(vinyl methylbenzoates), 539P
Free volume in glassy poly(arylene ether ketones)s, 1195P
Free-volume, 1081P
Free-volume distributions measured with positronium probe, 1359P
Free-volume theory for Fickian diffusion in glassy polymers, 1005P
Friction charging and charge decay polymer surfaces, 859P
Friedel-Crafts polymerization, 2037C
FTIR-ATR spectroscopy, 1017C
Fully gelled networks, 2577C
Fumarate, 1347C
Functional polymers, 1589C, 1633C

Functional styrene monomer, 329C
Functionalization, 389C, 2349C
Furans, 533C, 2497C
Furfurylamines, 533C
Furyl-maleimide AB Diels-Alder monomers, 2017C
Furyl-substituted maleamic acids and maleimides, 2017C

Galactaric acid, 2059C
Gamma, 493C
Gas permeation, 873C
Gas transport in blends and random copolymers of bisphenol-A and tetramethyl bisphenol-A polycarbonates, 1131P
GC-mass analysis, 1779C
Gel, 1725C
Gel electrophoresis, 1451P
Gel melting and crystallization, 1299P
Gel, phase separation, 245C
Gelation of bimetallic copolymers, 153C
Gels, biphasic, elastic shear modulus of, 681P
Gels, dried LDPE, morphology and properties of, 349P
Gels of copolymers in mixed aqueous solvents, fluorescence and dynamic rheology of, 1233P
Gels of polyacrylamide in water, physical and structural characteristics of, 1055P
Gels of starburst dendrimers, structure factor for, 1387P
Gif, 389C
Glass transition, 1789C, 309P, 409P, 1443P
Glass transition region of poly(n-hexamethacrylate) dynamic light scattering study of, 1291P
Glass transition temperature, 1401C, 2549C
Glass-transition, 1129C
Glassy initiation and fatigue in glassy polymers, 221P
Glassy polymer, structural changes in stress and aging positron annihilation study of, 231P
Glassy polymers, chain scission and fracture of, 1311P
Glassy polymers, free volume in, 1195P
Glassy polymers, gas permeation and permselectivity in, 1215P
Glassy polymers, lattice compressibility and gas sorption thermodynamics in, 1261P
Glassy polymers, light loss in optical fibers of, 879P
Glassy polymers, permeation of binary gas mixtures in, 105P
Glassy polymers, Schlieren optical technique for measurement of density distributions in, 83P
Glassy polymers, stress and enthalpy relaxation in, 221P
Glassy polymers, thermal chain fragmentation in liquid and solid states, 203P
Glassy polymers, unoccupied space and its connectivity in, 415P
Glassy polymers-solvent systems, Fickian diffusion in, 1005P
Glycidyl methacrylate, 2165C
Good thermal stabilities, 1575C
Good thermal stability, 1583C
GPC, 21C, 355C
Graft copolymer, 1489C, 2577C
Graft copolymerization, 685C
Graft copolymers, 355C, 1799C
Graft polymerization, 561C, 2241C
Grafted thermoplastic, 1515P
Grafting, 1219C, 1541C, 2049C
Group transfer polymerization, 2143C
Growth mechanism, 1287C

^{1}H and ^{13}C-NMR, 2037C
^{1}H pulsed NMR, 693P
Halogenated telomers, 49C
Halpin–Tsai equation, 1515P
HALS, 983C
H-bonding, 1941C
Heat of fusion, 659C
Heat resistance, 723C
Heteroaramide, 1413C
Heterogeneous catalysis of; catalysis, 2131C
High elongations and moduli, 105C
High resolution in solid state, 1761C
High T_g, 105C
High temperature, 1433C
High temperature polyarylates, 2195C
High temperature polymers, 305C, 1027C, 2281C
High temperature polymers and polyamide acids, 1209C
High temperature soluble polymers, 1203C
High temperature thermosets, 1747C
High-spin molecules, 1335C
High-temperature polymer, 2645C
High-temperature polymers, 2217C
Hindered piperidine, 1163C
^{1}H-NMR, 21C
^{1}H-NMR integration, 2303C
Hole size distribution, 1429P
Homogeneous catalyst, 1961C
Homogenization method, 127P
Homopolymer, 1219C
Homopolymerization, 2313C
Homopolymerization of epoxides, 2109C
HTA, 1247C
Hydrocarbons, 2247C
Hydrogel, 257C, 505C, 2121C, 2451C
Hydrogels, 1069P
Hydrogels, polyacrylamide, characterization of inhomogeneity in, 1055P
Hydrogen bonding, 1495C
Hydrogen peroxide, 257C
Hydrogenation, 397C, 471C, 1961C, 2665C
Hydroperoxides, 1873C
Hydrophilic properties, 1425C
Hydrophobic association, 1383C
Hydrosilylation reactions, 1C
10-hydroxyanthrone, 257C
Hydroxybenzylurea, 1615C
Hydroxylated anthraquinone, 257C
1-(4-Hydroxyphenyl)-2-(2-R-4-hydroxyphenyl)ethane (**RBPE**), with H, F, CH_3, Cl, Br, CF_3 as R groups, polyethers, 997C
Hydroxypropyl cellulose, 2765C
Hydroxypropylcellulose, 895C
Hysteresis, 1789C

Imidazole amino acids, 1413C
Imide-aryl ether ketone block copolymers, 2085C
Imidization, 1647C
Immobilization, 685C
Immobilized polyacrolein, 1103C
Improved solubilities, 1583C
In situ internal donor, 2263C
Increased solubility, 1433C
Infrared, 419C
Infrared and Raman vibrational frequency shifts induced by tensile deformation of chains, 1143P
Infrared spectra of Nylon-6 chain conformation, 489P
Infrared spectra of PET film from diffuse reflectance, 1305P
Infrared spectroscopy, 2683C, 1073P
Infrared spectroscopy study of orientation in polyethylene films, 1165P
Inhibition, mechanism of, 569C
Initiators, 2653C
Inorganic polymer, 371C
Insoluble, 2037C
Interaction of radicals, 2159C
Intercalation, 659C
Interfaces, 1527P

Interfacial polycondensation, 2059C
Interfacial quality and gas sorption in silicone elastomer composites, 959P
Internal acetylene, 2645C
Interpenetrating polymer networks, 835C, 2749C
Intrinsic viscosity and MWD in dilute solutions of rodlike liquid crystalline polymer, 259P
Inverse steric exclusion chromatography (ISEC), 605C
Inverted micelles, 355C
Iodine doped natural rubber in poly(carbonate urethane), 937C
Ion activity in aqueous poly(allylamine) hydrochloride, binding and selectivity in, 587P
Ion association, 171C
Ion-exchange, 1393C
Ionic polymerization, 1935C
Ionization potential, 2285C
Ionomer, 91C, 989C, 569P
Ionomers, 1299C
IPN formation, 1941C
IPN's, 887C
IR, 2037C
IR spectra, 1425C
IR spectroscopy of, 887P
Iron pentacarbonyl, 2489C
Irradiation, 1775C
Isomerization, 797C, 679C
4,4′-isophthaloyldiphthalic anhydride, 111C
Isotope, 1261C

Kapton, 1425C
Kelen-Tüdos method, 2165C
Ketene-imine, 2003C
Kinetic and properties, 1969C
Kinetic orders, 2531C
Kinetic parameters, 2459C
Kinetics, 797C, 21C, 345C, 471C, 625C, 635C, 1017C, 1077C, 1083C, 1961C, 2109C, 2389C
Kinetics of epoxide curing, ultrasonic study of, 791P
Kinetics of phosphorescence, 951P
Kinetics of quaternization, 2587C
Kinetic-thermodynamic correlations, 1771C

Ladder structure, 1779C
Lamellae, 1469P, 1483P, 1489P
Laser copolymerization, 589C
Latent catalyst, 501C
Latex, 171C, 1305C
Latex, core-shell, 865C
Latex particles, SANS study of internal morphology of, 787P
Lattice model, 1429P
Lattice models for gas sorption thermodynamics in glassy polymers, 1261P
LCST, 505C
Lewis acid, 583C, 2341C
$LiCF_3SO_3$, 2025C
Light intensity, 2277C
Light scattering, 1549C
Light scattering, Brillouin, of poly(2-hydroxyethyl methacrylate) hydrogel, 1089P
Light scattering detection, on-line, in SEC measurements, 177P
Light scattering dynamic, from bulk poly(n-hexylmethacrylate) near and above T_g, 1291P
Light scattering from ternary mixtures of solvent with two polymers, zero average contrast, 1157P
Light scattering in equilibrating mixtures of polyamic acids, 373P
Light scattering, small-angle cross-polarized, from birefringent sphere (theory), 865P
Linear attenuation coefficient, 1507P
Linear low density polyethylene, 279C
Linear polymer, diluent, 235C
Linear sulfides, 485C
Liquid carboxylated nitrile rubber, 1961C
Liquid crystal, 1681C, 2541C
Liquid crystal polyethers, 1483P
Liquid crystal polymers, 1489P
Liquid crystalline, 1355C, 1831C, 1845C
Liquid crystalline aromatic copolymers, solid state order in, 1375P
Liquid crystalline copolyesters, gas transport in, 817P, 837P
Liquid crystalline polymer, 2725C, 1199P
Liquid crystalline polymer solutions, MWD from viscometry in, 259P
Liquid crystalline polymers, 803C, 1051C
Liquid crystalline polymers, properties of blends of conventional polymers with, 505P
Liquid crystalline polymers, statistical mechanical theory of phase transitions in, 747P
Liquid crystals, 895C
Liquid-crystal, 1789C
Liquid-crystalline copolymers, 2587C
Liquid-crystalline polymer networks, polarized Raman scattering from, 215P
Lithium-*tert*-butoxide, 1519C
Living cationic, 1213C
Living cationic polymerization, 2407C
Living polymerization, 41C
Long-wave, 1601C
Low angle laser light scattering (LALLS), 1809C
Low dielectric constant, 1675C
Low dielectric constant polyimides, 2281C
Lower critical solution temperature, 2121C

Macromolecular activator, 211C
Macromolecules, 2475C
Macromonomer, 1489C, 1799C
Macroporous network polymers, 605C
Macroporous structure, 235C, 2121C
Magnesium reagents, 2511C
Magnetic property, 959C
Magnetic susceptibility measurements of orientation kinetics of liquid crystals, 1199P
Magnetism, 1335C
Magnetometer study of kinetics of orientation of, 1199P
Main chain liquid crystalline polymers, 989C
Main-chain flexibilization, 1227C
Main-chain liquid crystalline polymers, 91C
Maleamic acids, 125C
Maleate, 1347C
Maleic anhydride, 589C
Maleimide, 589C
Maleimides, 125C
Manganic laurate-substituted thiols, 941C
Markov chains, 731C, 751C
Materials for optoelectronics, 1279C
Maxwell–Wagner effect, 1443P
Mechanical and dielectric β relaxations of poly(cyclohexyl acrylate), 1239P
Mechanical and thermal properties, 887C, 2085C
Mechanical behavior, 775P
Mechanical properties, 1061C
Mechanical properties of dried LDPE gels, 349P
Mechanism, 83C, 345C, 625C, 635C, 1077C, 2459C, 2683C
Mediator, 1193C
Melt, 635C
Melt flow of polyethylene, critical strain rate for minimum resistance in, 923P

Melt fracture, 943P
Melt polycondensation, 1401C
Melt rheology and birefringence of concentrated polystyrene solution, 1329P
Melting behavior, 305P
Melting of cold-crystallized poly(phenylene sulfide), 163P
Melt-processing, 2645C
Membrane, 873C, 929C
Membranes for separation of small molecules, solid state rolltrusion technique for production of, 1035P
Mesogenic group effects, 803C
Mesophase, 91C, 989C
Meso-tetraphenylprophyrin, 2595C
Metal chlorides, 2067C
Metal complexes, 2475C
Metal ion crosslinking, 1071C
Metalation, 561C
Metallic cation conducting polymers, 879C
Metallocene-methylaluminoxane catalyst, 1017C
Metalloporphyrins, 2791C
Methacrylamide, 643C
Methacrylate monomer, 363C
Methacrylate with pendant cyclotriphosphazene, 145C
Methacrylates, 2159C
Methacrylic vinyl polymers, formation and oxidation of mechanoradicals in air, 97P
Methacrylonitrile/methacrylate mixtures, 1541C
3-Methoxythiophene, 1741C
Methyl acrylate, 1655C
Methyl cis-β-cyanoacrylate, 1187C
Methyl methacrylate, 941C, 2011C, 2063C
α-methylphenylallene, 583C
Methyl vinylidene cyanide, 2341C
Methyl α-(hydroxymethyl)acrylate, 1499C
4-Methylene-1,3-dioxolanes, 689C
Methylmethacrylate, 643C
γ-methylphenylallene, 583C
3-Methyloxetane, 1171C
4-methyl-2-oxetanone, 21C
1-methyl-2-pyrrolidinone, 163C
$Mg(OEt)_2TiCl_4$, 2263C
Microemulsion, nucleation, 691C, 703C
Microemulsion, partitioning behavior (thermodynamics), 691C
Microemulsion, polymerization, 691C
Microemulsion, polymerization modeling, 703C
Microemulsion, radical entry and exit, 703C
Microemulsion, styrene, 691C, 703C
Microphase separation in graft copolymer gel in mixed aqueous solvents, 1233P
Microsphere, 1287C
Microspheres, 1499C
Microspheres, aggregation, 245C
Microstructure, 1655C
Microwave and pulsed power, 409C
Microwave processing, 1647C
Miscibility, 2693C, 569P
Miscibility and interaction parameter χ in ternary copolymer blends, 1351P
Miscibility and phase behavior in blends of polystyrene and chlorostyrene copolymers, 49P
Miscibility of polymers in capillaries, 1401P
Miscibility of random copolymer blends, 577P
Mixed ligand cobalt(II) complexes, 2595C
Mixtures of different polymers in solution, dynamical relaxation of, 733P
MNDO, 2285C
Models for polyimide characterization of polyimide, 419C
Modification of rubber, 471C
Modified polyethylene, 1103C
Molecular architecture, 2203C
Molecular breadth, 997C
Molecular complex, 2011C
Molecular composite, 2099C, 1515P
Molecular motion in poly(*p*-phenylene vinylene) films, 11P
Molecular motion in polyethylene crystallized under different conditions, 591P
Molecular orbital method, 2011C, 769P
Molecular vibrations and light absorption in optical fibers, 879P
Molecular weight and radius of gyration from on-line SEC of polyimide precursors, 177P
Molecular weight dependence of relaxation of dissolved polystyrene in elongational flow, 335P
Molecular weight distribution, 731C, 751C, 2789C
Molecular weight distribution of polypropylene from turbidity at LCST, 993P
Molecular weight modeling, 731C, 751C
Molten state, 625C
Monodisperse beads, 137C
Monodisperse macrospheres, 245C
Monodisperse particles, 235C
Monodispersed α,ω-diols, 49C
Monomer, 149C
Monomer reactivity ratio, 1559C
Monomer reactivity ratios, 577C, 1821C
Monomer-isomerization copolymerization, 679C
Monomer-isomerization polymerization, 1347C
Monotropic nematic texture, 1177C
Monte Carlo, 1429P
Morphology, 787C, 951C, 1069P, 1483P
Morphology and swelling of PEEK in toluene, 113P
Morphology of dried LDPE gels, 349P
Morphology of immiscible blends of styrenic polymers in Nylon-6 matrix, 1273P
Morphology of poly(butadiene-*b*-dimethylsiloxane), 727P
M-pyrol, 163C
MR, 551C
Multi-armed vinyl monomer, 145C
Multifunctional copolyamide, 449C
Multiphase morphologies, 2085C
Mutual rotation, 769P
Mylar, 1507P

N^1,N^3-bis(2′-hydroxyethyl)uracil, 71C
N-(arylmethyl)diethanolamine, 1443C
n-acetylmuramic acid, 1223C
NADH, 685C
Nadimide, 2379C
N-alkoxy-pyridinium salts, 1987C
N-alkoxy-quinolinium salts, 1987C
Nanoparticles, 1499C
Naphthidine, 1051C
N-benzyl phthalimides, 501C
5-(N-benzylidene)isophthalic acid, 2371C
N-butyl acrylate, 2531C
NCA, 685C
Nematic, 91C, 989C, 1789C, 1831C, 1845C
Nematic liquid crystal, 1443P
Nematic state, 1489P
Network interlock, 1941C
Networks, 1831C, 1845C
Networks, controlled release of active agents by liquid leachants from, 717P
Networks of liquid-crystalline polymers, Raman scattering by, 215P
Networks of uni- and bimodal PDMS in shear, 801P

Networks, polyimide, deformation mechanisms in, 643P
New synthetic method, 197C
Nickel, 1567C
N-isopropylacrylamide, 2121C
Nitrile rubber, 471C
Nitrogen linked diamines, 1099C
Nitrous oxide, 2677C
Nitroxyl radical, 1193C
N-methpyrrolidone, 313C
NMR, 1155C, 1655C, 2549C
NMR chemical shift, 2285C
NMR study, 1477
^{15}N-NMR, 1299C
N-octadecyl acrylate, 2531C
Non-coplanar synthesis, 1433C
Non-Fickian transport, 549P
Nonlinear optics, 2541C
Nontoxic routes, 1911C
N-phenyl maleimide, 2181C
N-silylated aromatic diamines, 1363C
Nuclear magnetic resonance, 1761C
Nuclear magnetic resonance (NMR) of ^{13}C-labeled polyethylene, 591P
Nuclear magnetic resonance (NMR) of phenylene ring motion in poly(*p*-phenylene vinylene), 11P
Nuclear magnetic resonance (NMR) of polyethylene melts with persistent ordered regions, 1247P
Nuclear magnetic resonance (NMR) of silk fibroin, 693P
Nuclear magnetic resonance (NMR) relaxation in polymer melts, 931P
Nuclear magnetic resonance (NMR) relaxation, temperature distribution in solid polymers form, 1423P
Nuclear magnetic resonance (NMR) study of chain dynamics in irradiated PEO, 91P
Nuclear magnetic resonance (NMR) with ^{129}Xe as probe of polymer blends, 527P
Nuclear magnetic resonance (NMR) with deuterium probe in anisotropically swollen rubbers, 1419P
Nucleation, 2765C
Nucleophillic aromatic substitution, 203C
N-vinylcarbazole, 1655C
N-vinylpyrrolidone, 589C
Nylon 6, sorption of nonionic azo dyes from aqueous solution by, 563P
Nylon 6,6, 279C
Nylon-11, 1073P
Nylon-12, dry and water-saturated, dielectric properties of, 341P
Nylon-6 blends with styrenic polymers, morphology of, 1273P
Nylon-6 chain conformation, FT-IR separation of, 489P
Nylon-6, reactive compatibilization of polystyrene in blends with, 1021P
Nylons, electrical properties of, 637P
N-[4-N′-(α-methylbenzyl)-aminocarbonylphenyl]maleimide, 1821C

1-octene, 63C
O-e values, 1821C
Oisimido-bisphthalonitriles, 1477
Oligosilazanes, 461C
Onium salts, 1999C
Optical activity, 1633C
Optical anisotropy, 1507P
Optical anisotropy and chain orientation stiff polyimide thin films, 1321P
Optical data storage, 1681C
Optical fiber polymers, 1279C
Optical fibers, light absorption losses in, 879P
Optical properties, 895C
Optically active polymer, 1821C
Optically-active polyurethane, 2699C
Organic ferromagnetism, 1335C
Organic magnetic material, 959C
Organic thin films, 2427C
Organoaluminum cocatalysts, 2657C
Organoborazine copolymers, 577C
Organoborazine homopolymers, 577C
Organoindium compounds, 153C
Organotin oxides, 153C
Orientation, 1437P
Orientation kinetics of nematic phase measured by SQUID-magnetometer, 1199P
Oscillations, 1247C
1,3,4-Oxadiazole, 1369C
Oxazolines, 779C, 659C, 671C
Oxazolines, poly(N-acylethyleneimines), 649C
Oxetane, 1899C
Oxidase, 389C
Oxidation, 389C, 1193C, 1247C, 1305C, 1693C
Oxidation products, 493C
Oxidative coupling polymerization, 901C
Oxidative elimination, 1667C
Oxide fibers, 371C
Oxygen, 2677C
Oxygen carrier, 77C
Oxygen effect, 2755C
Oxygen permselective membrane, 77C
Oxygen permselectivity, 873C
Oxygen quenching of phenanthrene, 951P
Oxygen uptake, 2277C
Ozonolysis, 525C

Paired mesogens, 1177C
Palladium, 2503C
Palladium acetate catalyst, 471C
Palladium catalysis, 2511C, 2735C
Palladium complex, 1961C
χ parameters, 1013P
para-xylylene, 2223C
para-xylylenes, 2233C
Particla growth mechanism, 2077C
Particle, composite, 865C
Particle growth, 2765C
Particle morphology, 245C
Partition chromatography, 355C
PBT-thermal expansion, 1459P
Pd and Pt catalysts, 2665C
PEEK, 845C, 775P
Peel, 671C
Pendant oxyethylene unit, 2407C
Pendant silyl group, 1575C
Pendant silyl groups, 1583C
Penetrant diffusion in polymers, evolution of steep fronts in, 145P
Penultimate unit effect, 1187C
Peptide synthesis, 1705C
Peptidoglycan, 1223C
Perchlorinated polymers, 2489C
Perchloroaromatic compounds, 2489C
Permeability, 929C
Permeability and permselectivity of gases in fluorinated polybenzoxazoles, 1215P
Permeation and solubility of gases in polyimides prepared from methyl-substituted phenylenediamines, 907P
Permeation of binary gas mixtures in glassy polymer, 105P
Permeation of CO_2 in HDPE as function of draw ratio, 915P
Permeation of gases in liquid crystalline copolyesters, effects of copolymer composition on, 817P
Permeation of gases in liquid crystalline copolyesters, effects of orientation and annealing on, 837P
Permeation of gases in permselective polymeric membranes above 200°C, 1035P

Peroxide group, 2241C
Phase behavior at high pressure of mixtures of poly(ethylene-co-methylacrylate) with low MW hydrocarbons, 1365P
Phase behavior in PS and chlorostyrene copolymers blends, molecular weight and composition dependence of, 49P
Phase equilibria in cellulose/NH_3/NH_4SCN system, mesophase occurrence in, 315P
Phase inversion, 309P
Phase separation, 951C, 2407C, 1515P
Phase separation in polymer-polymer-solvent systems, 533P
Phase transfer catalysis, 509C
Phase transfer catalyst, 1503C, 1535C
Phase transition and structure in poly[*bis*-2,2,3,3-tetrafluopropoxy)phosphazene], 851P
Phase transitions, 997C
Phase transitions in liquid crystalline polymers, theory of, 747P
Phase-transfer catalysis, 1089C
Phase-transfer catalyst, 299C
PHEMA, 1069P
Phenanthrene, 2037C
Phenol, 1615C
Phenols, 2321C
Phenothiazine, 569C
Phenoxide, 1355C
Phenoxyl radicals, 1335C
Phenylendiamines, 461C
Phenylquinoxaline, 519C
Phenylquinoxaline containing diamines, 105C
Phenylthio pendent groups, 1327C
5-phenylthioisophthalic acid, 1327C
Phonon mediated reaction, 1625C
Phosphazene substitution, 1393C
Phosphine azide, 813C
Phospholipid polymer, 929C
Phosphonite silylazide, 813C
Phosphoranimine, 813C
Phosphorus pentoxide/methanesulfonic acid, 1993C
Phosphorus-containing derivatives of the caprolactam, 1449C
Phosphorus-containing poly(isophthalamides), 2521C
Phosphorylation, 1855C
Phosphorylation polycondensation, 1327C
Photo, 493C
Photoactive polymer, 1681C
Photocalorimetry, 829C
Photocatalytic activity, 271C
Photochemistry, 2475C
Photocleavage, 2451C
Photocrosslinking, 933C, 2541C, 2569C
Photodegradation, 1601C
Photo-Fries, 1525C, 1681C
Photogelation, 2451C
Photoinduced electron transfer, 2099C
Photoinduced polymerization, 485C
Photoiniator, 913C
Photoinitiation, 2399C
Photolysis, 851C, 1233C, 1525C, 2365C
Photon-harvesting, 2471C
Photooxidation, 2677C
Photooxidation kinetics, 2277C
Photopolymerization, 829C, 1987C, 2399C
Photopolymers, 2715C
Photoreduction, 1601C
Photosensitized, 1219C
Phototautomerization, 257C
Piezoelectric, 2341C
Plasma copolymerization, 2683C
Plasma deposition, 2415C, 2427C
Plasma induced polymerization, 323C
Plasma polymer, 1261C
Plasma polymerization, 409C, 1731C, 2003C, 2415C, 2427C
Plasma treatment, 1425C
Plasma-induced radicals, 379C
Plasticization of poly(ethyl acrylate) ionomer by alkyl aniline, 389P
Plasticization of poly(ethyl methacrylate) by dissolved argon, 1183P
p-methoxyphenol, 569C
PMMA structure inhomogeneity, 951P
Polar effect, 1559C
Polarization reversal, 769P
Poly(*p*-phenylenebenzobisthiazole), 1507P
Poly((E,E)-[6.2]paracyclophane-1,5-diene, 2781C
Poly(1,1-diethylpropargylamine), 2657C
Poly(1,4-phenylene vinylene), 2223C
Poly(2,2′-bithiophene), 1891C
Poly(2,6-dimethyl 1,4-phenylene oxide), 569P
Poly(2,6-dimethyl-1,4-phenylene)oxide, 901C
Poly(2,6-oxynaphthoate), 1469P
Poly(L-Aze-L-Pro), 551C
Poly(2-acrylamido,2-methyl propane sulphonamide), 1549C
Poly(2-acrylamido,2-methyl propane sulphonic acid), 1549C
Poly(acrylic acid), 1549C
Poly(alkylene phosphate), 71C
Poly(allylammonium) cation, counterion binding to, 587P
Poly(allylbiguanido-co-allylamine), 2071C
Poly(amide-imide)s, 1855C, 1865C
Poly(ammonium sulfopropylbetaines), DSC hydration process in, 1103P
Poly(ammonium sulfopropylbetaines), sorption isotherms for water in, 1113P
Poly(aryl sulfone)s, 221C
Poly(arylene ether ketone)s, free volume in, 1195P
Poly(arylene ethyne), 2503C
Poly(arylene methylene)s, 2037C
Poly(arylene vinylene), 2223C
Poly(arylene vinylene)s, 2233C
Poly(arylether sulfone)s, 221C
Poly(aryl-ether-ether-ketone) (PEEK), solvent-induced crystallinity in, 251P
Poly(aryl-ether-ether-ketone), transport of toluene penetrant in and swelling of, 113P
Poly(butadienyl)lithium, 2349C
Poly(butylene terephthalate), 305P, 1459P
Poly(butylene terephthalate) and blends, orientation and mechanical properties of, 505P
Poly(butylene terephthalate) and sulfonated analogs, morphology and properties of, 281P
Poly(butylene terephthalate), multiple melting endotherms from, 755P
Poly(butylene terphthalate), electrical properties of, 637P
Poly(chloroprene), 525C
Poly(cyclohexyl acrylate), activation energy for β relaxations of, 1239P
Poly(diisopropenylbenzene), 605C
Poly(dimethylsiloxane) networks, uni- and bimodal, shear modulus in, 801P
Poly(dimethylsilylene-co-diphenylsilylene), 2333C
Poly(divinylbenzene), 605C
Poly(3-dodecyl-2,2′-bithiophene), 945C
Poly(ester-imide)s, 337C
Poly(ether sulfone) copolymers, 2217C
Poly(etheretherketone), valence band x-ray photoelectron spectra of, 275P

Poly(etherketone), valence band x-ray photoelectron spectra of, 275P
Poly(ethyl acrylate) ionomer plasticized by alkyl aniline, DMTA and X-ray study of, 389P
Poly(ethyl methacrylate) plasticization by dissolved argon, 1183P
Poly(ethylene glycol), 355C, 1799C, 2055C
Poly(ethylene oxide), 2251C
Poly(ethylene oxide) confinement orientation of, 785P
Poly(ethylene oxide), irradiated, ^{13}C NMR study of chain dynamics of, 91P
Poly(ethylene terephthalate), 279C
Poly(ethylene terephthalate), amorphous, planar deformation of, 687P
Poly(ethylene terephthalate), polymerization rate study by diffuse reflectance FTIR of, 1305P
Poly(ethylene terephthalate), uniaxially drawn, near-surface structure of, 887P
Poly(ethylene terphthalate) and related copolyesters, dielectric relaxation in, 701P
Poly(ethylene terphthalate), diffusion of ethylene glycol in melts of, 707P
Poly(ethylene vinyl alcohol), 279C
Poly(2-hydroxyethyl methacrylate) hydrogel, Brillouin light scattering study of, 1089P
Poly(imidazoleamide), 1413C
Poly(maleimide-ether), 2773C
Poly(methyl methacrylate), 2025C, 2693C
Poly(methyl methacrylate), soft X-ray absorption coefficient spectrum of, 185P
Poly(2-methyl-trimethylene glycol), 1171C
Poly(*N*-acylethyleneimines), 659C
Poly(*N*-acylethylenimine), 671C
Poly(n-hexylmethacrylate), dynamic light-scattering from bulk near and above T_g, 1291P
Poly(*N*-isopropylacrylamide), 505C
Poly(*o*-Acetylstyrene), 1601C
Poly(2-oxazoline), 1489C
Poly(*para*-phenylene vinylene), 2223C
Poly(*p*-chlorostyrene) dipole moments in benzene, isopropyl benzene and *n*-propyl benzene, 197P
Poly(phenylacetylene), 873C
Poly(phenylene sulfide), crystallization and melting behavior of, 163P
Poly(phenylene sulfide), dielectric relaxation of, 239P
Poly(phenylene vinylene)s, 2233C
Poly(phenylquinoxaline), 519C
Poly(p-phenylene terephthalamide), mechano-sorptive creep mechanisms in, 1391P
Poly(*p*-phenylene vinylene), NMR study of phenylene ring motion in, 11P
Poly(*p*-phenylene) from organometallic polymerization, crystal structure of, 294P
Poly(propargylamine), 2657C
Poly(propylene glycol), 2025C
Poly(propylene), 2601C
Poly(p-xylylene), direct imaging of smectic B phase of, 1285P
Poly(sodium styrene sulfonate-co-*N*-vinylcarbazole), 271C
Poly(styrene-sodium styrene sulfonate), 171C
Poly(styryl)lithium, 2349C
Poly(tert-butyl methacrylate), 2251C
Poly(thioether keton), 1993C
Poly(trimethylsilylpropyne), 77C
Poly(urethane carbonate), 835C, 887C
Poly(vinyl methylbenzoates), gas transport in, 539P
Poly(4-vinyl pyridine), 2587C
Poly(vinylidene fluoride), 769P
Poly(vinylidene fluoride), pressure dependence of relaxation and dielectric properties of, 669P
Poly(4-vinylpyridine), 203C
Poly(ϵ-caprolactone) films on highly oriented PTFE substrate, 1173P
Polyacetylene derivatives, 2657C
Polyacrolein microspheres, 1103C
Polyacryl amides, 1383C
Polyacrylamide, 1071C, 1549C
Polyacrylamide, inhomogeneous hydrogels of, 1055P
Polyacrylonitrile, 1299P
Polyamic acid esters, thermal elimination of isobutene from, 1409P
Polyamic acid mixtures, SEC and light scattering study of equilibria in, 373P
Polyamide, 211C, 1567C
Polyamides, 1051C, 2059C
Polyamino acids, 1809C
Polyaniline, 543C
Polyanilines, doped, effect of heating on, 265P
Polyarloxysilane, 1401C
Polyarylate, 83C, 345C, 2321C, 2467C
Polyarylates, 1575C
Polyarylether, 1767C
Polyarylethersulfone, 1247C
Polyazomethine, 1369C, 1375C
Polybenzimidazole, 1097P
Polybenzobisthiazoles, 1111C
Polybenzothiazoles, 197C
Polybenzoxazoles, fluorinated, gas permeability and permselectivity in, 1215P
Polybiscitzaconimides, 157C
Poly-bismaleimides, 157C
Polybutadiene, 185C, 397C, 2349C, 2749C
Polycarbonate, 299C, 1525C, 1437P
Polycarbonate, cyclic stress and aging of, 221P
Polycarbonate quenched, Schlieren optical technique for density distribution measurement in, 83P
Polycarbonate, stress-induced structural changes in, 231P
Polycarbonate urethane/PMMA, 2577C
Polycarbonates, electrical properties of, 637P
Polycarbonates of bisphenol-A and tetramethyl bisphenol-A, dynamic mechanical properties and gas transport in, 1131P
Polycarbonate-urethane, 2749C
Polycationic polymer, 2071C
Polycondensation, 71C, 83C, 1369C, 1375C
Polycondensed aromatic ring, 561C
Polydispersity, 649C
Polyelectrolyte, 203C, 1917C
Polyelectrolytes, counterion binding and selectivity in solutions of, 587P
Polyene polymers, 2791C
Polyepoxide, 2791C
Polyester, 313C
Polyether, 519C, 1355C, 1767C
Polyether-ether-ketone (PEEK), model for predicting isothermal degradation kinetics of, 455P
Polyethers, 1123C, 1299C, 2379C
Polyethersulfone, 1247C
Polyethersulfone in miscible blends with polyimide, 465P
Polyethylene, 389C, 493C, 1693C, 1873C, 2049C, 2277C, 2789C, 517P
Polyethylene, conditions for minimum resistance in melt flow of, 923P
Polyethylene, crystal and

molecular deformation in strained fibers of, 361P
Polyethylene crystal, spectral shifts in mechanical deformation of, 1143P
Polyethylene, dynamics of noncrystalline region of, 591P
Polyethylene, high density, effect of drawing on CO_2 diffusion in, 915P
Polyethylene, IR spectroscopic method for measuring orientation in films of, 1165P
Polyethylene, low density morphology and properties of dried gels from, 349P
Polyethylene melts, persistence of high segmental density regions in, 1247P
Polyethylene, sliding-friction charging of, 859P
Polyethyleneimine, 779C
Polyformal, 299C
Polyimide, 419C, 1099C, 2285C, 549P
Polyimide films, 1223P
Polyimide in miscible blends with polyethersulfone, 465P
Polyimide mixtures, binary rodlike/flexible, structure and properties of, 133P
Polyimide precursor fractions, on-line size exclusion chromatography of, 177P
Polyimide resins and networks, plastic deformation mechanisms in, 643P
Polyimide, thermoplastic, crystalline transitions in, 71P
Polyimides, 125C, 305C, 1209C, 1233C, 1433C, 2017C, 2559C
Polyimides from methyl-substituted phenylenediamines, permeation of gases in, 907P
Polyimides. stiff, optical and dielectric properties in their films of, 1321P
Polyisobutylene, 41C
Polyisocyanates, 879C
Polyisophthalamides, 1327C
Polyisoprene, 397C, 2349C
Polymer, 119C
Polymer blend, 569P
Polymer blends, 221C
Polymer blends, poly(ethylene oxide), 2693C
Polymer catalyst, 1503C, 2247C
Polymer electrolytes, 879C
Polymer fibers, 1111C
Polymer gels, 1071C
Polymer matrix, 1443P
Polymer matrix composites, 305C
Polymer reactivity, 1705C
Polymer support, 1535C
Polymer supports, 1705C
Polymer swelling, 1705C
Polymer transitions, 1129C, 1145C, 1155C
Polymer-anchored catalysts, 2665C
Polymer-bound chromophore, 2099C
Polymer-bound photocatalyst, 257C
Polymer-bound schiff base, 2595C
Polymeric arene chromium tricarbonyl complex, 1717C
Polymeric arene complex methylation, 1717C
Polymeric crosslinkers, 1911C
Polymeric film, 1507P
Polymeric Isocyanates, 1911C
Polymeric microspheres, 1499C
Polymeric reagents, 329C, 1705C
Polymeric stabilizers, 1925C
Polymeric surfactant, 1925C
Polymerizability of monomers, 439C
Polymerization, 1305C, 1741C, 1821C, 2049C
Polymerization anionic, 1511C, 1519C
Polymerization kinetics, 2755C
Polymerization mechanism, 439C
Polymerization of epoxides, 2067C
Polymerization of poly(phenylene vinylene), 977C
Polymerization of styrenes, 1771C
Polymerization, solid-state, positron lifetime technique for study of, 1P
Polymers of naphthalene, 2037C
Polymer-supported monoazacrown ethers, 1089C
Polymethacrylates, 137C
Polymethacrylic acid, 2389C
Polyoctene, 1017C
Polyolefins, 1693C
Polyolefins, fragmentation of, 2131C
Polyoxymethylene, spectral shifts in tensile deformation of, 1143P
Polyphenylacetylene, 1935C
Polyphosphazene, 813C
Polyphosphonates, 337C
Polypropylene, 389C, 1219C
Polypropylene, catalyst dynamics for, 2131C
Polypropylene, confinement orientation of, 785P
Polypropylene, free-volume hole distributions in, 1359P
Polypropylene, MWD from turbidity at lower critical solution temperature of, 993P
Polypropylene, sliding-friction charging of, 859P
Polypropylene, small diffusants and unoccupied space in, 415P
Polypropylene, spectral shifts in tensile deformation of, 1143P
Polypropyleneimine, 501C
Polypyrrole, 1315C, 1891C
Polyradical, 959C
Polyradicals, 1335C
Polysaccharide, 1223C
Polysilane, 2333C
Polysilazanes, 461C
Polystyrene, 887C, 1129C, 1145C, 1155C, 1755C, 2349C, 2677C
Polystyrene, atactic, T_g from DSC cooling traces for, 1177P
Polystyrene, chain scission by impact fracture in, 1123P
Polystyrene, chain scission in fracture of, 1311P
Polystyrene, flow birefringence of concentrated solution in shear flow, 1329P
Polystyrene, functionalized anhydrides in reactive compatibilization of Nylon-6 in blends with, 1021P
Polystyrene in latex spheres, segmental distribution of, 787P
Polystyrene, monodisperse atactic, relaxation in elongational flow in solutions of, 335P
Polystyrene rheology, 943P
Polystyrene, self-diffusion of benzene, toluene, and ethylbenzene in, 1081P
Polystyrene, synthesis of uniformly crosslinked microbeads of, 1189P
Polystyrene-bound benzaldehyde, 2595C
Polytartaramides, 713C
Polythiophene, 1667C, 19P
Polythiophenes, 1761C
Polytitanosiloxane, 371C
Polyurethane, 287C
Polyurethanes, 513C
Polyvinyl pyridine, 835C
Polyzirconoxane, 2295C
Polyzwitterions, water sorption in, 1103P, 1113P
Poly[(2,5-dimethyl-1,4-piperazinediyl)(4,4′-biphenyldicarbonyl)], 1567C
Poly[(L-Pro)$_3$-L-Aze], 551C
Poly[*bis*-2,2,3,3-tetrafluorpropoxy)phosphazene], structure and phase transitions in, 851P
Poly[*N,N′*-bis(phenoxyphenyl)pyromellitimide], 419C
Poly[sodium styrene sulfonate-co-*N*-(acryloyloxyhexyl)carbazole], 271C
Porous particles, 235C
Porphyrin, 1305C, 2475C
Porphyrin polymer, 77C
Positron annihilation in, 517P

Positron annihilation in polyethylene, 517P
Positron annihilation lifetime spectroscopy, 1429P
Positron annihilation spectroscopy of glassy polycarbonate after cyclic stress, 231P
Positron lifetime spectra and free-volume hole distribution in polypropylene, 1359P
Potassium carbonate, 1977C
Potassium cation-dibenzo-18-crown-6 counterion, 21C
Potential, 19P
Potentiometric titration, 2071C
Pour point depressants, 2273C, 2531C
p-phenylenebis(acrylate) unit, 449C
p-phenylenebis(α-cyanobutadienecarboxylate) unit, 449C
PPO-dimer, 901C
PPO-trimer, 901C
Precursor, 2295C
Preparation of precursor polymer for poly(phenylene vinylene), 977C
Probe, 1129C
Propagation, 851C
2-propanol, 257C
Properties, 1077C
Properties, 1083C
Propylene, 1083C, 1163C
Propylene carbonate, 1299P
Propylene polymerization, 2263C
Protein adsorption, 929C
Proton transfer reactions, 439C
Protonation state, 543C
Pseudo crown ether, 1535C
Pseudo(semi) IPN's, 937C
p-toluenesulfonylhydrazide, 397C
p-Xylenesulfonium salts, 977C
Pyrene and polycyclic aromatics, 1443C
Pyroelectric, 2341C
Pyrolysis, 2321C
Pyrolysis capillary gas chromatography-mass spectrometry, 133C
Pyromellitic acid, meta and para di-tert-butyl esters, thermal elimination of isobutene from, 1409P
Pyromellitimides, 1865C
Pyrrolidone moiety, 1495C

Q, e values, 2273C
Quartz crystal microbalance, 1315C
Quench structure, 309P
Quenching, 1601C

Racemate, 2699C
Radiation, 185C, 1077C
Radiation crosslinking, 2055C
Radiation grafting, 1969C
Radiation-induced polymerization, 2149C, 2173C
Radiation-initiation, 13C
Radical copolymerization, 333C, 1187C, 1383C, 1559C
Radical formation in methacrylic polymers under anaerobic milling, 97P
Radical mechanism of redox initiated vinyl polymerization, 427P
Radical photocrosslinking, 2755C
Radical polymerization, 149C, 577C, 689C, 1347C, 2223C
, radical copolymerization, 145C
Radiochemical grafting, 1407C
Raman, 419C
Raman scattering study of order in liquid-crystalline polymer networks, 215P
Raman spectra of strained high-performance PE fibers, 361P
Raman spectroscopy of polyethylene-reinforced epoxy fibers, 325P
Random and block copolyamides, 2357C
Random terpolymer polyesters, 1489P
Rapid curing, 1647C
Rare earth coordination catalyst, 63C
Rate coefficients, 851C
Rate dependence, 2459C
Reaction kinetics, 2725C
Reaction mechanism, 2109C, 2497C
Reaction pathways, 13C
Reaction rate constant, 2725C
Reactive oligomer, 845C
Reactivity, 901C, 1589C
Reactivity ratios, 2063C, 2165C, 2273C
Real-time x-ray, 1459P
Recyclization, 461C
Redistribution reactions, 613C
Redox, 2211C
Redox and azo initiation, 333C
Redox telomerization of allyl acetate, 49C
Reduced viscosity, 1549C
Reductive dechlorination, 2489C
Refractive index, 1507P
Relaxation of dissolved polystyrene molecules in elongated flow, 335P
Relaxation of proton NMR processes in melts (theory), 931P
Relaxations in polyethylene melts, NMR study of, 1247P
Relaxations in thermosets in curing, ultrasonic study of, 791P
Remote nitrogen plasma, 279C
Reptation theory, 1451P
Reversible optical data storage, 1177C
Rheology, 2203C
Rheology of cold drawing of viscoelastic materials (theory), 25P
Rheology of polyethersulfone/polyimide blends, 465P
Rhodium colloid initiators, 1C
Rhodium initiators, 1C
Rhodizonic dianion, 2399C
Rigid polyimides, 105C
Ring cleavage, 461C
Ring-opening polymerization, 1C, 31C, 501C, 689C, 1123C, 1171C, 1223C
Role of catalyst ligands, 2067C
Roto-fluorescence, 1129C
Rouse-Zimm model, 779P
Rubber, 471C
Rubbery polymer blends, ^{129}Xe as NMR probe of, 527P
Rubbery polymers, anisotropically swollen deuterium NMR study of order in, 1419P

Saturated fluorocarbon, 1731C
Scholl reaction, 439C
Seeded emulsion polymerization, 245C
Seeded polymerization, 1463C
Seeding, 2077C
Segmented aromatic copolymers, 2217C
Segmented polyurethanes, 1061C
Selective hydrolysis, 779C
Selective polymerization, 797C
Selenium-containing polymer, 227C
Self-quenching, 2471C
Semiconductive polymer, 1369C, 1375C
Sequence distribution, 1655C
Sequencing, 1451P
Sequential living anionic block copolymerization, 2251C
Shear modulus and compatibility in mixed gels, 681P
Shrinkage effects, 2715C
Side chain liquid crystalline polymers, 803C
Silazane, 461C
Silica, 1977C
Silicic acid, 371C, 1779C
Siloxane, 649C, 659C, 659C, 671C
Siloxanes, 2045C
Silphenylene-siloxane polymers, 803C
Silver, 1097P
Silyl method, 1299C
Silylated aromatic polyureas, 1363C
Silylation, 1779C

SIMS, 2427C
Single electron transfer steps, 1771C
SiO_2-TiO_2, 371C
Size exclusion chromatography (SEC), 1809C
Size exclusion chromatography of equilibrating mixtures of polyamic acids, 373P
Si—C/Si—O and Si—H/Si—O bonds exchange, 613C
Small-angle x-ray scattering, 1013P
Smectic, 1831C, 1845C
Solar photolysis, 257C
Solid state C-13-NMR, 111C
Solid state order in aromatic liquid crystalline random copolymers, 1375P
Solid state photoreaction, 1625C
Solid-state ^{29}Si-NMR, 613C
Solid-state NMR, 185C, 1953C
Solid-state polymerization, 363C
Solubility, 1227C, 1363C
Solubility behavior, 2357C
Solubilization, 271C
Soluble, 1761C, 2037C
Soluble coaramids, 2217C
Soluble copolyimides, 2217C
Soluble oligoamide, 2645C
Soluble polyarylenes, 1037C
Soluble polyimides, 1027C, 2281C
Solution polymerization, 1799C
Solutions of copolymers dynamical relaxation properties of, 733P
Solutions of homopolymer mixtures, dynamical relaxation properties of, 733P
Solvent quality, 1601C
Solvent systems, 315P
Sorption and diffusion of gas, 497P
Sorption and diffusion of water vapor in, 1223P
Sorption equilibrium, 549P
Sorption isotherms of nonionic azo dyes from water on polyamide, 563P
Sorption of argon in poly(ethyl methacrylate), 1183P
Sorption of gas in glass bead filled silicone elastomer, interfacial quality and dilation, 959P
Sorption of gas in glassy polymers, compressible lattice model for, 1261P
Sorption of solvents in PEEK, crystallinity induced by, 251P
Sorption of toluene in PEEK, swelling and temperature effects in, 113P
Sorption of water in poly(ammonium sulfopropylbetaines), 1103P, 1113P
Sorption of water vapor in polyimide films, 1223P
Sorption rate curve, 549P
Spacer, 1089C
Spacer arms, 685C
Spacer length effect, 1177C
Specificity, 901C
Spectroscopic analysis, 471C
Spiro(benzoxasilole), 1899C
Sputtering, 1731C
Square pyramidal complexes, 2595C
Stability, 945C, 1873C
Stable radical, 959C
Star polymers, 2203C
Starburst dendrimer polymers, structure factor for, 1387P
Starch, 1541C
Static secondary ion mass spectrometry, 1261C
Statistical mechanics of liquid-columnar phase transitions in polymeric liquid crystals, 747P
Stereophotolithography, 2715C
Stereoregular nylons, 713C
Stereoregular polyamides, 713C
Steric effect, 1559C
Steric hindered phenols, 879C
Steric hindrance, 1761C, 2587C
Steric stabilizer, 2765C
Strain rate, 1437P
Strain rate in extrusion procedures, hyperbolic die design and, 557P
Streptavidin, 1451P
Stress distribution calculated for model composites, end effects in, 603P
Stress distribution calculated for model composites, fiber/matrix interfacial effects in, 619P
Stress distribution in strained high performance PE fibers, 361P
Stress failure of ethylene-hexene copolymer, 477P
Stress relaxation anomalies of polystyrenes, 943P
Stress transfer in PE-filled epoxy fibers, Raman spectroscopic study of, 325P
Stress-optical rule, 409P
Stress-strain relations in uni- and bimodal networks of PDMS, 801P
Stretched film, 1437P
Structural assignments, 1477
Structure, 2295C
Structure effect, 723C
Structure factor for starburst dendrimer polymers, 1387P
Styrene, 1219C, 2077C, 2181C
Styrylmethyl ether, 509C
Substituent effect, 1559C
Substituent group of polyimide, 497P
Substituted polyisophthalamides, 2371C
Sulfide thiol, 119C
Sulfonate, 91C, 989C
Sulfonate functional groups, 171C
Sulfonated poly(butylene terephthalate), properties of, 281P
Sulfonated polystyrene, 569P
Sulfonium salt, 933C, 2365C, 2569C
Sulfonyl aromatic polyamides, 597C
4,4′-sulfonyldibenzoic acid, 597C
Surface, 389C
Surface, 2049C
Surface activity in water, 2143C
Surface enhanced Raman scattering, 1097P
Surface fluorination, 1731C
Surface grafting, 2241C
Surface modification, 1103C, 1425C, 2415C, 2427C
Surface modifier, 1489C
Surface properties, 1061C
Surface structure of drawn PET films, attenuated total-reflectance, 887P
Surface tension, 1527P
Surfactant, 1489C, 2471C
Swellable polymer matrices, model for leaching of solutes from, 717P
Swelling, 933C, 2569C
Symmetry, 1073P
Synthesis, 1477, 91C, 989C, 1741C, 2037C, 2045C
Synthesis conformation, 551C

Tafel plot, 19P
Tautomer, 625C
Tautomeric compound, 635C
Telechelic oligomers, 49C
Telechelic polyether, 1171C
Temperature mapping in solid polymers, NMR relaxation method for, 1423P
Template polymerization, 787C
Tensile modulus of electrically conductive blends of poly(3-octylthiophene) and polyethylene, 871P
Tensile properties, 2281C, 2357C
Tensile strength, 371C
4,4′-terephthaloyldiphthalic anhydride, 111C
Terminal group, 211C
Terpolymerization, 1077C, 1187C
tert-alkoxides, 1511C
Tetracyanoethylene, 2003C
Tetrafluoroethylene, 1077C, 1083C, 2683C
Tetrafluoro-*m*-phenylenediamine, 1203C
Tetrahydrofuran, 1779C, 2653C
2,2,6,6-Tetramethylpiperidinyl methacrylate, 983C

Tetraphenylthiophene diamine, 1855C, 1865C
Thermal, 493C
Thermal analysis, 2781C, 305P
Thermal analysis of doped polyanilines, 265P
Thermal behavior, 513C, 577C, 1027C, 1203C, 1227C, 1363C, 2195C, 2281C, 2357C
Thermal behavior of poly(butylene terephthalate), 755P
Thermal catalyst, 501C
Thermal decomposition, 1717C, 2321C
Thermal decomposition of doped polyanilines, synchrotron radiation diffractometry during, 265P
Thermal degradation, 1347C, 2389C, 2781C
Thermal degradation of polymers, generalized model for kinetics of, 455P
Thermal elimination of isobutene from monomers of polyamic acid ester, 1409P
Thermal oxidation, 2693C
Thermal properties, 951C
Thermal properties of dried LDPE gels, 349P
Thermal properties of polyethersulfone/polyimide blends, 465P
Thermal property, 1775C
Thermal stability, 305C, 2037C, 2521C
Thermally reversible crosslinking, 1755C
Thermally stable, 1675C
Thermally stable monomers, 1477
Thermally stable polymer, 1099C, 1369C, 1375C
Thermally stable polymers, 2371C
Thermodynamics of inhomogeneous polymer-polymer-solvent systems, 533P
Thermodynamics of miscibility of polymer mixtures in capillaries, 1401P
Thermogravimetric analyses, 2379C
Thermogravimetric analysis, 2071C
Thermogravimetric analysis/mass spectroscopy, 613C
Thermo-initiated polymerization, 501C
Thermolysis of crosslinked polysiloxanes, 613C
Thermoplastic, 519C
Thermoplastic elastomer, 41C
Thermoplastic elastomeric, 2601C
Thermoreversible gels, 1299P
Thermoset, 1831C, 1845C
Thermotropic, 1831C, 1845C
Thermotropic copolyester, 1789C
Thermotropic liquid crystalline malonic esters, 1177C
Thermotropic liquid crystalline poly(malonic ester)s, 1177C
1,3,4-Thiadiazole, 1375C
Thiazolium salt, 2247C
Thin film, 257C
Thin films, 2415C
Thiol, 1917C, 2181C
Thiophene, 2773C
Three-dimensionally isotropic properties, 1515P
Time dependent diffusion, 549P
Time-resolved measurements, 2365C
Tin alkynyl reagent, 2503C
Tin reagents, 2511C
Tough films, 1575C
Transalkylation, 429C
Transamination, 461C
Trans-cis photoisomerization, 1177C
Transient species, 2365C
Transition metal catalysts, 2657C
Transition metal initiators, 1C, 31C
Transitions, 1469P
Transport of penetrants in cellulose acetate film, 971P, 983P
Transport of penetrants in polymers, model involving flux and relaxation in, 145P
Trapping electrophoresis, 1451P
Tri-block copolyether, 1171C
2,4,6-tribromophenyl acrylate, 2165C
Trifluoromethyl group, 873C
Trimellitimides, 1865C
Trimethylolpropane triacrylate, 323C
Triphase catalysis, 1393C
Triphenyl phosphite, 597C, 1865C
Triphenylphosphine oxide, 1503C
β-truxinate unit, 449C
Turbidity at LCST of polypropylene, MWD characterization by, 993P
Two dimensional NMR, 967C
Two-phase polycondensation, 1575C
Two-step synthesis, 197C

Ultrafine silica, 2241C
Ultrasonic waves, 19P
Ultrasound interferometry, 299P
Ultrasound-assisted two-phase polycondensation, 2195C
Ultraviolet, 2677C
Unit cell, 1469P
Urea, 1615C
UV spectroscopy, 1761C
UV-curable resin, 819C
UV-Stabilizer, 1163C
UV/visible spectroscopy, 1891C

Vinyl acetate, 2273C
Vinyl acetate, 2619C
Vinyl monomer, 561C
Vinyl polymerization, redox initiated, ESR study of, 427P
2-vinyl thiophene, 2063C
Vinylcyclohexane, 679C
4-Vinyl-1-cyclohexene, 797C
Vinylether, 933C, 2569C
Viologen, 1199C
Viscoelastic effects in neck formation in fibers and films (theory), 25P
Viscoelasticity, 409P
Viscosity increase compatibility, 1941C

Water, 257C, 1069P
Water in hydrogels of poly(2-hydroxylethyl methacrylate), Brillouin light scattering study of, 1089P
Water-soluble polymer, 2407C
Water-soluble polymers, 1383C
Waveguide, 1507P
WAXD, 659C
Waxy crude oil, 2273C
Whiskers, 1469P
Wholly aromatic polyester, 2725C

XPS, 389C
XPS, 1247C, 2415C, 2427C
XPS spectra, 1425C
X-ray, 1299P
X-ray absorption coefficients of PMMA in soft X-ray region, 185P
X-ray diffraction, 513C
X-ray diffraction from poly[*bis*(2,2,3,3-tetrafluopropoxy)phosphazene], 851P
X-ray diffraction of organometallically produced poly(*p*-phenylene), 294P
X-ray diffraction of strained high performance PE fibers, 361P
X-ray photoelectron spectroscopy, 279C, 1261C, 2683C
x-ray photoelectron spectroscopy of PEK and PEEK, 275P

Ziegler-Natta, 1163C
Ziegler-Natta, 2131C
Ziegler-Natta catalyst, 797C, 679C
Ziegler-Natta catalysts, 2601C
Zinc reagents, 2511C
Zirconia, 2295C
Zirconium chelate, 2295C

Journal of
Polymer Science

Combined Author Index to Volume 30

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 30, 1992. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abe, T. See Ueda, M., 1993C
Abe, Y. See Gunji, T., 371C, 1779C, 2295C
Adamic, K. J. See Zhong, Z. Z., 1443P
Aguilar-Vega, M. See Kim, C. K., 1131P
Ajji, A.
—; Brisson, J.; Qu, Y.: Orientation and Mechanical Properties of PBT and Its Blends with a Liquid-Crystalline Copolyester, 505P
Akins, R. B. See Zhong, Z. Z., 1443P
Akita, H. See Hattori, T., 197C
Aklonis, J. J. See Ding, Z.-Y., 1189P; Zou, D., 137C, 1463C, 2443C
Albonico, P.
—; Burrafato, G.; Lockhart, T. P.: Polyacrylamide Gels Formed with Cr^{+3} Ion and $Cr(Acetate)_3$: Thermodynamically and Kinetically Controlled Crosslinking Reactions, 1071C
Alig, I.
—; Lellinger, D.; Johari, G. P.: Relaxations in Thermosets. XVIII. Ultrasonic Studies of Curing Kinetics of Ethylene-Diamine-Cured Epoxide, 791P
Allan, D. S.
—; Rasmussen, P. G.: Heteroaromatic Polyamides from Cyanoimidazoles, 1413C
Allegra, G.
—; Marchessault, R. H.; Bloembergen, S.: Crystallization of Markoffian Copolymers, 809P
Allen, C. W. See Jackson, L. A., 577C
Alvarez-Idaboy, J. R.
—; Galano, A.; Montero, L. A.; Martínez, R.: Theoretical Approach to Cationic Polymerization of Alkenylfurans. II. Ab Initio and Semiempirical Study of Relevant Steps in the Reaction Mechanism, 2497C
Amarantos, S. G. See Petropoulos, J. H., 717P
Amaya, N. See Otsu, T., 1559C
Améduri, B.
—; Boutevin, B.; Lecrom, C.; Garnier, L.: Synthesis of Halogenated Monodispersed Telechelic Oligomers. III. Bistelomerization of Allyl Acetate with Telogens which Exhibit α,ω-Di(trichloromethyled) End Groups, 49C
Anderson, D. P. See Wolf, C. J., 251P
Ando, I. See Chen, Q., 591P
Ando, S.
—; Matsuura, T.; Sasaki, S.: ^{15}N-, ^{1}H-, and ^{13}C-NMR Chemical Shifts and Electronic Properties of Aromatic Diamines and Dianhydrides, 2285C
Andradi, L. N. See Braun, D., 577P
Andre, J. C. See Karrer, P., 2715C
Andrews, S. M.: Synthesis, Characterization, and Blends of High Temperature Poly(arylether Sulfone)s, 221C
Andrzejewska, E.: The Influence of Aliphatic Sulfides on the Photoinduced Polymerization of Butanediol-1,4 Dimethacrylate, 485C
Anzures, E. T. See Hoyle, C. E., 1233C
Aoki, T. See Hayakawa, Y., 873C
Aoshima, S.
—; Oda, H.; Kobayashi, E.: Synthesis of Thermally-Induced Phase Separating Polymer with Well-Defined Polymer Structure by Living Cationic Polymerization. I. Synthesis of Poly(vinyl Ether)s with Oxyethylene Units in the Pendant and Its Phase Separation Behavior in Aqueous Solution, 2407C
Aoshima, S. See Kobayashi, E., 227C
Apen, P. G.
—; Rasmussen, P. G.: Synthesis and Characterization of Poly(4-Vinylpyridine) Substituted with a Novel Betaine Salt Derived from 4,5-Dicyanoimidazole, 203C
Araki, T. See Narita, H., 333C
Archibald, T. G. See Malik, A. A., 1747C
Arimatsu, Y. See Kaji, A., 287C
Arita, Y. See Matsukawa, K., 2045C
Ariyapadi, M. V.
—; Nauman, E. B.: Free Energy of an Inhomogeneous Polymer-Polymer-Solvent System. II., 533P
Arizzi, S.
—; Mott, P. H.; Suter, U. W.: Space Available to Small Diffusants in Polymeric Glasses: Analysis of Unoccupied Space and Its Connectivity, 415P
Arshady, R.
—; Fallah, F.: Amphiphilic Gels for Peptide Synthesis, 1705C
Asakura, T.
—; Demura, M.; Watanabe, Y.; Sato, K.: ^{1}H Pulsed NMR Study of *Bombyx mori* Silk Fibroin: Dynamics of Fibroin and of Absorbed Water, 693P
Atobe, I.
—; Takata, T.; Endo, T.: Copolymerization of Novel Vinyl Monomers Having Pyrrolidone Moiety with Styrene Derivatives, 1495C
Atwood, J. L. See Chien, J. C. W., 2601C
Auer, M. See Wilén, C.-E., 1163C

Aus, E. B. See Errede, L. A., 1145C
Avakian, P. See Starkweather, H. W., Jr., 637P
Avasthi, B. N. See Bhattacharjee, S., 1961C
Avasthi, B. N. See Bhattacharjee, S., 471C

Babu, S. H.
—; Ford, W. T.: Autoxidation of 2-Mercaptoethanol Catalyzed by Cobalt(II) Phthalocyaninetetrasulfonate on Colloidal Particles, 1917C
Bachmann, F.
—; Thiem, J.: Synthesis of Hydrophilic Carbohydrate-Derived Polyamides, 2059C
Back, M. H. See Zhao, B., 2399C
Badyal, J. P. S. See Wells, R. K., 2677C
Bagryansky, V. A.
—; Korolev, V. V.; Tolkatchev, V. A.; Bazhin, N. M.: Influence of Polymer Structure Inhomogeneity on Oxygen Quenching of Phenanthrene Phosphorescence in Poly(methyl Methacrylate), 951P
Bai, S. J.
—; Dotrong, M.; Evers, R. C.: Bulk Rigid-Rod Molecular Composites of Articulated Rod Copolymers with Thermoplastic Pendants, 1515P
—; Spry, R. J.; Zelmon, D. E.; Ramabadran, U.; Jackson, J.: Optical Anisotropy of Polymeric Films Measured by Waveguide Propagation Mode Determination, 1507P
Baker, W. E. See Song, Z., 1589C
Ballauff, M. See Fuhrmann, K., 1199P
Banister, A. J.
—; Luke, A. W.: Dithiadiazolium Salts as Initiators for the Cationic Ring-Opening Polymerization of Tetrahydrofuran, 2653C
Barbari, T. A.
—; Conforti, R. M.: The Effect of Lattice Compressibility on the Thermodynamics of Gas Sorption in Polymers, 1261P
Barclay, G. G.
—; McNamee, S. G.; Ober, C. K.; Papathomas, K. I.; Wang, D. W.: Errata, 2663C
—; McNamee, S. G.; Ober, C. K.; Papathomas, K. I.; Wang, D. W.: The Mechanical and Magnetic Alignment of Liquid Crystalline Epoxy Thermosets, 1845C
—; Ober, C. K.; Papathomas, K. I.; Wang, D. W.: Liquid Crystalline Epoxy Thermosets Based on Dihydroxymethylstilbene: Synthesis and Characterization, 1831C
Barlow, J. W. See Park, I., 1021P
Baruah, J. N. See Subrahmanyam, B., 2273C, 2531C
Baruah, S. D. See Subrahmanyam, B., 2273C, 2531C
Bashir, Z.: Thermoreversible Gels of Polyacrylonitrile, 1299P
Baum, K. See Malik, A. A., 1747C
Baumberger, T. R.
—; Woolsey, N. F.: Metal Arene Complexation of Polybenzyl: Preparation and Methylation, 1717C
Baysal, B. M. See Yilmaz, F., 197P
Bazhin, N. M. See Bagryansky, V. A., 951P
Bazuin, C. G. See Tong, X., 389P
Becher, J. See Edge, S., 2773C
Belcadi, S. See Elmidaoui, A., 1407C
Bell, T. R. See Register, R. A., 569P
Belot, V.
—; Corriu, R. J. P.; Leclercq, D.; Mutin, P. H.; Vioux, A.: Thermal Redistribution Reactions in Crosslinked Polysiloxanes, 613C
Benmansour, Z. See Benmouna, M., 733P
Benmouna, M.
—; Benmansour, Z.; Fischer, E. W.; Benoit, H.; Vilgis, T. A.: Dynamical Relaxations in Mixtures of Different Polymers and Nonsymmetrical Copolymers in Solution, 733P
—; Fischer, E. W.; Ewen, B.; Duval, M.: On the Measurement of the χ-Parameter Under the Zero Average Contrast Condition, 1157P
Benoit, H. See Benmouna, M., 733P
Berard, N. See Wang, Z. Y., 299C
Bergbreiter, D. E.
—; White, N.; Zhou, J.: Modification of Polyolefin Surfaces with Iron Cluster Oxidants, 389C
—; Zhou, J.: New Grafting Chemistry for Functionalized Polyethylene Films, 2049C
Berger, W. See Litauszki, L., 1227C
Bernard, M. K. See Katritzky, A. R., 1443C
Bernier, P. See Zagorska, M., 1761C
Bhattacharjee, S.
—; Bhowmick, A. K.; Avasthi, B. N.: Homogeneous Catalytic Hydrogenation of Liquid Carboxylated Nitrile Rubber, 1961C
—; Bhowmick, A. K.; Avasthi, B. N.: Preparation of Hydrogenated Nitrile Rubber Using Palladium Acetate Catalyst: Its Characterization and Kinetics, 471C
Bhowmick, A. K. See Bhattacharjee, S., 471C, 1961C
Bigger, S. W.
—; Scheirs, J.; Delatycki, O.: Effect of Light Intensity on the Photooxidation Kinetics of High-Density Polyethylene, 2277C
Bigger, S. W. See Scheirs, J., 1873C
Billingham, N. C. See Scheirs, J., 1873C
Biswas, A.: On the Nature of Order in Wholly Aromatic Liquid Crystalline Random Copolymers, 1375P
Bloembergen, S. See Allegra, G., 809P
Bo, G.
—; Wesslén, B.; Wesslén, K. B.: Amphiphilic Comb-Shaped Polymers from Poly(ethylene Glycol) Macromonomers, 1799C
Bochmann, M.
—; Kelly, K.: Synthesis of Poly(arylene Ethyne)s via Palladium-Catalyzed Cross-Coupling Reactions with Cu and Sn Reagents, 2503C
—; Kelly, K.; Lu, J.: Synthesis of Aromatic Polymers via Palladium-Catalyzed Cross-Coupling Reactions with Magnesium, Zinc, and Tin Reagents: A Comparison, 2511C

Boese, D.
—; Lee, H.; Yoon, D. Y.; Swalen, J. D.; Rabolt, J. F.: Chain Orientation and Anisotropies in Optical and Dielectric Properties in Thin Films of Stiff Polyimides, 1321P
Bohossian, T.
—; Delmas, G.: Characterization of the Molecular Weight Distribution Isotactic Polypropylene by Turbidity at the Lower Critical Solution Temperature (LCST), 993P
Boogh, L. C. N.
—; Meier, R. J.; Kausch, H.-H.; Kip, B. J.: A Raman Microscopy Study of Stress Transfer in High-Performance Epoxy Composites Reinforced with Polyethylene Fibers, 325P
Bornmann, J. A. See Wolf, C. J., 113P, 251P
Bosc, D. See Boutevin, B., 1279C
Bosch, P. See Mateo, J. L., 829C
Bott, S. G. See Chien, J. C. W., 2601C
Bou, J. J. See Rodríguez-Galán, A., 713C
Boutevin, B.
—; Rousseau, A.; Bosc, D.: Accessible New Acrylic Monomers and Polymers as Highly Transparent Organic Materials, 1279C
Boutevin, B. See Améduri, B., 49C
Boyer, R. I. See Warner, C. M., 1177P
Boyer, S. K. See Labadie, J. W., 519C
Boyle, A.
—; Penneau, J. F.; Geniès, E.; Riekel, C.: The Effect of Heating on Polyaniline Powders Studied by Real-Time Synchrotron Radiation Diffraction, Mass Spectrometry and Thermal Analysis, 265P
Brar, A. S.
—; Sunita: Determination of Microstructure and Glass-Transition Temperature of Acrylonitrile-Methyl Acrylate Copolymers by ^{13}C-NMR Spectroscopy, 2549C
Brauman, S. K.: Thermooxidation of Polyarylethersulfone HTA: Oscillations and Mechanism, 1247C
Braun, D.
—; Yu, D.; Kohi, P. R.; Gao, X.; Andradi, L. N.; Manger, E.; Hellmann, G. P.: Miscibility Diagrams of Random Copolymer Blend Systems, 577P
Breckenridge, G. See Hall, H. K., Jr., 2341C
Bremner, T.
—; Rudin, A.: Persistence of Regions with High Segment Density in Polyethylene Melts, 1247P
Bretagne, J.
—; Epaillard, F.; Ricard, A.: Excited States of CF_4 Plasma for Polymerization of TMPTA Monomer, 323C
Briggs, D. See Chilkoti, A., 1261C; López, G. P., 2427C
Briscoe, B. J.
—; Zakaria, S.: Sorption and Dilation of Silicone Elastomer Composites at High Gas Pressures: The Role of Interfacial Quality, 959P
Brisson, J. See Ajji, A., 505P
Broer, D. J. See Heynderickx, I., 215P
Brown, N. See Lu, X., 899P, 1207P; Zhou, Y.-Q., 477P
Buback, M.
—; Gilbert, R. G.; Russell, G. T.; Hill, D. J. T.; Moad, G.; O'Driscoll, K. F.; Shen, J.; Winnik, M. A.: Consistent Values of Rate Parameters in Free Radical Polymerization Systems. II. Outstanding Dilemmas and Recommendations, 851C
Bubeck, R. A. See Shaffer, E. O., II, 259P
Budimir, M. V. See Sak-Bosnar, M., 1609C
Burillo, G.
—; Ogawa, T.; Hwang, J. S.: Studies on Diacetylenic Vinyl Compounds. VI. ESR Studies on the Polymerization of Diacetylene Containing Acrylate and Methacrylates, 2159C
Burrafato, G. See Albonico, P., 1071C
Butler, G. B. See Zhang, Y.-X., 1383C

Cádiz, V. See Galià, M., 2379C
Cai, G.
—; Litt, M. H.: Poly(*N*-Acylethylenimine) Copolymers Containing Pendant Pentamethyldisiloxanyl Groups. I. Synthesis, 649C
—; Litt, M. H.: Poly(*N*-Acylethylenimine) Copolymers Containing Pendant Pentamethyldisiloxanyl Groups. II. Thermal Behavior and X-Ray Diffraction Study, 659C
—; Litt, M. H.: Poly(*N*-Acylethylenimine) Copolymers Containing Pendant Pentamethyldisiloxanyl Groups. III. Surface Properties and Abhesion, 671C
Cain, S. R.
—; Matienzo, L. J.: Valence Band X-Ray Photoelectron Spectroscopy of Poly(ether ketone) and Poly(ether-ether ketone), 275P
Canary, S. A.
—; Stevens, M. P.: Thermally Reversible Crosslinking of Polystyrene via the Furan-Maleimide Diels-Alder Reaction, 1755C
Canu, P. See Storti, G., 751C
Capel, M. See Huo, P. P., 1459P
Carlin, C. M. See Saini, A. K., 419C
Carlsson, D. J. See Lacoste, J., 493C
Carpenter, T. A. See Jezzard, P., 1423P
Carriere, C. J. See Shaffer, E. O., II, 259P
Cases, J. M. See de Donato, P., 1305P
Cassidy, P. E. See Irvin, J. A., 1675C
Catalina, F. See Mateo, J. L., 829C
Cavaillé, J.-Y. See Pathmanathan, K., 341P
Cebe, P. See Chung, J. S., 163P; Huo, P., 239P; Huo, P. P., 1459P
Chainey, M. See Kim, J. H., 171C
Chakrabarti, S.
—; Maity, A. K.; Misra, T. N.: Spectroscopic Study of Solid-State Photoreaction in Organic Crystal: Photopolymerization of Dimethyl Ester of α,α'-Dicyano-*p*-Phenylenediacrylic Acid and Diethyl Ester of *p*-Phenylenediacrylic Acid, 1625C
Challa, G. See Van De Grampel,

H. T., 787C; Viersen, F. J., 901C
Chang, H.-S. See Chen, S.-A., 2077C
Charlton, A. See Edge, S., 2773C
Chaudhuri, A. K. See Nandi, D., 941C
Chen, C.-Y. See Hsu, W.-C., 2459C
Chen, G.-Y.
—; Cuculo, J. A.; Tucker, P. A.: Characteristics and Design Procedure of Hyperbolic Dies, 557P
Chen, Q.
—; Yamada, T.; Kurosu, H.; Ando, I.; Shiono, T.; Doi, Y.: Dynamic Study of the Noncrystalline Phase of ^{13}C-labeled Polyethylene by Variable-Temperature ^{13}C CP/MAS NMR Spectroscopy, 591P
Chen, S.-A.
—; Chang, H.-S.: Kinetics and Mechanism of Emulsifier-Free Emulsion Polymerization. III. Particle Growth Mechanism of Seeded Styrene/Potassium Persulfate System, 2077C
Chen, Y.
—; Lin, J.-J.: Optically-Active Polyurethanes Containing Coumarin Dimer Component: Synthesis, Characterization, and Chiral Recognition Ability, 2699C
—; Yang, H.-W.: Hydroxypropyl Cellulose (HPC)-Stabilized Dispersion Polymerization of Styrene in Polar Solvents: Effect of Reaction Parameters, 2765C
Cheng, C. M.
—; Micale, F. J.; Vanderhoff, J. W.; El-Aasser, M. S.: Synthesis and Characterization of Monodisperse Porous Polymer Particles, 235C
—; Vanderhoff, J. W.; El-Aasser, M. S.: Monodisperse Porous Polymer Particles: Formation of the Porous Structure, 245C
Cheng, H.
—; Zhao, G.; Yan, D.: Free-Radical Copolymerization of Styrene with *N*-Phenyl Maleimide Initiated by Thiol, 2181C
Chien, J. C. W.
—; Llinas, G. H.; Rausch, M. D.; Lin, Y.-G.; Winter, H. H.; Atwood, J. L.; Bott, S. G.: Metallocene Catalysts for Olefin Polymerizations. XXIV. Stereoblock Propylene Polymerization Catalyzed by rac-[anti-Ethylidene(1-η^5-Tetramethylcyclopentadienyl)-(1-η^5-Indenyl)dimethyl-titanium: A Two-State Propagation, 2601C
Chien, J. C. W. See Xu, B., 1899C; Zhao, A. X., 2735C
Chigira, Y. See Shibusawa, T., 563P
Chignell, C. F. See Pitt, C. G., 1069P
Chilkoti, A.
—; Ratner, B. D.; Briggs, D.; Reich, F.: Static Secondary Ion Mass Spectrometry of Organic Plasma-Deposited Films Created from Stable Isotope-Labeled Precursors. II. Mixtures of Acetone and Oxygen, 1261C
Chilkoti, A. See López, G. P., 2427C
Chin, E. See Johnson, C., 1409P
Chin, W.-K. See Ho, B.-C., 2389C
Choi, H. K. See Kim, I., 2263C
Choi, K.-Y.
—; Yi, M. H.; Choi, S.-K.: Synthesis and Characterization of Aromatic Polymers Containing Pendant Silyl Groups. I. Polyarylates, 1575C
—; Yi, M. H.; Choi, S.-K.: Synthesis and Characterization of Aromatic Polymers Containing Pendant Silyl Groups. II. Aromatic Polyamides, 1583C
Choi, S.-K. See Choi, K.-Y., 1575C, 1583C; Choi, W.-J., 2143C; Gal, Y.-S., 2657C
Choi, W.-J.
—; Kim, Y.-B.; Kwon, S.-K.; Lim, K.-T.; Choi, S.-K.: Synthesis, Characterization, and Modification of Poly(*tert*-Butyl Methacrylate-b-Alkyl Methacrylate-b-*tert*-Butyl Methacrylate) by Group Transfer Polymerization, 2143C
Cholli, A. L. See Schilling, F. C., 91P
Chu, G. See Hall, H. K., Jr., 2341C
Chune, L. See Pingsheng, H., 381P
Chung, J. S.
—; Cebe, P.: Crystallization and Melting of Cold-Crystallized Poly(phenylene sulfide), 163P
Chung, K. B.
—; Tomoi, M.: Synthesis and Phase-Transfer Catalytic Activity of Crown Ethers Bound to Microporous Polystyrene Resins by Oxyethylene Spacers, 1089C
Chung, L.-Z.
—; Kou, D.-L.; Hu, A. T.; Tsai, H.-B.: Block Copolyetheramides. II. Synthesis and Morphology of Nylon-6 Based Block Copolyetheramides, 951C
Cifra, P.
—; Karasz, F. E.; Macknight, W. J.: Polymer Miscibility in Capillaries, 1401P
Cimecioglu, A. L.
—; East, G. C.: Poly(methylene Sebacate): Synthesis and Characterization, 313C
—; Weiss, R. A.: Synthesis and Properties of Polyamides of 3,3′-Dimethylnaphthidine and Its Model Compounds, 1051C
—; Weiss, R. A.: The Synthesis of a Mesogenic Poly(azine-Ether) by Polyetherification via Cesium Diphenoxides and α,ω-Dibromoalkanes, 1355C
Cimmino, S.
—; Karasz, F. E.; MacKnight, W. J.: Miscibility and Phase Behavior in Atactic Polystyrene and Poly(*o*-chlorostyrene-co-*p*-chlorostyrene) Blends: Effect of Polystyrene Molecular Weight and Copolymer Composition, 49P
Ciora, R. J., Jr.
—; Magill, J. H.: Separation of Small Molecules Using Novel Rolltruded Membranes. I. Apparatus and Preliminary Results, 1035P
Clayden, N. J. See Jezzard, P., 1423P
Coburn, J. C. See Walls, D. J., 887P
Cociani, M. See Storti, G., 731C
Cohen, D. S. See Hayes, C. K., 145P
Cohen, E. See Margel, S., 1103C
Cohen, T. See Elmidaoui, A., 1407C
Cohen, Y.
—; Ramon, O.; Kopelman, I. J.; Mizrahi, S.: Characterization of Inhomogeneous Polyacrylamide Hydrogels, 1055P
Coleman, B. D.
—; Newman, D. C.: On the Rheology of Cold Drawing. II. Viscoelastic Materials, 25P

Conforti, R. M. See Barbari, T. A., 1261P
Conner, A. H. See He, X., 533C
Conner, W. C. See Ferrero, M. A., 2131C
Corbel, S. See Karrer, P., 2715C
Corfield, G. C.
—; Wheatley, G. W.; Parker, D. G.: Synthesis and Calorimetric Curing Study of Amino-Terminated PEEK Oligomers, 845C
Cormia, R. D. See Golub, M. A., 2683C
Corriu, R. J. P. See Belot, V., 613C
Cotts, P. M.
—; Volksen, W.; Ferline, S.: Equilibration of Mixtures of Polyamic Acids Studied Using Size-Exclusion Chromatography and Light Scattering, 373P
Cotts, P. M. See Kim, S., 177P
Coutsolelos, A. G. See Tornaritis, M. J., 2791C
Cowie, J. M. G.
—; Li, G.; Ferguson, R.; McEwen, I. J.: Prediction of Miscibility Regions in Ternary Blends of Poly(styrene-stat-Acrylonitrile), Poly(acrylonitrile-stat-methyl Methacrylate), and Poly(styrene-stat-methyl Methacrylate), 1351P
Crivello, J. V.
—; Fan, M.: Catalysis of Ring-Opening and Vinyl Polymerizations by Dicobaltoctacarbonyl, 31C
—; Fan, M.: Regioselective Rhodium-Containing Catalysts for Ring-Opening Polymerizations and Hydrosilylations, 1C
Crivello, J. V. See Manivannan, G., 1999C
Crone, G.
—; Natansohn, A.: NMR Analysis of the Microstructure of Poly(methyl Acrylate-co-*N*-Vinylcarbazole), 1655C
Crook, R. A. See Hinkley, J. A., 1195P
Cuculo, J. A. See Chen, G.-Y., 557P; Yang, K.-S., 315P
Cuervo, R. See Fernández-Monreal, M. C., 2313C

Da, A.-H. See Zhang, Y.-X., 1383C
Dabdub, D.
—; Klein, A.; Sperling, L. H.: High-Molecular Weight Polymer Segment Distribution in Small Latex Particles, 787P
Darras, O.
—; Seguela, R.; Rietsch, F.: Dried Gels from Linear Low-Density Polyethylene: Morphology, Thermal Behavior, and Mechanical Properties, 349P
Dass, N. N. See Subrahmanyam, B., 2273C, 2531C
Dauth, J. See Matyjaszewski, K., 813C
De Abajo, J. See Lozano, A. E., 1327C
De Barros, G. G. See Frisch, H. L., 937C
De Bruin, J. G. See Wimberger-Friedl, R., 83P
de Donato, P.
—; Cases, J. M.; Humbert, B.; Lutgen, P.; Feyder, G.: Analysis of Polymer Films by Diffuse Reflectance FTIR Spectroscopy: Characterization of Terminal Carboxyl Functionalities, 1305P
De La Campa, J. G. See Lozano, A. E., 1327C
Dean, B. D.: Chromophore Formation in Polyarylate Diacetate Chemistry, 2467C
Dean, D. See Lin, D., 1483P
Decker, C.: Kinetic Study of Light-Induced Polymerization by Real-Time UV and IR Spectroscopy, 913C
Dedier, J. See Rusig, I., 895C
Delatycki, O. See Bigger, S. W., 2277C
Delmas, G. See Bohossian, T., 993P
Demura, M. See Asakura, T., 693P
Dencheva, N. See Mateva, R., 1449C
Deng, Q. See Jean, Y. C., 1359P
Denton, F. R., III
—; Lahti, P. M.; Karasz, F. E.: The Effect of Radical Trapping Reagents Upon Formation of Poly(α-Tetrahydrothiophenio *para*-Xylylene) Polyelectrolytes by the Wessling Soluble Precursor Method, 2223C
—; Sarker, A.; Lahti, P. M.; Garay, R. O.; Karasz, F. E.: *Para*-Xylylenes and Analogues by Base-Induced Elimination from 1,4-Bis-(Dialkylsulfoniomethyl)arene Salts in Poly(1,4-Arylene Vinylene) Synthesis by the Wessling Soluble Precursor Method, 2233C
Dessouki, A. M. See Hegazy, E.-S. A., 1969C
Dhal, P. K.: Investigation of Molecular and Chiroptical Characteristics of Optically Active Functional Vinyl Copolymers Possessing Main-Chain Chirality, 1633C
Diakoumakos, C. D.
—; Mikroyannidis, J. A.: Polyimides Derived from Diels-Alder Polymerization of Furfuryl-Substituted Maleamic Acids or from the Reaction of Bismaleamic with Bisfurfurylpyromellitamic Acids, 2559C
Díaz-Calleja, R.
—; Riande, E.; San Román, J.: Activation Parameters Associated with the β Relaxation of Poly(cyclohexyl acrylate), 1239P
Dillard, D. A. See Wang, J. Z., 1391P
Dimonie, V. L. See Urquiola, M. B., 2619C
Dinan, F. J.
—; Schwartz, W. T.; Wolfe, R. A.; Hojnicki, D. S.; St. Clair, T.; Pratt, J. R.: Solid-State ^{13}C-NMR Spectral Evidence for Charge Transfer Complex Formation in Aromatic Diimides and Dianhydrides, 111C
Ding, Z.-Y.
—; Ma, S.; Kriz, D.; Aklonis, J. J.; Salovey, R.: Model Filled Polymers. IX. Synthesis of Uniformly Crosslinked Polystyrene Microbeads, 1189P
Doi, Y. See Chen, Q., 591P
Dolitzky, Y. See Margel, S., 1103C
Dong, J. See Xue, G., 1097P
Donley, J. P.
—; Fredrickson, G. H.: Surface Tension of Random Copolymer Melts, 1527P
Dotrong, M. See Bai, S. J., 1515P
Dries, T. See Fuhrmann, K., 1199P
Dubovik, I. I. See Tsvankin, D. Ya., 851P
Duda, A.: Anionic Polymerization of 4-Methyl-2-Oxetanone (β-Butyrolactone), 21C
Duda, J. L. See Zielinski, J. M., 1081P

Duerst, R. W. See Errede, L. A., 1145C
Duff, D. See Mercer, F., 1767C
Duic, L. See Sak-Bosnar, M., 1609C
Dušek, K. See Matějka, L., 2109C
Duval, M. See Benmouna, M., 1157P
Dworjanyn, P. A. See Nho, Y. C., 1219C

East, G. C. See Cimecioglu, A. L., 313C
Edge, S.
—; Charlton, A.; Varma, K. S.; Underhill, A. E.; Hansen, T. K.; Becher, J.; Kathirgamanathan, P.; Khosravi, E.: The Synthesis and Characterization of a Poly(maleimide-ether) Containing Pendent Thiophene Rings, 2773C
Eftekhari, A. See Hinkley, J. A., 1195P
Eirich, F.
Review of *Principles of Polymer Engineering Rheology*, 169C
El-Aasser, M. S. See Cheng, C. M., 235C, 245C; Guo, J. S., 691C, 703C; Kim, J. H., 171C; Urquiola, M. B., 2619C
El-Assy, N. B. See Hegazy, E.-S. A., 1969C
El-Ghaffar, M. A. A. See Hegazy, E.-S. A., 1969C
Elmidaoui, A.
—; Belcadi, S.; Houdus, Y.; Cohen, T.; Gavach, C.: Perfluorinated Anion Exchange Membranes: Preparation and Preliminary Tests of Dialysis, 1407C
El-Sawy, N. M. See Hegazy, E.-S. A., 1969C
Endo, K.
—; Fujii, K.; Otsu, T.: Selective Vinyl Polymerization of 4-Vinyl-1-Cyclohexene with Ziegler-Natta Catalyst, 797C
—; Otsu, T.: Polymerization of Vinylcyclohexane with Ziegler-Natta Catalyst, 679C
Endo, T. See Atobe, I., 1495C; Hiraguri, Y., 689C; Kameyama, A., 1199C; Lin, M.-P., 933C, 2365C, 2569C; Takahashi, T., 583C; Takata, T., 501C; Yoshida, E., 1193C
Epaillard, F. See Bretagne, J., 323C
Errede, L. A.
—; Aus, E. B.; Duerst, R. W.: Polymer Drying. VI. EPR Spin-Probe Studies on Swelled Poly(styrene-co-Divinylbenzene), 1145C
—; Newmark, R. A.: Polymer Drying. VII. ^{1}H-NMR Studies of Evaporation from Liquid Saturated Poly(Styrene-co-Divinylbenzene), 1155C
—; Tiers, G. V. D.; Trend, J. E.; Wright, B. B.: Polymer Drying. V. Intramolecular-Rotor Fluorescence Studies of Evaporation from Liquid-Saturated Poly(styrene-co-Divinylbenzene), 1129C
Evers, R. C. See Bai, S. J., 1515P
Ewen, B. See Benmouna, M., 1157P

Falcigno, P. A.
—; Jasne, S.; King, M.: Fully Imidized Soluble Polyimides Based on a Novel Dianhydride: 2,2′-Dichloro-4,4′,5,5′-Benzophenone Tetracarboxylic Dianhydride, 1433C
Fallah, F. See Arshady, R., 1705C
Fan, C. F.
—; Hsu, S. L.: A Study of Stress Distribution in Model Composites by Finite-Element Analysis. II. Fiber/Matrix Interfacial Effects, 619P
—; Hsu, S. L.: A Study of Stress Distribution in Model Composites by Using Finite-Element Analysis. I. End Effects, 603P
Fan, M. See Crivello, J. V., 1C, 31C
Fazio, R. C.
—; Grasshoff, J. M.; Taylor, L. D.: Synthesis and Polymerization of 2-(*p*-Vinylphenyl)-4,4-Dimethyl-5-Oxazolone: A Novel Monomer for Making Polymeric Reagents, 329C
Fedotov, V. D. See Hiller, W. G., 931P
Feld, W. A.
—; Le, T.-B.: Polyimides Containing Nonaromatic Nitrogen Linkages, 1099C
Feldman, D.
Review of *Composite Materials Technology. Processes and Properties*, 343C
Review of *Mechanism and Kinetics of Addition Polymerizations*, 1428P
Review of *Modeling of Polymer Processing. Recent Developments*, 2473C
Review of *Polymer Chemistry. An Introduction*, 1778C
Review of *Polymeric Materials and Processing. Plastics, Elastomers and Composites*, 1427P
Review of *Polymers in Solution. Their Modelling and Structure*, 343C
Review of *High Performance Polymers*, 956C
Ferguson, R. See Cowie, J. M. G., 1351P
Ferline, S. See Cotts, P. M., 373P; Yang, A. C.-M., 1123P
Fernández-Monreal, M. C.
—; Cuervo, R.; Madruga, E. L.: Free-Radical Homopolymerization and Copolymerization of Ethyl α-Hydroxymethylacrylate in Tetrahydrofuran, 2313C
Ferrero, M. A.
—; Koffi, E.; Sommer, R.; Conner, W. C.: Characterization of the Changes in the Initial Morphology for $MgCl_2$-Supported Ziegler-Natta Polymerization Catalysts, 2131C
Feyder, G. See de Donato, P., 1305P
Filliatre, C. See Rusig, I., 895C
Fina, L. J.
—; Yu, H. H.: Fermi Resonance in the Infrared Spectra of Nylon-11, 1073P
Firer, E. M. See Jialanella, G. L., 1925C
Firlej, L. See Zagorska, M., 1761C
Fischer, E. W. See Benmouna, M., 733P, 1157P; Fuhrmann, K., 1199P; Giebel, L., 1291P
Foerch, R.
—; Hunter, D. H.: Remote Nitrogen Plasma Treatment of Polymers: Polyethylene, Nylon 6,6, Poly(ethylene Vinyl Alcohol), and Poly(ethylene Terephthalate), 279C
Ford, W. T. See Babu, S. H., 1917C, 1305C
Fors, P.
—; Juliá, L.; Riera, J.; Tura, J. M.; Sauló, J.: Syntheses and Properties of Polymers from Perchloro-p-Xylene, Perclorobi-p-Tolyl, and Perchloro-m-Xylene with $Fe(CO)_5$ as Dechlorinating Agent, 2489C
Fouassier, J. P. See Manivannan, G., 1999C

Foyle, V. P.
—; Takahashi, Y.; Guillet, J. E.: Photocatalytic Production of Hydrogen Peroxide Using Polymer Bound Anthraquinone. I. Photoproducts in 2-Hydroxyethyl Methacrylate Hydrogels Swollen with Water and 2-Propanol, 257C
Fredrickson, G. H. See Donley, J. P., 1527P
Frere, Y. See Navarro-Rodriguez, D., 2587C
Frisch, H. L.
—; De Barros, G. G.: Electrical Conductivity in Iodine-Doped Full and Pseudo IPN's of Nonconjugated Polymer Networks, 937C
—; Zhou, P.: Interpenetrating Polymer Networks of Polycarbonate-Urethane and Polybutadiene, 2749C
Frisch, H. L. See Zhou, P., 835C, 887C, 2577C
Fucugauchi, L. A. See Millán, S., 1P
Fuhrmann, K.
—; Dries, T.; Fischer, E. W.; Ballauff, M.: Kinetics of Orientation of a Side-Chain Liquid-Crystal Polymer as Measured by a High-Temperature SQUID-Magnetometer, 1199P
Fuji, S. See Nomura, R., 153C
Fujii, K. See Endo, K., 797C
Fujimoto, M. See Oishi, T., 1821C
Fukawa, I.
—; Tanabe, T.: Preparation of Dibenzofuran-Type Amorphous Polyetherketone by Novel Etherification Reaction, 1977C
Fukuda, A. See Matsukawa, K., 2045C
Furukawa, J. See Kobayashi, E., 227C
Furukawa, K. See Kondo, S., 1503C
Furukawa, M. See Shoda, S.-i., 1489C
Fytas, G. See Giebel, L., 1291P

Gal, Y.-S.
—; Jung, B.; Lee, W.-C.; Choi, S.-K.: Polymerization of Propargylamine and 1,1-Diethylpropargylamine by Transition Metal Catalysts, 2657C
Galano, A. See Alvarez-Idaboy, J. R., 2497C
Galià, M.
—; Cádiz, V.; Mantecón, A.; Serra, A.: Synthesis and Crosslinking of Polyethers with Nadimide Derivative Pendant Groups, 2379C
Galin, J. C.
—; Galin, M.: Water Sorption in Poly(ammonium Sulfopropylbetaines). I. Differential Scanning Calorimetry, 1103P
—; Galin, M.: Water Sorption in Poly(ammonium Sulfopropylbetaines). II. Sorption Isotherms, 1113P
Galin, M. See Galin, J. C., 1103P, 1113P
Gao, X. See Braun, D., 577P
Gaonkar, S. R.
—; Srinivasan, K.; Kumar, G. S.: Polymeric Isocyanates by Nontoxic Routes. II. Nucleophilic Displacement Reaction on Chloromethyl Pendant Groups by Alkali Cyanates, 1911C
Garay, R. O.
—; Lenz, R. W.: Effect of the Reaction State on the Polymerization of *p*-Xylenesulfonium Salts, 977C
Garay, R. O. See Denton, F. R., III, 2233C
Garnett, J. L. See Nho, Y. C., 1219C
Garnier, L. See Améduri, B., 49C
Garton, A. See Henry, J. L., 1693C
Gautreaux, C. R.
—; Pratt, J. R.; St. Clair, T. L.: A Study of Crystalline Transitions in a Thermoplastic Polyimide, 71P
Gavach, C. See Elmidaoui, A., 1407C
Geffroy, E.
—; Leal, L. G.: Flow Birefringence Studies of a Concentrated Polystyrene Solution in a Two-Roll Mill. I. Steady Flow and Start-Up of Steady Flow, 1329P
Geil, P. H. See Kent, S. L., 1489P; Lin, D., 1483P; Liu, J., 1469P
Geniès, E. See Boyle, A., 265P
Gerasimov, M. V. See Tsvankin, D. Ya., 851P
Ghiradella, H. See Zhou, P., 835C
Gidley, D. See Liu, L. B., 231P
Gidley, D. W. See Liu, L. B., 221P
Giebel, L.
—; Meier, G.; Fytas, G.; Fischer, E. W.: Dynamic Light Scattering from Bulk Poly(n-hexylmethacrylate) Near and Above the Glass Transition, 1291P
Gifford, D. R. See Kolthammer, B. W. S., 1017C
Gilbert, A. See Whitcombe, M. J., 1681C
Gilbert, R. G. See Buback, M., 851C
Godhino, M. H. See Rusig, I., 895C
Goh, S. H. See Lee, C. S., 983C
Golub, M. A.
—; Wydeven, T.; Cormia, R. D.: Plasma Copolymerization of Ethylene and Tetrafluoroethylene, 2683C
Goñi, I. See Vázquez, B., 1541C
Gonsalves, K. E.
—; Shankar, V.: Synthesis and Radical Polymerization of Diethyl 2-Acetamido-2-Vinylbenzylmalonate, 149C
Gooda, S. R.
—; Huglin, M. B.: New Water-Soluble Polymers and Copolymers by Interaction of Polyelectrolytes with Formamide, 1549C
Goodman, T. See Mercer, F., 1767C
Gorda, K. R.
—; Peiffer, D. G.: Properties of Sulfonated Poly(Butylene Terephthalate), 281P
Gordon, W. L. See Zhong, Z. Z., 1443P
Goto, H. See Gunji, T., 2295C
Gottlieb, H. E. See Margel, S., 1499C
Gramain, P. See Navarro-Rodriguez, D., 2587C
Grasshoff, J. M. See Fazio, R. C., 329C
Gravalos, K. G.: Synthesis and Flammability of Copolyisophthalamides. I. With Phosphorus Groups in the Main Chain, 2521C
Grayson, M. A. See Wolf, C. J., 113P, 251P
Grebowicz, J. See Liang, K., 465P
Greenslade, D. J. See Saha, S. K., 427P
Grünberg, K. See Litauszki, L., 1227C
Guan, J. Y.
—; Wang, L.-H.; Porter, R. S.: Planar Deformation of Amorphous Poly(ethylene Terephthalate) by Stretching and Forging, 687P
Guan, R. See Zou, D., 137C

Guillet, J. E. See Foyle, V. P., 257C; Nowakowska, M., 271C
Gunji, T.
—; Goto, H.; Kimata, Y.; Nagao, Y.; Misono, T.; Abe, Y.: Studies on the Syntheses of Polymetalloxanes and Their Properties as a Precursor for Amorphous Oxide. VII. Preparation and Properties of Polyzirconoxanes as a Precursor for Zirconia Fibers by the Hydrolysis of Bis(ethyl acetoacetato)zirconium Dialkoxide, 2295C
—; Nagao, Y.; Misono, T.; Abe, Y.: Condensation and Structure of Silicic Acid in Tetrahydrofuran, 1779C
—; Nagao, Y.; Misono, T.; Abe, Y.: Studies on the Syntheses of Polymetalloxanes and Their Properties as a Precursor for Amorphous Oxide. IV. Properties of SiO_2-TiO_2 Oxide Fibers from Polytitanosiloxane, 371C
Guo, J. S.
—; Sudol, E. D.; Vanderhoff, J. W.; El-Aasser, M. S.: Modeling of the Styrene Microemulsion Polymerization, 703C
—; Sudol, E. D.; Vanderhoff, J. W.; El-Aasser, M. S.: Particle Nucleation and Monomer Partitioning in Styrene O/W Microemulsion Polymerization, 691C
Guo, W.: Flame-Retardant Modification of UV-Curable Resins with Monomers Containing Bromine and Phosphorus, 819C
Gupta, A. D. See Kumar, D., 1477
Gurruchaga, M. See Vázquez, B., 1541C
Guthrie, J. T.
—; Morton, A.: Aspects of the Chemical- and the Radiation-Induced Polymerization of Biphenylyl Acrylate (BPA), 2173C
Güven, O.
—; Şen, M.; Yiğit, F.: Contribution of Associogenic End Groups in the Radiation Crosslinking of Extended Chain Samples of Poly(ethylene Glycol), 2055C
Guyot, A. See Spitz, R., 99C
Guzmán, G. M. See Vázquez, B., 1541C
Hachimori, A. See Itoh, Y., 2471C
Hager, W. G. See Puskas, J. E., 41C
Hagiwara, T. See Negi, Y. S., 2281C
Hahn, S. F.: An Improved Method for the Diimide Hydrogenation of Butadiene and Isoprene Containing Polymers, 397C
Hall, H. K., Jr.
—; Padias, A. B.; Chu, G.; Lee, H.-Y.; Kalnin, I.; Sansone, M.; Breckenridge, G.: Novel Cyano-Containing Copolymers of Vinyl Esters for Piezoelectric Materials, 2341C
Hall, H. K., Jr. See Huang, J., 345C; Leblanc, J.-P., 2321C; Oishi, T., 83C
Hall, L. D. See Jezzard, P., 1423P
Hammouda, B.: Structure Factor for Starburst Dendrimers, 1387P
Han, M. C. See Starkweather, H. W., Jr., 2789C
Han, T. K. See Kim, I., 2263C
Han, Y.-K.
—; Kim, D.-Y.; Kim, Y. H.: Synthesis and Characterization of New Thermotropic Liquid Crystalline Polymers with Paired Mesogens Containing Azobenzene Unit: Poly(malonic Ester)s, 1177C
Hansen, T. K. See Edge, S., 2773C
Harada, S. See Oishi, Y., 1203C
Hardy, B. J. See Shah, V. M., 1185P; Stern, S. A., 1185P
Harrison, I. R. See Sha, H., 915P
Hasch, B. M.
—; Meilchen, M. A.; Lee, S.-H.; McHugh, M. A.: High-Pressure Phase Behavior of Mixtures of Poly(Ethylene-co-Methyl Acrylate) with Low-Molecular Weight Hydrocarbons, 1365P
Hasegawa, K. See Matsukawa, K., 2045C
Hashimoto, K.
—; Imanishi, S.-I.; Okada, M.; Sumitomo, H.: Synthesis of Block Copolymer Containing Dextran and Polyamide Sequences, 211C
Hasik, M.
—; Laska, J. E.; Pron, A.; Kulszewicz-Bajer, I.; Koziel, K.; Lapkowski, M.: Poly(3,3′-Dimethoxy-2,2′-Bithiophene): Synthesis and Comparison with Poly(3-Methoxythiophene), 1741C
Hatanaka, K.
—; Uryu, T.; Miyahara, S.; Kuzuhara, H.: Novel Synthesis of Peptidoglycan-Backbonelike Polysaccharide, 1223C
Hattori, T.
—; Akita, H.; Kakimoto, M.-A.; Imai, Y.: Novel Two-Step Synthesis of Polybenzothiazoles via Precursor Polyamides from 2,5-Bis(isopropylthio)-1,4-Phenylenediamine and Aromatic Dicarboxylic Acid Chlorides, 197C
Havens, S. J.
—; Hergenrother, P. M.: Polyimides Containing Carbonyl and Ether Connecting Groups. IV, 1209C
Hay, A. S. See Wang, Z. Y., 299C
Hayakawa, R. See Tatsumi, T., 701P
Hayakawa, Y.
—; Nishida, M.; Aoki, T.; Muramatsu, H.: Synthesis of Poly(phenylacetylene)s Containing Trifluoromethyl Groups for Gas Permeable Membrane, 873C
Hayashi, S.-I.
—; Imamura, A.: A Study of the Polarization Reversal in Poly(vinylidene Fluoride) Using Molecular Orbital Calculations, 769P
Hayashihara, H. See Inoue, T., 409P
Hayes, C. K.
—; Cohen, D. S.: The Evolution of Steep Fronts in Non-Fickian Polymer-Penetrant Systems, 145P
He, X.
—; Conner, A. H.; Koutsky, J. A.: Evaluation of Furfurylamines as Curing Agents for Epoxy Resins, 533C
Hedrick, J. L.
—; Labadie, J. W.: Structural Modifications in Imide-Aryl Ether Phenylquinoxaline Random Copolymers, 105C
—; Volksen, W.; Mohanty, D. K.: Imide-Aryl Ether Ketone Block Copolymers, 2085C
Hedrick, J. L. See Labadie, J. W., 519C
Hegazy, E.-S. A.
—; Dessouki, A. M.; El-Assy, N. B.; El-Sawy, N. M.; El-Ghaffar, M. A. A.: Radiation-

Induced Graft Polymerization of Acrylic Acid onto Fluorinated Polymers. I. Kinetic Study on the Grafting onto Poly(tetrafluoroethylene-Ethylene) Copolymer, 1969C
Heller, J. P. See Pratap, G., 163C
Hellmann, E. H.
—; Kuhn, K. J.; Hellmann, G. P.; Rennie, A. R.: Chain Fragmentation Under Liquid-State and Solid-State Conditions, 203P
Hellmann, G. P. See Braun, D., 577P; Hellmann, E. H., 203P
Henry, J. L.
—; Ruaya, A. L.; Garton, A.: The Kinetics of Polyolefin Oxidation in Aqueous Media, 1693C
Hergenrother, P. M. See Havens, S. J., 1209C
Heropoulos, G. A. See Screttas, C. G., 1771C
Heynderickx, I.
—; Broer, D. J.; Van Den Boom, H.; Teesselink, W. J. D.: Liquid-Crystalline Ordering in Polymeric Networks as Studied by Polarized Raman Scattering, 215P
Hibi, K. See Inagaki, N., 1425C
Hill, D. J. T. See Buback, M., 851C
Hiller, W. G.
—; Schneider, H.; Fedotov, V. D.: Frequency and Molecular-Mass-Dependent Nonexponential Proton NMR Relaxation in Polymer Melts, 931P
Hinkley, J. A.
—; Eftekhari, A.; Crook, R. A.; Jensen, B. J.; Singh, J. J.: Free Volume in Glassy Poly(arylene Ether Ketone)s, 1195P
Hinkley, J. A. See Jang, B. Z., 643P
Hiraguri, Y.
—; Endo, T.: Synthesis and Radical Ring-Opening Polymerization of 2,2-Diphenyl-4-Methylene-5-Methyl-1,3-Dioxolane, Alternating Copolymer of Propylene, and Carbon Monoxide, 689C
Hirai, H. See Sato, K., 2011C
Hirose, T. See Terada, K., 539P
Hirota, M. See Masuda, H., 945C
Ho, B.-C.
—; Lee, Y.-D.; Chin, W.-K.: Thermal Degradation of Polymethacrylic Acid, 2389C
Hoffman, A. S. See Park, T. G., 505C; Wu, X. S., 2121C
Hogen-Esch, T. E. See Zhang, Y.-X., 1383C
Hojnicki, D. S. See Dinan, F. J., 111C
Holl, Y. See Hu, G. H., 625C, 635C
Horas, J. A.
—; Toso, J. P.: Diffusion in Glassy Polymers: A Model Using a Homogenization Method and the Effective Medium Theory, 127P
Houdus, Y. See Elmidaoui, A., 1407C
Houlihan, F. M. See Johnson, C., 1409P
Hoyle, C. E.
—; Anzures, E. T.: Photodegradation of Polyimides. III. The Effect of Chemical Composition, Radiation Source, Atmosphere, and Processing, 1233C
—; Shah, H.; Nelson, G. L.: Photochemistry of Bisphenol-A Based Polycarbonate: The Effect of the Matrix and Early Detection of Photo-Fries Product Formation, 1525C
Hse, C.-Y. See Tomita, B., 1615C
Hsiao, S.-H. See Yang, C.-P., 597C, 1865C
Hsu, S. L. See Fan, C. F., 603P, 619P
Hsu, W.-C.
—; Kuo, J.-F.; Chen, C.-Y.: Aqueous Polymerization of Acrylamide Initiated by Cerium(IV)-Ethylenediamine Tetraacetic Acid Redox System, 2459C
Hu, A. T. See Chung, L.-Z., 951C
Hu, G. H.
—; Holl, Y.; Lambla, M.: Catalytic Aminolysis of Acrylic Copolymers in Solution and in the Melt. I. Mechanism and Kinetics, 625C
—; Lorek, S.; Holl, Y.; Lambla, M.: Catalytic Aminolysis of Acrylic Copolymers in Solution and in the Melt. II. Comparison between Styrenic and Ethylenic Copolymers, 635C
Huang, B. See Li, W., 727P
Huang, C.-J. See Yang, C.-P., 597C
Huang, C.-S. See Lin, M. S., 2303C
Huang, J.
—; Leblanc, J.-P.; Hall, H. K., Jr.: Model Studies on the Kinetics and Mechanism of Polyarylate Synthesis by Acidolysis, 345C
Huang, J. See Leblanc, J.-P., 2321C
Hudson, S. M. See Wei, Y. C., 2187C
Huglin, M. B. See Gooda, S. R., 1549C
Hult, A. See Johansson, M., 2203C
Humbert, B. See de Donato, P., 1305P
Hüner, R. See Kricheldorf, H. R., 337C
Hunter, D. H. See Foerch, R., 279C
Huo, P.
—; Cebe, P.: Dielectric Relaxation of Poly(Phenylene Sulfide) Containing a Fraction of Rigid Amorphous Phase, 239P
Huo, P. P.
—; Cebe, P.; Capel, M.: Real-Time X-Ray Scattering Study of Thermal Expansion of Poly(butylene terephthalate), 1459P
Huysmans, G. B. See Jenneskens, L. W., 133C
Hwang, J. S. See Burillo, G., 2159C
Hwu, W.-H.
—; Zurawsky, W. P.: Plasma Polymerization Using Pulsed Microwave Power, 409C

Idage, B. B. See Idage, S. B., 513C
Idage, S. B.
—; Idage, B. B.; Vernekar, S. P.: Synthesis and Characterization of Polyurethanes Containing Azomethine Linkages in the Polymer Backbone, 513C
Iijima, M. See Negi, Y. S., 2281C
Iio, K.
—; Minoura, N.: Synthesis of Polyallylamine Derivatives with Biguanido Groups, 2071C
Iizawa, T. See Nishikubo, T., 449C
Ikeda, N. See Sangen, O., 1171C
Ikeda, T. See Lin, M.-P., 933C, 2365C, 2569C
Ikemoto, I. See Toi, K., 497P, 549P
Imai, Y. See Hattori, T., 197C; Liou, G.-S., 2195C; Negi, Y. S., 2281C; Oishi, Y., 1027C, 1203C, 1363C, 2217C, 2357C

Imamura, A. See Hayashi, S.-I., 769P
Imanishi, S.-I. See Hashimoto, K., 211C
Inagaki, N.
—; Tasaka, S.; Hibi, K.: Surface Modification of Kapton Film by Plasma Treatments, 1425C
—; Tasaka, S.; Yamada, Y.: Plasma Polymerization of Cyano Compounds, 2003C
Inoue, I. See Matsukawa, K., 2045C
Inoue, K.
—; Kaneyuki, S.; Tanigaki, T.: Polymerization of 2-(4-Methacryloyloxyphenoxy) pentachlorocyclotriphosphazene, 145C
Inoue, M. See Miura, Y., 959C
Inoue, T.
—; Hayashihara, H.; Okamoto, H.; Osaki, K.: Birefringence of Amorphous Polymers. II. Dynamic Measurement and Relaxation Measurement, 409P
Inui, K. See Miura, Y., 959C
Iriyama, Y.
—; Yasuda, H.: Fundamental Aspect and Behavior of Saturated Fluorocarbons in Glow Discharge in Absence of Potential Source of Hydrogen, 1731C
Irvin, J. A.
—; Neef, C. J.; Kane, K. M.; Cassidy, P. E.; Tullos, G.; St. Clair, A. K.: Polyethers Derived from Bisphenols and Highly Fluorinated Aromatics, 1675C
Ishida, H. See Rotter, G., 489P; Tsubokawa, N., 2241C; Oishi, Y., 1027C
Ishihara, K.
—; Ohta, S.; Yoshikawa, T.; Nakabayashi, N.: Protein Adsorption Resistible Membrane for Biosensor Composed of Polymer with Phospholipid Polar Group, 929C
Ishii, S. See Kurita, K., 685C
Ishikawa, M. See Kuzuya, M., 379C
Ishiwata, K. See Nishide, H., 77C
Itaya, T.
—; Ochiai, H.: Counterion Binding to Poly(allylammonium) Cation, 587P
Ito, E. See Tatsumi, T., 701P
Ito, M. See Osawa, S., 19P
Ito, T. See Toi, K., 497P, 549P; Ueda, M., 1567C
Ito, Y. See Millán, S., 1P; Suzuki, T., 517P
Itoh, K. See Miura, Y., 959C
Itoh, M.
—; Lenz, R. W.: Side-Chain Liquid Crystalline Polymers with Silphenylene-Siloxane Main Chains. III. Synthesis and Characterization of Polymers with Phenyl Benzoate Mesogenic Groups, 803C
Itoh, Y.
—; Hachimori, A.; Webber, S. E.: Photon-Harvesting Vinylphenanthrene-Methacrylic Acid Polymers: Retardation of Self-Quenching of Excited Singlet State in Aqueous Solutions, 2471C
Iwabuchi, S. See Sato, K., 2011C
Iwawaki, S. See Kurita, K., 685C

Jackson, J. See Bai, S. J., 1507P
Jackson, L. A.
—; Allen, C. W.: Organoborazines. III. Homo- and Copolymerization of *p*-Vinylphenylcyclotriborazines, 577C
Jackson, P. See Jezzard, P., 1423P
Jahnke, P. See Kricheldorf, H. R., 1299C
Jamieson, A. M. See Vleeshouwers, S., 1429P
Janata, M. See Vlček, P., 1519C
Jang, B. Z.
—; Pater, R. H.; Soucek, M. D.; Hinkley, J. A.: Plastic Deformation Mechanisms in Polyimide Resins and Their Semi-Interpenetrating Networks, 643P
Jang, S. H. See Park, J. O., 723C
Jar, P.-Y.
—; Kausch, H.-H.: Annealing Effect on Mechanical Behavior of PEEK, 775P
Jasne, S. See Falcigno, P. A., 1433C
Jean, Y. C.
—; Deng, Q.: Direct Measurement of Free-Volume Hole Distributions in Polymers by Using a Positronium Probe, 1359P
Jeng, K.-T. See Lin, M.-S., 1941C
Jenneskens, L. W.
—; Venema, A.; Van Veenendaal, N.; Huysmans, G. B.: Evidence for Interphasial Amide Formation between Surface-Bound Poly(3-Aminopropyltrisiloxane) and Polyamide-6 in Glass Bead Reinforced Polyamide-6 Model Composites, 133C
Jensen, B. J. See Hinkley, J. A., 1195P
Jerábek, K.
—; Shea, K. J.; Sasaki, D. Y.; Stoddard, G. J.: Accessibility of the Gel Phase in Macroporous Network Polymers: A Comparison of the Fluorescence Probe and Inverse Steric Exclusion Chromatography Techniques, 605C
Jerome, R. See Wang, J., 2251C
Jezzard, P.
—; Carpenter, T. A.; Hall, L. D.; Jackson, P.; Clayden, N. J.: Temperature Mapping in Solid Polymers Using the Temperature Dependence of NMR Relaxation Times, 1423P
Jialanella, G. L.
—; Firer, E. M.; Piirma, I.: Synthesis of Polystyrene-Block-Polyoxyethylene for Use as a Stabilizer in the Emulsion Polymerization of Styrene, 1925C
Jianbang, P. See Pingsheng, H., 381P
Jin, A. See Yang, H., 1953C
Jockusch, S. See Müller, U., 2755C
Johansson, M.
—; Trollsås, M.; Hult, A.: Synthesis, Characterization, and Curing of Well-Defined Allyl Ether-Maleate Functional Ester Oligomers: Linear versus Nonlinear Structures, 2203C
Johari, G. P. See Alig, I., 791P; Mangion, M. B. M., 433P, 445P; Parthun, M. G., 655P; Pathmanathan, K., 341P; Vanderwal, J., 1089P
Johnson, C.
—; Xu, H.; Wunder, S. L.; Houlihan, F. M.; Chin, E.: Thermal Elimination of Isobutene from Meta and Para Tert-Di-Butyl Pyromellitic Acid, 1409P
Jones, M. B.
—; Larson, J. E.: Polymers Containing Polynuclear Aromatics Linked by One-Carbon Bridges, 2037C
Joshi, P. See Malik, S., 299P
Juliá, L. See Fors, P., 2489C
Jung, B. See Gal, Y.-S., 2657C

Kaeriyama, K. See Masuda, H., 945C, 1667C
Kaji, A.
—; Arimatsu, Y.; Murano, M.: ^{13}C-NMR Study of Anomalous Linkages in Polyurethane, 287C
Kajiyama, M. See Oishi, Y., 2357C
Kakimoto, M.-A. See Hattori, T., 197C; Liou, G.-S., 2195C; Negi, Y. S., 2281C; Oishi, Y., 1027C, 1203C, 1363C, 2217C, 2357C
Kalnin, I. See Hall, H. K., Jr., 2341C
Kamachi, M. See Morishima, Y., 2099C
Kameyama, A.
—; Nambu, Y.; Endo, T.: Electron Relay in Polymer Systems: Effective Electron Transfer from Dihydronicotinamide to Viologen Moieties in Their Copolymers, 1199C
Kamiya, Y.
—; Mizoguchi, K.; Naito, Y.: Plasticization of Poly(ethyl Methacrylate) by Dissolved Argon, 1183P
Kanbara, T. See Sasaki, S., 294P
Kane, K. M. See Irvin, J. A., 1675C
Kaneyuki, S. See Inoue, K., 145C
Kang, Y. S. See Lee, K. J., 707P
Kaplan, D. L. See Wei, Y. C., 2187C
Karasz, F. E. See Cifra, P., 1401P; Cimmino, S., 49P; Denton, F. R., III, 2223C, 2233C; Liang, K., 465P; Litauszki, L., 1227C; Simpson, J. H., 11P
Karrer, P.
—; Corbel, S.; Andre, J. C.; Lougnot, D. J.: Shrinkage Effects in Photopolymerizable Resins Containing Filling Agents: Application to Stereophotolithography, 2715C
Kasai, T. See Toi, K., 497P
Kaszas, G. See Puskas, J. E., 41C
Kathirgamanathan, P. See Edge, S., 2773C
Kato, T. See Saegusa, Y., 1401C
Katritzky, A. R.
—; Zhu, D.-W.; Bernard, M. K.: Synthesis of *N*-(Arylmethyl)diethanolamines and of Other Pyrenediols: Addition Polymerizations of Pyrenyl Monomers, 1443C
Kausch, H.-H. See Boogh, L. C. N., 325P; Jar, P.-Y., 775P
Kawakami, H. See Nishide, H., 77C
Kawamura, I. See Negi, Y. S., 2281C
Keller, A. See Narh, K. A., 335P; Waddon, A. J., 923P
Kelly, K. See Bochmann, M., 2503C, 2511C
Kennedy, J. P. See Puskas, J. E., 41C
Kent, S. L.
—; Geil, P. H.: Folded Chain Crystallization of Random Terpolymer Liquid Crystal Polymers from the Nematic State, 1489P
Khosravi, E. See Edge, S., 2773C
Kido, J. See Nagai, K., 1187C
Kim, C. K.
—; Aguilar-Vega, M.; Paul, D. R.: Dynamic Mechanical and Gas Transport Properties of Blends and Random Copolymers of Bisphenol-A Polycarbonate and Tetramethyl Bisphenol-A Polycarbonate, 1131P
Kim, D.-Y. See Han, Y.-K., 1177C
Kim, H.-B. See Lin, M.-P., 2365C
Kim, I.
—; Choi, H. K.; Han, T. K.; Woo, S. I.: Polymerization of Propylene Catalyzed over Highly Active and Stereospecific Catalysts Synthesized with $Mg(OEt)_2$/Benzoyl Chloride/$TiCl_4$, 2263C
Kim, J. H.
—; Chainey, M.; El-Aasser, M. S.; Vanderhoff, J. W.: Emulsifier-Free Emulsion Copolymerization of Styrene and Sodium Styrene Sulfonate, 171C
Kim, S.
—; Cotts, P. M.; Volksen, W.: On-Line Measurement of the RMS Radius of Gyration and Molecular Weight of Polyimide Precursor Fractions Eluting from a Size-Exclusion Chromatograph, 177P
Kim, Y. H. See Han, Y.-K., 1177C
Kim, Y.-B. See Choi, W.-J., 2143C
Kimata, Y. See Gunji, T., 2295C
King, M. See Falcigno, P. A., 1433C
Kinoshita, H. See Narita, H., 333C
Kip, B. J. See Boogh, L. C. N., 325P; Moonen, J. A. H. M., 361P
Kissin, Y. V.: Infrared Method for Measuring Orientation in Polyethylene Films, 1165P
Kita, H. See Okamoto, K.-I., 1215P, 1223P
Kita, H. See Tanaka, L., 907P
Klein, A. See Dabdub, D., 787P; Mohammadi, N., 1311P
Kluin, J.-E. See Vleeshouwers, S., 1429P
Kobayashi, A. See Takeichi, T., 2645C
Kobayashi, E.
—; Metaka, N.; Aoshima, S.; Furukawa, J.: Novel Conjugated Polymer Containing Aromatic Ring and Selenium in Backbone: Addition Polymerization of 1,4-Benzenediselenol to 1,4-Diethynylbenzene, 227C
Kobayashi, E. See Aoshima, S., 2407C
Kobayashi, M. See Tashiro, K., 1143P
Kobayashi, S. See Shoda, S.-i., 1489C
Kober, M.
—; Wesslén, B.: Amphiphilic Segmented Polyurethanes as Surface Modifying Additives, 1061C
Kobryanskii, V. M.: Mechanism of Anionic Polymerization of Phenylacetylene, 1935C
Koffi, E. See Ferrero, M. A., 2131C
Kohi, P. R. See Braun, D., 577P
Koinuma, Y. See Otsu, T., 1559C
Koito, T. See Nishikubo, T., 449C
Kolthammer, B. W. S.
—; Mangold, D. J.; Gifford, D. R.: Polymerization Kinetics of Octene-1 Catalyzed by Metallocene Methylaluminoxane Investigated with Attenuated Total Reflectance Fourier Transform Infrared (ATR-FT-IR) Spectroscopy, 1017C
Kondo, K. See Suzuki, T., 517P
Kondo, S.
—; Furukawa, K.; Tsuda, K.: Polymeric Analogues of Triphenylphosphine Oxide as Stable Phase Transfer Catalysts, 1503C
—; Yamamoto, T.; Mase, M.; Kunisada, H.; Yuki, Y.: Preparation of Poly(2,4-Dichloro-6-Vinyl-1,3,5-Triazine-co-Styrene)s as Polymer Supports Containing Two Replaceable Groups in Monomer Unit, 1535C

Kondo, S.-I. See Kuzuya, M., 97P, 379C
Kopelman, I. J. See Cohen, Y., 1055P
Kornowski, A. See Yağci, Y., 1987C
Korolev, V. V. See Bagryansky, V. A., 951P
Koshikawa, T. See Saegusa, Y., 1369C
Kostov, G. K.
—; Matsuda, O.; Tabata, Y.; Machi, S.: Radiation Induced Terpolymerization of Tetrafluoroethylene with Propylene and *n*-Butyl Vinyl Ether in Bulk, 1077C
—; Petrov, P. C.: Study of Synthesis and Properties of Tetrafluoroethylene-Propylene Copolymers, 1083C
Kou, D.-L. See Chung, L.-Z., 951C
Koutsky, J. A. See He, X., 533C
Kovac, S. See Sak-Bosnar, M., 1609C
Koziel, K. See Hasik, M., 1741C
Kricheldorf, H. R.
—; Hüner, R.: LC-Polyimides. VII. Thermotropic Poly(ester-Imide)s Derived from Trimellitic Acid with Phosphonate or Phosphate Groups in the Main Chain, 337C
—; Jahnke, P.: New Polymer Syntheses. LXI. Synthesis and Alkylation of Aromatic Poly(pyrazine-Ether)s, 1299C
Kriz, D. See Ding, Z.-Y., 1189P
Krüger, J. K.
—; Prechtl, M.; Smith, P.; Meyer, S.; Wittmann, J. C.: Elastic Properties of Thin Ultraoriented Poly(ϵ-caprolactone) Films Grown on PTFE Substrates as Revealed by Brillouin Spectroscopy, 1173P
Krull, I. S. See Zeng, J.-N., 1809C
Kříž, J. See Vlček, P., 1511C
Kuhn, K. J. See Hellmann, E. H., 203P
Kukuli, D. See Sak-Bosnar, M., 1609C
Kulpinski, J.
—; Lasocki, Z.: Silazane Oligomers and Polymers with Phenylene Spacing Groups, 461C
Kulszewicz-Bajer, I. See Hasik, M., 1741C; Zagorska, M., 1761C
Kumar, A.
—; Perlman, M. M.: Sliding-Friction Electrification of Polymers and Charge Decay, 859P
Kumar, A. See Yates, B. W., 185P
Kumar, D.
—; Razdan, U.; Gupta, A. D.: Melt-Polymerizable Bisimido-Bisphthalonitriles Containing Silicon, Fluoro, and Ether Groups: Synthesis, Characterization, and NMR Study, 1477
Kumar, G. S. See Gaonkar, S. R., 1911C
Kumazawa, H. See Sada, E., 105P
Kunisada, H. See Kondo, S., 1535C
Kuo, J.-F. See Hsu, W.-C., 2459C
Kurita, K.
—; Iwawaki, S.; Ishii, S.; Nishimura, S.-I.: Introduction of Poly(L-Alanine) Side Chains into Chitin as Versatile Spacer Arms Having a Terminal Free Amino Group and Immobilization of NADH Active Sites, 685C
Kurosaki, T. See Oishi, Y., 1027C
Kurosu, H. See Chen, Q., 591P
Kurstjens, A. V. See Wimberger-Friedl, R., 83P
Kusuki, Y. See Okamoto, K.-I., 1223P
Kuwano, J. See Osawa, S., 19P
Kuzuhara, H. See Hatanaka, K., 1223C
Kuzuya, M.
—; Ishikawa, M.; Noguchi, A.; Sawada, K.; Kondo, S.-I.: Nature of Plasma-Induced Radicals on Crosslinked Methacrylic Polymers Studied by Electron Spin Resonance, 379C
—; Kondo, S.-I.; Noguchi, A.; Noda, N.: Nature of Mechanoradical Formation and Reactivity with Oxygen in Methacrylic Vinyl Polymers, 97P
Kwei, T. K.
Review of *Physical Chemistry of Membrance Processes*, 1777C
Kwei, T. K. See Makhija, S., 2693C
Kwon, S.-K. See Choi, W.-J., 2143C

Labadie, J. W.
—; Hedrick, J. L.; Boyer, S. K.: Poly(aryl Ether-Phenylquinoxaline)s: Self-Polymerization of an A-B Monomer via Quinoxaline-Activated Ether Synthesis, 519C
Labadie, J. W. See Hedrick, J. L., 105C
Lacoste, J.
—; Carlsson, D. J.: Gamma-, Photo-, and Thermally-Initiated Oxidation of Linear Low Density Polyethylene: A Quantitative Comparison of Oxidation Products, 493C
Lahti, P. M. See Denton, F. R., III, 2223C, 2233C; Rossitto, F. C., 1335C
Lambla, M. See Hu, G. H., 625C, 635C
Łapienis, G.: Synthesis of Poly(alkylene Phosphate)s Bearing Uracil Moiety in the Main Chain, 71C
Lapkowski, M. See Hasik, M., 1741C
Larson, J. E. See Jones, M. B., 2037C
Larson, R. G. See Morrison, F. A., 943P
Laska, J. E. See Hasik, M., 1741C
Lasocki, Z. See Kulpinski, J., 461C
Lau, W. Y. See Lee, C. S., 983C
Le, T.-B. See Feld, W. A., 1099C
Leal, L. G. See Geffroy, E., 1329P
Leblanc, J.-P.
—; Huang, J.; Padias, A. B.; Hall, H. K., Jr.: Thermolysis of Polyarylate Model Compounds, 2321C
Leblanc, J.-P. See Huang, J., 345C
Leclercq, D. See Belot, V., 613C
Lecrom, C. See Améduri, B., 49C
Lee, C. K. See Yang, A. C.-M., 1123P
Lee, C. S.
—; Lau, W. Y.; Lee, S. Y.; Goh, S. H.: Polymerization Behavior of 2,2,6,6-Tetramethylpiperidinyl Methacrylate: A Monomer Carrying a Hindered Amine Group, 983C
Lee, H. See Boese, D., 1321P
Lee, H. S. See Liu, H., 879C
Lee, H.-Y. See Hall, H. K., Jr., 2341C
Lee, K. J.
—; Moon, D. Y.; Park, O. O.; Kang, Y. S.: Diffusion of Ethylene Glycol Accompanied by Reactions in Poly(ethylene Terephthalate) Melts, 707P
Lee, M. See Percec, V., 1213C
Lee, S.
—; Rudin, A.: Synthesis of Core-

Shell Latexes by Redox Initiation at Ambient Temperatures, 2211C
—; Rudin, A.: The Mechanism of Core-Shell Inversion in Two-Stage Latexes, 865C
Lee, S. Y. See Lee, C. S., 983C
Lee, S.-H. See Hasch, B. M., 1365P
Lee, W.-C. See Gal, Y.-S., 2657C
Lee, Y.-D. See Ho, B.-C., 2389C
Lellinger, D. See Alig, I., 791P
Lenz, R. W. See Garay, R. O., 977C
Lenz, R. W. See Itoh, M., 803C
Levon, K. See Liu, F. J., 157C
Levy, L. B.: Inhibition of Acrylic Acid Polymerization by Phenothiazine and *p*-Methoxyphenol. II. Catalytic Inhibition by Phenothiazine, 569C
Lewis, D. A.
—; Summers, J. D.; Ward, T. C.; McGrath, J. E.: Accelerated Imidization Reactions Using Microwave Radiation, 1647C
Li, G. See Cowie, J. M. G., 1351P
Li, J. See Yang, M., 63C
Li, W.
—; Huang, B.: Relationship Between Crystallization of the PDMS Block and Morphology of Poly(butadiene-*b*-Dimethylsiloxane), 727P
Liang, K.
—; Grebowicz, J.; Valles, E.; Karasz, F. E.; MacKnight, W. J.: Thermal and Rheological Properties of Miscible Polyethersulfone/Polyimide Blends, 465P
Lillya, C. P. See Xu, B., 1899C
Lim, K.-T. See Choi, W.-J., 2143C
Lin, C. S. See Litt, M. H., 779C
Lin, D.
—; Dean, D.; Geil, P. H.: Regular, Adjacent Reentry Folding in Single Crystals of a Liquid Crystal Polymer Crystallized from the Nematic State, 1483P
Lin, J.-H. See Yang, C.-P., 1865C
Lin, J.-J. See Chen, Y., 2699C
Lin, M. S.
—; Huang, C.-S.: Syntheses and Characterizations of Allyl Cellulose and Glycidyl Cellulose, 2303C
Lin, M.-P.
—; Ikeda, T.; Endo, T.: Photocrosslinking of Copolymers of Vinyloxyethyl Methacrylate-Styrene Initiated by Sulfonium Salts. II. Photocrosslinking Behaviors, 2569C
—; Ikeda, T.; Endo, T.: Photocrosslinking of Polymers Containing Cationically Polymerizable Groups in the Side-Chain by Sulfonium Salts, 933C
—; Kim, H.-B.; Ikeda, T.; Endo, T.: Photocrosslinking of Copolymers of Vinyloxyethyl Methacrylate-Styrene Initiated by Sulfonium Salts. I. Transient Species Formed on Photolysis of Sulfonium Salt, 2365C
Lin, M.-S.
—; Jeng, K.-T.: Optically Clear Simultaneous Interpenetrating Polymer Networks Based on Poly(ethylene Glycol) Diacrylate and Epoxy. I. Preparation and Characterization, 1941C
Lin, Y.-G. See Chien, J. C. W., 2601C
Liou, G.-S.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Polyarylates both from 2,2′-Bibenzoyl Chloride and Bisphenols and from Biphenyl-2,2′-Diol and Aromatic Dicarboxylic Acid Chlorides, 2195C
Litauszki, L.
—; Karasz, F. E.; Grünberg, K.; Berger, W.: Thermal Behavior of Copolyimides Containing Bisbenzoylamine Groups, 1227C
Litman, V. E. See Percec, V., 1213C
Litt, M. H.
—; Lin, C. S.: Selective Hydrolysis of Oxazoline Block Copolymers, 779C
Litt, M. H. See Cai, G., 649C, 659C, 671C
Liu, F. J.
—; Munukutla, S.; Levon, K.; Tesoro, G.: Synthesis and Characterization of Some Imide End-Capped Amide-Imides, 157C
Liu, H.
—; Yeh, T. F.; Lee, H. S.; Skotheim, T. A.; Okamoto, Y.: The Effect of the Steric Hindrance on Metallic Cation Conduction in Polymer Electrolytes, 879C
Liu, J.
—; Rybnikar, F.; Geil, P. H.: Lamellar and Whisker Single Crystals of Poly(2,6-Oxynaphthoate, 1469P
Liu, L. B.
—; Gidley, D.; Yee, A. F.: Effect of Cyclic Stress on Structural Changes in Polycarbonate as Probed by Positron Annihilation Lifetime Spectroscopy, 231P
—; Yee, A. F.; Gidley, D. W.: Effect of Cyclic Stress on Enthalpy Relaxation in Polycarbonate, 221P
Llauro-Darricades, M.-F. See Spitz, R., 99C
Llinas, G. H. See Chien, J. C. W., 2601C
Lockhart, T. P. See Albonico, P., 1071C
López, G. P.
—; Chilkoti, A.; Briggs, D.; Ratner, B. D.: Substrate Temperature Effects on Film Chemistry in Plasma Deposition of Organics. III. Analysis by Static Secondary Ion Mass Spectrometry, 2427C
—; Ratner, B. D.: Substrate Temperature Effects on Film Chemistry in Plasma Depositions of Organics. II. Polymerizable Precursors, 2415C
Lorek, S. See Hu, G. H., 635C
Lougnot, D. J. See Karrer, P., 2715C
Lozano, A. E.
—; De Abajo, J.; De La Campa, J. G.; Preston, J.: Polyisophthalamides with Phenylthio Pendent Groups, 1327C
Lu, J. See Bochmann, M., 2511C
Lu, X.
—; McGhie, A.; Brown, N.: The Dependence of Slow Crack Growth in a Polyethylene Copolymer on Test Temperature and Morphology, 1207P
—; Qian, R.; McGhie, A. R.; Brown, N.: The Effect of Annealing on Slow Crack Growth in an Ethylene-Hexene Copolymer, 899P
Luke, A. W. See Banister, A. J., 2653C
Lutgen, P. See de Donato, P., 1305P

Ma, S. See Ding, Z.-Y., 1189P; Zou, D., 137C
Machi, S. See Kostov, G. K., 1077C
Macknight, W. J. See Cifra, P., 1401P; Cimmino, S., 49P; Liang, K., 465P
Madruga, E. L. See Fernández-Monreal, M. C., 2313C
Magat, E. E.
Review of *Liquid Crystallinity in Polymers, Principles and Fundamental Properties, 955C*
Magiera, D. J. See Zeng, J.-N., 1809C
Magill, J. H. See Ciora, R. J., Jr., 1035P
Mahadevan, V. See Xavier, R., 2665C
Maity, A. K. See Chakrabarti, S., 1625C
Makhija, S.
—; Pearce, E. M.; Kwei, T. K.: Thermal Oxidation of Blends of Poly(ethylene oxide) and Poly(methyl methacrylate), 2693C
Malarik, D. C. See Meador, M. A. B., 305C
Malik, A. A.
—; Archibald, T. G.; Baum, K.; Unroe, M. R.: Thermally Stable Polymers Based on Acetylene-Terminated Adamantanes, 1747C
Malik, S.
—; Joshi, P.; Shintre, S. N.; Mashelker, R. A.: Association of Polymers in Dilute Hydrocarbon Solutions Probed by Ultrasound Interferometry, 299P
Manger, E. See Braun, D., 577P
Mangion, M. B. M.
—; Wang, M.; Johari, G. P.: Relaxations in Thermosets. XII. Dielectric Effects During Curing of Nonstoichiometric DGEBA-Based Thermosets, 433P
—; Wang, Manli; Johari, G. P.: Relaxations in Thermosets. XIII. Effects of Post-Cure and Aging on the Sub-T_g Relaxations of Nonstoichiometric Epoxide-Based Thermosets, 445P
Mangold, D. J. See Kolthammer, B. W. S., 1017C
Mani, R.
—; Mani, T.; Stevens, J. R.: Ionic Conductivity and Compatibility Studies of Blends of Poly(methyl Methacrylate) and Poly(propylene Glycol) Complexed with $LICF_3SO_3$, 2025C
Mani, T. See Mani, R., 2025C
Manivannan, G.
—; Fouassier, J. P.; Crivello, J. V.: Chlorothioxanthone-Onium Salts: Efficient Photoinitiators of Cationic Polymerization, 1999C
Mantecón, A. See Galià, M., 2379C
Marchessault, R. H. See Allegra, G., 809P
Margel, S.
—; Cohen, E.; Dolitzky, Y.; Sivan, O.: Surface Modification. I. Polyacrolein Microspheres Covalently Bonded onto Polyethylene, 1103C
—; Tennenbaum, M.; Gottlieb, H. E.: Novel Polymeric Microspheres Based on Methyl α-(Hydroxymethyl)acrylate: Synthesis and Characterization, 1499C
Mark, J. E. See Wang, S., 801P
Martinez, G. See Spitz, R., 99C
Martínez, R. See Alvarez-Idaboy, J. R., 2497C
Maruyama, Y. See Okamoto, K.-I., 1215P
Mase, M. See Kondo, S., 1535C
Mashelker, R. A. See Malik, S., 299P
Masuda, E. See Shoda, S.-i., 1489C
Masuda, H.
—; Kaeriyama, K.; Suezawa, H.; Hirota, M.: Electrochemical Polymerization of 3-Alkyl-2,2′-Bithiophene, 945C
—; Taniki, Y.; Kaeriyama, K.: Electrochemical Preparation of Polythiophene via 2,5-Bis(trimethylsilyl)thiophene, 1667C
Masuda, S. See Sangen, O., 1171C
Matějka, L.
—; Podzimek, Š.; Simonsick, W. J., Jr.; Špaček, P.; Dušek, K.: Model Reactions of Amine Curing of Glycidylamine Epoxy Resins: Homopolymerization of *N*-Methylglycidylaniline, 2109C
Mateo, J. L.
—; Bosch, P.; Catalina, F.; Sastre, R.: Novel Dialkylaminoalkyl- and Dialkylaminoalcoxy-Benzophenones as Polymerization Photoinitiators. II. Photocalorimetric Study on Photoinitiated Polymerization of Butyl and Lauryl Acrylates, 829C
Mates, T. E.
—; Ober, C. K.: New Liquid Crystal Polyethers and Polyesters Based on Diphenylbutadiene Mesogens, 2541C
Mateva, R.
—; Dencheva, N.: On the Behavior of Organophosphorus Lactam Derivatives during Anionic Polymerization of ϵ-Caprolactam, 1449C
Mathias, L. J. See Muthiah, J., 509C
Matienzo, L. J. See Cain, S. R., 275P
Matsuda, H. See Nomura, R., 153C
Matsuda, O. See Kostov, G. K., 1077C
Matsuda, T. See Nakayama, Y., 2451C
Matsuda, Y. See Tsutsumi, H., 1725C
Matsukawa, K.
—; Hasegawa, K.; Inoue, I.; Fukuda, A.; Arita, Y.: Preparation and Curing Behavior of Siloxane-Containing Epoxy Resins, 2045C
Matsumoto, A. See Otsu, T., 1559C
Matsuura, T. See Ando, S., 2285C
Matsuzawa, Y. See Minagawa, K., 779P
Matyjaszewski, K.
—; Montague, R.; Dauth, J.; Nuyken, O.: Synthesis of Poly(phenyltrifluoroethoxyphosphazene) by Direct Reaction of Trimethylsilyl Azide with Bis(2,2,2-Trifluoroethyl) Phenylphosphonite, 813C
Mayer, J. M. See Wei, Y. C., 2187C
McCarthy, T.: Review of *Adhesive Bonding*, 2075C
McEwen, I. J. See Cowie, J. M. G., 1351P
McGervey, J. D. See Vleeshouwers, S., 1429P
McGhie, A. See Lu, X., 1207P
McGhie, A. R. See Lu, X., 899P
McGrath, J. E. See Lewis, D. A., 1647C
McHugh, A. J. See Tsay, C. S., 309P
McHugh, M. A. See Hasch, B. M., 1365P

McNamee, S. G. See Barclay, G. G., 1845C, 2663C
Meador, M. A. B.
—; Malarik, D. C.; Olshavsky, M. A.: Processing Studies and Thermal Stability of Addition Polymers from 1,4,5,8-Tetrahydro-1,4;5,8-Diepoxyanthracene and Bis-dienes, 305C
Meath, W. J. See Yates, B. W., 185P
Meeten, G. H. See Peuvrel, E., 865P
Meier, G. See Giebel, L., 1291P
Meier, R. J. See Boogh, L. C. N., 325P; Moonen, J. A. H. M., 361P
Meilchen, M. A. See Hasch, B. M., 1365P
Menceloglu, Y. Z. See Takata, T., 501C
Mercer, F.
—; Goodman, T.; Wojtowicz, J.; Duff, D.: Synthesis and Characterization of Fluorinated Aryl Ethers Prepared from Decafluorobiphenyl, 1767C
Metaka, N. See Kobayashi, E., 227C
Meyer, S. See Krüger, J. K., 1173P
Micale, F. J. See Cheng, C. M., 235C
Michel, A. See Spitz, R., 99C
Mijangos, C. See Spitz, R., 99C
Mikroyannidis, J. A.: Aromatic Polyisophthalamides with *N*-Benzylidene Pendant Groups, 2371C
Mikroyannidis, J. A.: Furyl-Maleimide *in situ* Generated AB-Monomers: Synthesis, Characterization, and Diels-Alder Polymerization, 2017C
Mikroyannidis, J. A.: Synthesis and Diels-Alder Polymerization of Furfurylidene and Furfuryl-Substituted Maleamic Acids, 125C
Mikroyannidis, J. A. See Diakoumakos, C. D., 2559C
Millan, J. L. See Spitz, R., 99C
Millán, S.
—; Sánchez, V.; Fucugauchi, L. A.; Ito, Y.; Tabata, Y.: Study of Solid-State Polymerization by Positron Lifetime Measurements, 1P
Miller, J. B. See Walton, J. H., 527P
Minagawa, K.
—; Matsuzawa, Y.; Yoshikawa, K.: Direct Observation of Brownian Motion of Macromolecules by Fluorescence Microscope, 779P
Minami, S. See Tashiro, K., 1143P
Minoura, N. See Iio, K., 2071C
Misono, T. See Gunji, T., 371C, 1779C, 2295C
Misra, T. N. See Chakrabarti, S., 1625C
Mitchell, G. R. See Whitcombe, M. J., 1681C
Miura, T. See Suzuki, T., 517P
Miura, Y.
—; Inui, K.; Yamaguchi, F.; Inoue, M.; Teki, Y.; Takui, T.; Itoh, K.: Molecular Design, Synthesis, and Magnetic Characterization of Poly(phenylacetylene) with Pi-Toporegulated Pendant Nitronyl Nitroxide Radicals as Models for Organic Superpara- and Ferromagnets, 959C
Miyahara, S. See Hatanaka, K., 1223C
Miyama, Y. See Suzuki, N., 2067C
Miyazaki, K. See Tsutsumi, H., 1725C
Mizoguchi, K. See Kamiya, Y., 1183P; Terada, K., 539P
Mizrahi, S. See Cohen, Y., 1055P
Moad, G. See Buback, M., 851C
Moallemi, K. See Weil, E. D., 1777C
Mohammadi, N.
—; Yoo, J. N.; Klein, A.; Sperling, L. H.: Energy-Consuming Micromechanisms in the Fracture of Glassy Polymers. I. Chain Scission in Polystyrene, 1311P
Mohammed Yusuff, K. K.
—; Sreekala, R.: Mixed Ligand Five Coordinate Cobalt(II) Complexes of a Polymer-Bound Schiff Base Derived from 2-Aminobenzimidazole, 2595C
Mohanty, D. K. See Hedrick, J. L., 2085C
Montague, R. See Matyjaszewski, K., 813C
Montaudo, G.
—; Scamporrino, E.; Vitalini, D.; Rapisardi, R.: Fast Atom Bombardment Mass Spectrometric Analysis of the Partial Ozonolysis Products of Poly(isoprene) and Poly(chloroprene), 525C
Montero, L. A. See Alvarez-Idaboy, J. R., 2497C
Moon, D. Y. See Lee, K. J., 707P
Moonen, J. A. H. M.
—; Roovers, W. A. C.; Meier, R. J.; Kip, B. J.: Crystal and Molecular Deformation in Strained High-Performance Polyethylene Fibers Studied by Wide-Angle X-ray Scattering and Raman Spectroscopy, 361P
Morawetz, H.
Review of *Chemistry of Physics and Macromolecules*, 2075C
Review of *Elastomeric Polymer Networks*, 2473C
Review of *Modern Methods of Polymer Characterization*, 1427P
Review of *Polymers in Solution—Their Modelling and Structure*, 1507C
Review of *Solid Polymer Electrolytes-Fundamentals and Technological Applications*, 956C
Morbidelli, M. See Storti, G., 731C, 751C
Morishima, Y.
—; Seki, M.; Tominaga, Y.; Kamachi, M.: Compartmentalization of Chromophores in a Molecular Composite Consisting of Amphiphilic Polyelectrolyte-Surfactant Ion Complexes, 2099C
Morita, A. See Sasaki, S., 294P
Morita, M. See Tsutsumi, H., 1725C
Morrison, F. A.
—; Larson, R. G.: A Study of Shear-Stress Relaxation Anomalies in Binary Mixtures of Monodisperse Polystyrenes, 943P
Morton, A. See Guthrie, J. T., 2173C
Mott, P. H. See Arizzi, S., 415P
Moulton, J.
—; Smith, P.: Gel Processing of Electrically Conductive Blends of Poly(3-octylthiophene) and Ultrahigh Molecular Weight Polyethylene, 871P
Muhrbeck, P. See Nilsson, S., 681P
Müller, U.
—; Jockusch, S.; Timpe, H.-J.: Photocrosslinking of Silicones. VI. Photocrosslinking Kinetics of

Silicone Acrylates and Methacrylates, 2755C
Muñoz-Guerra, S. See Rodríguez-Galán, A., 713C
Munukutla, S. See Liu, F. J., 157C
Muramatsu, H. See Hayakawa, Y., 873C
Murano, M. See Kaji, A., 287C
Muraoka, M. See Okamoto, K.-I., 1215P
Muthiah, J.
—; Mathias, L. J.: Bis(vinylbenzyl) Ether: Facile Synthesis and Crosslinking Reactions, 509C
Mutin, P. H. See Belot, V., 613C

Nagai, K.
—; Okada, K.; Kido, J.: Radical Copolymerization of an Electron-Accepting Monomer, Methyl *cis*-β-Cyanoacrylate, with Styrene or Acrylonitrile, 1187C
Nagao, Y. See Gunji, T., 371C, 1779C, 2295C
Naito, Y. See Kamiya, Y., 1183P
Naka, Y.
—; Yamamoto, Y.: Preparation of Copolymer Microspheres of Diethylene Glycol Dimethacrylate, 2149C
—; Yamamoto, Y.: Preparation of Microspheres by Radiation-Induced Polymerization. II. Mechanism of Microsphere Growth, 1287C
Nakabayashi, N. See Ishihara, K., 929C
Nakagawa, K. See Okamoto, K.-I., 1223P
Nakagawa, Y. See Tsutsumi, H., 1725C
Nakamura, A. See Okamoto, K.-I., 1223P
Nakamura, S. See Saegusa, Y., 1369C, 1375C, 1401C
Nakano, H. See Sangen, O., 1171C
Nakata, S. See Oishi, Y., 2217C, 2357C
Nakayama, Y.
—; Matsuda, T.: Preparation and Characteristics of Photocrosslinkable Hydrophilic Polymer Having Cinnamate Moiety, 2451C
Nam, J.-D.
—; Seferis, J. C.: Generalized Composite Degradation Kinetics for Polymeric Systems Under Isothermal and Nonisothermal Conditions, 455P
Nambu, Y. See Kameyama, A., 1199C
Nandi, D.
—; Chaudhuri, A. K.: Polymerization of Methyl Methacrylate with Manganic Laurate in Combination with Different Substituted Thiols as Initiators, 941C
Nango, M. See Yamashita, K., 2247C
Narasimhaswamy, T.
—; Sumathi, S. C.; Reddy, B. S. R.: 2,4,6-Tribromophenyl Acrylate-co-Glycidyl Methacrylate Polymers: Synthesis, Characterization, and Reactivity Ratios, 2165C
Narayanan, V.
—; Natarajan, P.: Photochemistry of Macromolecular Metal Complexes. III. Synthesis, Spectral and Electrochemical Properties of Macromolecular Bound Protoporphyrin in Aqueous Solution, 2475C
Narh, K. A.
—; Odell, J. A.; Keller, A.: Temperature Dependence of the Conformational Relaxation Time of Polymer Molecules in Elongational Flow: Invariance of the Molecular Weight Exponent, 335P
Narita, H.
—; Kinoshita, H.; Araki, T.: Radical Block Copolymerization by a Novel Bifunctional Redox and Azo Compound, 333C
Näsman, J. H. See Wilén, C.-E., 1163C
Natansohn, A. See Crone, G., 1655C; Yang, H., 1953C
Natarajan, P. See Narayanan, V., 2475C
Nauman, E. B. See Ariyapadi, M. V., 533P
Navard, P. See Peuvrel, E., 865P
Navarro, F.
—; Serrano, J. L.: Thermotropic Aromatic Copolyesters of Catechol, 1789C
Navarro-Rodriguez, D.
—; Frere, Y.; Gramain, P.: Kinetics and Steric Limitation of Quaternization of Poly(4-Vinylpyridine) with Mesogenic ω-(4′-Methoxy-4-Biphenylyloxy)alkyl Bromides, 2587C
Neef, C. J. See Irvin, J. A., 1675C
Negi, Y. S.
—; Suzuki, Y. I.; Kawamura, I.; Hagiwara, T.; Takahashi, Y.; Iijima, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Polyimides Based on 2,2-Bis[4-(4-Aminophenoxy)phenyl]propane and 2,2-Bis[4-(4-Aminophenoxy)phenyl]hexafluoropropane, 2281C
Nelson, G. L. See Hoyle, C. E., 1525C
Newman, D. C. See Coleman, B. D., 25P
Newmark, R. A. See Errede, L. A., 1155C
Nho, Y. C.
—; Garnett, J. L.; Dworjanyn, P. A.: The Role of Cationic Salts for Enhancing the Photosensitized Grafting of Styrene in Methanol to Polypropylene in the Presence of Acid Additives, 1219C
Nicholas, P. P.: The Molecular Weight Limiting Step in the Ring-Opening Polymerization of 1,1-Disubstituted Epoxides Catalyzed by Bis(diisobutylaluminum)-oxide, 1123C
Nichols, M. E.
—; Robertson, R. E.: The Multiple Melting Endotherms from Poly(butylene Terephthalate), 755P
—; Robertson, R. E.: The Origin of Multiple Melting Endotherms in the Thermal Analysis of Polymers, 305P
Nilsson, S.
—; Muhrbeck, P.: Elastic Shear Modulus of Biphasic Gels, 681P
Nishida, M. See Hayakawa, Y., 873C
Nishide, H.
—; Kawakami, H.; Sasame, Y.; Ishiwata, K.; Tsuchida, E.: Facilitated Transport of Molecular Oxygen in Cobaltporphyrin/Poly(1-Trimethylsilyl-1-Propyne) Membrane, 77C
Nishikubo, T.
—; Iizawa, T.; Shiozaki, Y.; Koito, T.: Synthesis of Multifunctional Copolyamides with Both Cyclobutane Ring and Conjugated Double Bond in the Main Chain, 449C
Nishimura, S.-I. See Kurita, K., 685C
Nisizawa, M.: Studies on Irradiation of Agar-Agar in

the Solid State: On the Changes of Thermal Property of Irradiated Agar-Agar Hydrogel Produced by Carbohydrates, 1775C
Noda, N. See Kuzuya, M., 97P
Noguchi, A. See Kuzuya, M., 97P, 379C
Noguchi, H. See Suzuki, N., 2067C
Nomura, R.
—; Fuji, S.; Shimokawatoko, T.; Matsuda, H.: Gelation of Adducts of Tributylindium or Dibutylindium Propionate to Butanestannoic Acid Leading to Transparent and Conducting ITO Films, 153C
Nowakowska, M.
—; White, B.; Vogt, S.; Guillet, J. E.: Studies of the Antenna Effect in Polymer Molecules. XVII. Synthesis and Photocatalytic Activity of Poly(sodium Styrenesulfonate-co-*N*-Vinylcarbazole) and Poly[sodium Styrenesulfonate-co-*N*-(Acryloyloxyhexyl)carbazole], 271C
Numajiri, M. See Suzuki, T., 517P
Nuyken, O. See Matyjaszewski, K., 813C

Ober, C. K. See Barclay, G. G., 1831C, 1845C, 2663C; Mates, T. E., 2541C
Ochiai, H. See Itaya, T., 587P
Oda, H. See Aoshima, S., 2407C
Oda, M. See Ueda, M., 1993C
Odell, J. A. See Narh, K. A., 335P
O'Donnell, J. H.
—; Whittaker, A. K.: A Solid-State ^{13}C-NMR Study of Crosslinking in Polybutadiene by γ Radiation: Effect of Microstructure and Dose, 185C
O'Driscoll, K. F. See Buback, M., 851C; Suddaby, K. G., 643C
Ogawa, T. See Burillo, G., 2159C
Ohara, S. See Takezawa, Y., 879P
Ohta, S. See Ishihara, K., 929C
Oishi, T.
—; Fujimoto, M.: Synhthesis and Polymerization of *N*-[4-*N*'-(α-Methylbenzyl)aminocarbonyl-phenyl]maleimide, 1821C
—; Hall, H. K., Jr.: Model Studies and a New Melt Polycondensation Route to Poly-Bisphenol A-Iso/terephthalate (Polyarylate), 83C
Oishi, Y.
—; Harada, S.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Fluorine-Containing Aromatic Polyamides from Trimethylsilyl-Substituted Tetrafluoro-*m*-Phenylenediamine and Aromatic Dicarboxylic Acid Chlorides, 1203C
—; Ishida, M.; Kakimoto, M.-A.; Imai, Y.; Kurosaki, T.: Preparation and Properties of Novel Soluble Aromatic Polyimides from 4,4'-Diaminotriphenylamine and Aromatic Tetracarboxylic Dianhydrides, 1027C
—; Nakata, S.; Kajiyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Random and Block Copolyamides Derived from 1,3-Bis(3-Aminopropyl)tetramethyldi-siloxane, Aromatic Diamines, and Isophthaloyl Chloride, 2357C
—; Nakata, S.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Segmented Aromatic Poly(ether Sulfone)-Amide and Poly(ether Sulfone)-Imide Copolymers, 2217C
—; Padmanaban, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Aromatic Polyureas from *N,N'*-Bis(trimethylsilyl)-Substituted Aromatic Diamines and Aromatic Diisocyanates, 1363C
Oishi, Y. See Percec, V., 439C
Okada, K. See Nagai, K., 1187C
Okada, M. See Hashimoto, K., 211C
Okamoto, H. See Inoue, T., 409P
Okamoto, K.-I.
—; Tanaka, K.; Muraoka, M.; Kita, H.; Maruyama, Y.: Gas Permeability and Permselectivity of Fluorinated Polybenzoxazoles, 1215P
—; Tanihara, N.; Watanabe, H.; Tanaka, K.; Kita, H.; Nakamura, A.; Kusuki, Y.; Nakagawa, K.: Sorption and Diffusion of Water Vapor in Polyimide Films, 1223P
Okamoto, K.-I. See Tanaka, L., 907P
Okamoto, Y. See Liu, H., 879C
Okano, M. See Tanaka, L., 907P
Oki, Y. See Suzuki, T., 517P
Okita, S. See Percec, V., 429C, 1037C
Olshavsky, M. A. See Meador, M. A. B., 305C
Osaki, K. See Inoue, T., 409P
Osawa, S.
—; Ito, M.; Tanaka, K.; Kuwano, J.: The Application of Ultrasonic Waves to the Electrochemical Polymerization of Thiophene, 19P
Oshiumi, H. See Saegusa, Y., 1401C
Otoupalová, J. See Vlček, P., 1519C
Otsu, T.
—; Matsumoto, A.; Shiraishi, K.; Amaya, N.; Koinuma, Y.: Effect of the Substituents on Radical Copolymerization of Dialkyl Fumarates with Some Vinyl Monomers, 1559C
—; Yoshioka, M.; Sunagawa, T.: Radical Polymerization of Isopropyl *tert*-Butyl Fumarate and Maleate, and Characterization of the Resulting Polymers, 1347C
Otsu, T. See Endo, K., 679C, 797C
Overberger, C. G. See Tsai, F. H., 551C

Padias, A. B. See Hall, H. K., Jr., 2341C; Leblanc, J.-P., 2321C
Padmanaban, M. See Oishi, Y., 1363C
Panchalingam, V.
—; Reynolds, J. R.: Poly(1,3-Cyclohexadiene-alt-α-Fluoroacrylonitrile): Synthesis and Structural Analysis of a New Alternating Copolymer, 967C
Papadokostaki, K. G. See Petropoulos, J. H., 717P
Papathomas, K. I. See Barclay, G. G., 1831C, 1845C, 2663C
Papkov, V. S. See Tsvankin, D. Ya., 851P
Park, I.
—; Barlow, J. W.; Paul, D. R.: The In Situ Reactive Compatibilization of Nylon-6/Polystyrene Blends Using Anhydride Functionalized Polystyrenes, 1021P
Park, J. O.
—; Jang, S. H.: Synthesis and

Characterization of Bismaleimides from Epoxy Resins, 723C
Park, M. See Zou, D., 137C
Park, O. O. See Lee, K. J., 707P
Park, T. G.
—; Hoffman, A. S.: Preparation of Large, Uniform Size Temperature-Sensitive Hydrogel Beads, 505C
Parker, D. G. See Corfield, G. C., 845C
Parthun, M. G.
—; Johari, G. P.: Relaxations in Thermosets. XVI. Dielectric Studies of Negative Feedback During Curing of an Epoxide-Ethylene-Diamine Thermoset, 655P
Pater, R. H. See Jang, B. Z., 643P
Pathmanathan, K.
—; Cavaillé, J.-Y.; Johari, G. P.: The Dielectric Properties of Dry and Water-Saturated Nylon-12, 341P
Patterson, H. H. See Saini, A. K., 419C
Paul, D. R.
Review of *Emulsion Polymer Technology*, 1427P
Paul, D. R. See Kim, C. K., 1131P; Park, I., 1021P; Takeda, Y., 1273P; Weinkauf, D. H., 817P; Weinkauf, D. H., 837P
Pearce, E. M.
Review of *Plastics, Their Behavior in Fires*, 1778C
Review of *Polymers: Chemistry and Physics of Modern Materials*, 1777C
Review of *Principles of Polymerization*, 1508C
Pearce, E. M. See Makhija, S., 2693C
Peiffer, D. G.: Structure and Properties of Blends Containing Ethylene-Methacrylate Copolymers, 1045P
Peiffer, D. G. See Gorda, K. R., 281P
Penneau, J. F. See Boyle, A., 265P
Percec, V.
—; Lee, M.; Rinaldi, P.; Litman, V. E.: Molecular Engineering of Liquid Crystalline Polymers by Living Polymerization. XVII. Characterization of Poly{10-[(4-Cyano-4′-biphenyl)oxy]decanyl Vinyl Ether}s by 1-D and 2-D ^{1}H-NMR Spectroscopy, 1213C
—; Okita, S.: Soluble Polyarylenes Containing Alternating Binaphthylene and Biphenylene Structural Units, 1037C
—; Wang, J. H.; Oishi, Y.: Synthesis of Aromatic Polyethers by Scholl Reaction. VIII. On the Polymerizability of 1,5-Bis(phenoxy)pentanes and 1,5-Bis(phenylthio)pentane, 439C
—; Wang, J. H.; Okita, S.: Synthesis of Aromatic Polyethers by Scholl Reaction. VII. Oxidative Polymerization of 2,2-Bis[4-(1-Naphthoxy)phenyl]propane and 2,2-Bis[4-(1-Naphthyl)phenyl]propane, 429C
—; Zuber, M.: Liquid Crystalline Polyethers Based on Conformational Isomerism. XIX. Synthesis and Characterization of Flexible Polyethers Based on 1-(4-Hydroxyphenyl)-2-(2-R-4-Hydroxyphenyl)ethane with H, F, CH_3, Br, Cl, and CF_3 as R Groups, 997C
Perlman, M. M. See Kumar, A., 859P
Peters, E. M.
—; Van Dyke, J. D.: Characterization of Conducting Copolymers of 2,2′-Bithiophene and Pyrrole by Cyclic Voltammetry and UV/Visible Spectroscopy, 1891C
Petropoulos, J. H.
—; Papadokostaki, K. G.; Amarantos, S. G.: A General Model for the Release of Active Agents Incorporated in Swellable Polymeric Matrices, 717P
Petropoulos, J. H. See Sanopoulou, M., 971P, 983P
Petrov, P. C. See Kostov, G. K., 1083C
Peuvrel, E.
—; Siegert, D.; Navard, P.; Meeten, G. H.: Small-Angle Scattering of Polarized Light. IV. Isotropic to Birefringent Transition for Spheres, 865P
Piirma, I. See Jialanella, G. L., 1925C
Pingsheng, H.
—; Chune, L.; Jianbang, P.: Conductivity and Dielectric Properties of the Monomer and Polymer of the *Bis*(*p*-Toluene Sulfonate) of 2,4-Hexadiyne-1,6-diol, 381P
Pitt, C. G.
—; Wang, J.; Chignell, C. F.; Sik, R.: ESR Spectroscopy as a Probe of the Morphology of Hydrogels, 1069P
Podzimek, Š. See Matějka, L., 2109C
Polotti, G. See Storti, G., 731C, 751C
Porter, R. S. See Guan, J. Y., 687P
Prasad, J. V.: Characterization of Propylene-Ethylene Block Copolymers Using Solid State ^{13}C-NMR Spectroscopy, 2033C
Prast, G. See Wimberger-Friedl, R., 83P
Pratap, G.
—; Heller, J. P.: Electron-Pair Donors in Carbocationic Polymerization: Synthesis of Linear Living α,ω-Di(*tert*-chloro)polyisobutylenes, 163C
Pratt, J. R. See Dinan, F. J., 111C; Gautreaux, C. R., 71P
Prechtl, M. See Krüger, J. K., 1173P
Preston, J. See Lozano, A. E., 1327C
Pron, A. See Hasik, M., 1741C; Zagorska, M., 1761C
Puskas, J. E.
—; Kaszas, G.; Kennedy, J. P.; Hager, W. G.: Polyisobutylene-Containing Block Polymers by Sequential Monomer Addition. IV. New Triblock Thermoplastic Elastomers Comprising High T_g Styrenic Glassy Segments: Synthesis, Characterization and Physical Properties, 41C

Qian, R. See Lu, X., 899P
Qiu, Y.-J.
—; Reynolds, J. R.: Electrochemically Initiated Chain Polymerization of Pyrrole in Aqueous Media, 1315C
Qu, Y. See Ajji, A., 505P
Quirk, R. P.
—; Yin, J.: Carbonation of Polymeric Organolithium Compounds: Effects of Chain End Structure, 2349C

Rabolt, J. F. See Boese, D., 1321P
Rahman, M. See Subrahmanyam, B., 2273C, 2531C

Ramabadran, U. See Bai, S. J., 1507P
Ramon, O. See Cohen, Y., 1055P
Rapisardi, R. See Montaudo, G., 525C
Rasmussen, P. G. See Allan, D. S., 1413C; Apen, P. G., 203C
Ratner, B. D. See Chilkoti, A., 1261C; López, G. P., 2415C, 2427C
Rausch, M. D. See Chien, J. C. W., 2601C
Razdan, U. See Kumar, D., 1477
Reddy, B. S. R. See Narasimhaswamy, T., 2165C
Ree, M. See Rojstaczer, S., 133P
Reedijk, J. See Viersen, F. J., 901C
Register, R. A.
—; Bell, T. R.: Miscible Blends of Zinc-Neutralized Sulfonated Polystyrene and Poly(2,6-dimethyl 1,4-phenylene oxide), 569P
Reich, F. See Chilkoti, A., 1261C
Renkema, J. See Viersen, F. J., 901C
Rennie, A. R. See Hellmann, E. H., 203P
Reynolds, J. R. See Panchalingam, V., 967C; Qiu, Y.-J., 1315C
Riande, E. See Díaz-Calleja, R., 1239P
Ricard, A. See Bretagne, J., 323C
Rice, D. M. See Simpson, J. H., 11P
Riekel, C. See Boyle, A., 265P
Riera, J. See Fors, P., 2489C
Rietsch, F. See Darras, O., 349P
Rinaldi, P. See Percec, V., 1213C
Robertson, R. E. See Nichols, M. E., 305P, 755P
Rodríguez-Galán, A.
—; Bou, J. J.; Muñoz-Guerra, S.: Stereoregular Polyamides Derived from Methylene-L-Tartaric Acid and Aliphatic Diamines, 713C
Rojstaczer, S.
—; Ree, M.; Yoon, D. Y.; Volksen, W.: Structure and Properties of Thin Films of Binary Rodlike/Flexible Polyimide Mixtures, 133P
Roland, C. M. See Walton, J. H., 527P
Roovers, W. A. C. See Moonen, J. A. H. M., 361P
Rossitto, F. C.
—; Lahti, P. M.: Solid-State Photochemical Generation of Polymeric Polyradicals: Poly(4-Vinylphenoxy) and Copolymers with Styrene, 1335C
Rotter, G.
—; Ishida, H.: FTIR Separation of Nylon-6 Chain Conformations: Clarification of the Mesomorphous and γ-Crystalline Phases, 489P
Rousseau, A. See Boutevin, B., 1279C
Ruaya, A. L. See Henry, J. L., 1693C
Rudin, A. See Bremner, T., 1247P; Lee, S., 865C, 2211C; Suddaby, K. G., 643C
Rusig, I.
—; Dedier, J.; Filliatre, C.; Godhino, M. H.; Varichon, L.; Sixou, P.: Effect of Degradation on Thermotropic Cholesteric Optical Properties of (2-Hydroxypropyl)cellulose (HPC) Esters, 895C
Russell, G. T. See Buback, M., 851C
Rybnikar, F. See Liu, J., 1469P

Saburi, M. See Suzuki, N., 2067C
Sada, E.
—; Kumazawa, H.; Wang, J.-S.: Permeation of Binary Gas Mixture through Glassy Polymer Membranes with Concentration-Dependent Diffusivities, 105P
Sadhir, R. K.
—; Smith, J. D. B.: Laser-Initiated Copolymerization of *N*-Vinylpyrrolidone with Maleic Anhydride and Maleimide, 589C
Saegusa, Y.
—; Kato, T.; Oshiumi, H.; Nakamura, S.: Preparation and Characterization of Novel Polyaryloxydiphenylsilanes with High Glass Transition Temperature by Melt Polycondensation of Dianilinodiphenylsilane with Bisphenols, 1401C
—; Koshikawa, T.; Nakamura, S.: Synthesis and Characterization of 1,3,4-Oxadiazole-Containing Polyazomethines, 1369C
—; Takashima, T.; Nakamura, S.: Synthesis and Characterization of 1,3,4-Thiadiazole-Containing Polyazomethines and Copolyazomethines, 1375C
Saha, S. K.
—; Greenslade, D. J.: Application of Spin Trapping to Redox-Initiated Vinyl Polymerization with Thiourea as the Reductant, 427P
Saini, A. K.
—; Carlin, C. M.; Patterson, H. H.: Spectroscopic Studies of New Model Compounds for Poly[*N,N'*-Bis(phenoxyphenyl)pyromellitimide], 419C
Sak-Bosnar, M.
—; Budimir, M. V.; Kovac, S.; Kukuli, D.; Duic, L.: Chemical and Electrochemical Characterization of Chemically Synthesized Conducting Polypyrrole, 1609C
Sakuma, Y. See Sato, K., 2011C
Salovey, R. See Ding, Z.-Y., 1189P; Zou, D., 137C, 1463C, 2443C
Samara, G. A.: Pressure Dependence of the β Molecular Relaxation Process and Dielectric Properties of Polyvinylidene Fluoride, 669P
San Román, J. See Díaz-Calleja, R., 1239P
Sánchez, V. See Millán, S., 1P
Sangen, O.
—; Masuda, S.; Nakano, H.; Yamana, K.; Sasaki, K.; Ikeda, N.: A New Synthetic Pathway of Segmented Tri-Block Copolyether, 1171C
Sanopoulou, M.
—; Petropoulos, J. H.: Phenomenology and Mechanisms of Unidimensional Stress-Dependent Micromolecular Transport in a Stiff-Chain Polymer. I. Unoriented Cellulose Acetate, 971P
—; Petropoulos, J. H.: Phenomenology and Mechanisms of Unidimensional Stress-Dependent Micromolecular Transport in a Stiff-Chain Polymer. II. Uniaxially Oriented Cellulose Acetate, 983P
Sansone, M. See Hall, H. K., Jr., 2341C
Santing, A. G. M. See Van De Grampel, H. T., 787C
Sarker, A. See Denton, F. R., III, 2233C
Sartoratto, P. P. C.
—; Yoshida, I. V. P.: Poly(dimethylsilylene-co-Diphenylsilylene), 2333C

Sasaki, D. Y. See Jerábek, K., 605C
Sasaki, K. See Sangen, O., 1171C
Sasaki, S.
—; Yamamoto, T.; Kanbara, T.; Morita, A.; Yamamoto, T.: Crystal Structure of Poly(*p*-Phenylene) Prepared by Organometallic Technique, 294P
Sasaki, S. See Ando, S., 2285C
Sasame, Y. See Nishide, H., 77C
Sastre, R. See Mateo, J. L., 829C
Sato, K.
—; Sakuma, Y.; Iwabuchi, S.; Hirai, H.: Polymerization of Coordinated Monomers. XXI. *Ab Initio* Molecular Orbital Study on the Binary Molecular Complex Composed of Methyl Methacrylate and Boron Trifluoride, 2011C
Sato, K. See Asakura, T., 693P
Sauló, J. See Fors, P., 2489C
Sawada, K. See Kuzuya, M., 379C
Scamporrino, E. See Montaudo, G., 525C
Scheirs, J.
—; Bigger, S. W.; Billingham, N. C.: Effect of Chromium Residues on the Stability of Gas-Phase High-Density Polyethylene Produced by Supported Catalysts, 1873C
Scheirs, J. See Bigger, S. W., 2277C
Schick, M.
Review of *Polymer Science and Technology of Plastics and Rubbers*, 955C
Schilling, F. C.
—; Tonelli, A. E.; Cholli, A. L.: A ^{13}C NMR Study of the Effect of γ-Irradiation on the Chain Dynamics of Poly(ethylene oxide), 91P
Schnabel, W. See Yağci, Y., 1987C
Schnatter, W. F. K.
Review of *Functionalized Polymers and Their Applications*, 2473C
Review of *Inorganic and Metal-Containing Polymeric Materials*, 2474C
Schneider, H. See Hiller, W. G., 931P
Schuele, D. E. See Zhong, Z. Z., 1443P
Schulpen, T. See Vulić, I., 2725C
Schultz, J. M.: Confinement Orientation, 785P
Schwartz, W. T. See Dinan, F. J., 111C
Screttas, C. G.
—; Heropoulos, G. A.: Kinetic-Thermodynamic Evidence for the Involvement of Set Steps in the Anionic Polymerization of Styrenes, 1771C
Seferis, J. C. See Nam, J.-D., 455P
Seguela, R. See Darras, O., 349P
Seino, Y. See Ueda, M., 1567C
Seki, M. See Morishima, Y., 2099C
Şen, M. See Güven, O., 2055C
Serra, A. See Galià, M., 2379C
Serrano, J. L. See Navarro, F., 1789C
Seymour, R. B.
Review of *Surfaces, Interfaces, and Colloids—Principles and Applications*, 1507C
Sha, H.
—; Harrison, I. R.: CO_2 Permeability and Amorphous Fractional Free-Volume in Uniaxially Drawn HDPE, 915P
Shaffer, E. O., II
—; Carriere, C. J.; Bubeck, R. A.: Relative Molecular Weight Distributions of *cis*-Polybenzoxazole/Polyphosphoric Acid Rodlike Liquid Crystalline Polymer Solutions from Dilute Solution Rheometry, 259P
Shah, H. See Hoyle, C. E., 1525C
Shah, V. M.
—; Hardy, B. J.; Stern, S. A.: Solubility of Carbon Dioxide, Methane, and Propane in Silicone Polymers: Effect of Polymer Side Chains, Erratum, 1185P
Shah, V. M. See Stern, S. A., 1185P
Shankar, V. See Gonsalves, K. E., 149C
Shea, K. J. See Jerábek, K., 605C
Shen, J. See Buback, M., 851C
Shen, Z. See Yang, M., 63C
Shibusawa, T.
—; Chigira, Y.: Dual-Mode Sorption of Nonionic Azo Dyes by Nylon 6, 563P
Shimokawatoko, T. See Nomura, R., 153C
Shindo, T.
—; Uryu, T.: Solid-State Polymerization of the Binary Mixture of Methacrylate and Liquid-Crystalline Compound by Electron Beam, 363C
Shinozaki, D. M. See Yates, B. W., 185P
Shintre, S. N. See Malik, S., 299P
Shiono, T. See Chen, Q., 591P
Shiozaki, Y. See Nishikubo, T., 449C
Shiraishi, K. See Otsu, T., 1559C
Shirakawa, T. See Toi, K., 549P
Shoda, S.-i.
—; Masuda, E.; Furukawa, M.; Kobayashi, S.: Synthesis and Surfactant Property of Copolymers Having a Poly(2-Oxazoline) Graft Chain, 1489C
Sianawati, E.
—; Van De Mark, M. R.: Linear Aliphatic Polysulfides: Synthesis and Characterization, 119C
Sidebottom, D. See Vanderwal, J., 1089P
Siegert, D. See Peuvrel, E., 865P
Sik, R. See Pitt, C. G., 1069P
Sikabwe, E. C. See White, R. L., 2781C
Simha, R. See Vleeshouwers, S., 1429P
Simonsick, W. J., Jr. See Matějka, L., 2109C
Simpson, J. H.
—; Rice, D. M.; Karasz, F. E.: ^2H NMR Characterization of Phenylene Ring Flip Motion in Poly(*p*-phenylene Vinylene) Films, 11P
Singh, J. J. See Hinkley, J. A., 1195P
Sivan, O. See Margel, S., 1103C
Sixou, P. See Rusig, I., 895C
Skinner, M. S.
Review of *Properties of Polymers*, 1508C
Skotheim, T. A. See Liu, H., 879C
Slater, G. W.
—; Villeneuve, C.: A Computer Simulation of Trapping Electrophoresis, 1451P
Smith, J. D. B. See Sadhir, R. K., 589C
Smith, P. See Krüger, J. K., 1173P; Moulton, J., 871P
Sommer, R. See Ferrero, M. A., 2131C
Sone, Y. See Tsubokawa, N., 561C
Song, Z.
—; Baker, W. E.: Chemical Reactions and Reactivity of Primary, Secondary, and Tertiary Diamines with Acid Functionalized Polymers, 1589C
Soucek, M. D. See Jang, B. Z., 643P
Špaček, P. See Matějka, L., 2109C
Sperling, L. H. See Dabdub, D., 787P; Mohammadi, N., 1311P
Spitz, R.
—; Llauro-Darricades, M.-F.; Michel, A.; Guyot, A.;

Mijangos, C.; Martinez, G.; Millan, J. L.: Stereoselective Nucleophilic Substitution of Poly(vinyl Chloride) with Sodium Thiophenate in Cyclohexanone Solution: Influence of the Reaction Temperature on the Mechanism, 99C
Spontak, R. J.
—; Windle, A. H.: Crystallite Morphology in Thermotropic Random Copolymers: Application of Transmission Electron Microscopy, 61P
Spry, R. J. See Bai, S. J., 1507P
Sreekala, R. See Mohammed Yusuff, K. K., 2595C
Srinivasan, K. See Gaonkar, S. R., 1911C
St. Clair, A. K. See Irvin, J. A., 1675C
St. Clair, T. See Dinan, F. J., 111C
St. Clair, T. L. See Gautreaux, C. R., 71P
Stannett, V. T. See Wood, K. B., 13C
Starkweather, H. W., Jr.
—; Avakian, P.: Conductivity and the Electric Modulus in Polymers, 637P
—; Han, M. C.: Molecular Weight Distribution of Emulsion-Polymerized Polyethylene, 2789C
Steiner, C. A. See Varelas, C. G., 1233P
Stern, S. A.
—; Shah, V. M.; Hardy, B. J.: Structure-Permeability Relationships in Silicone Polymers, Erratum, 1185P
Stern, S. A. See Shah, V. M., 1185P
Stevens, J. R. See Mani, R., 2025C
Stevens, M. P. See Canary, S. A., 1755C
Stoddard, G. J. See Jerábek, K., 605C
Storti, G.
—; Polotti, G.; Canu, P.; Morbidelli, M.: Molecular Weight Distribution in Emulsion Polymerization. II. The Copolymer Case, 751C
—; Polotti, G.; Cociani, M.; Morbidelli, M.: Molecular Weight Distribution in Emulsion Polymerization. I. The Homopolymer Case, 731C
Stühn, B.: The Relation Between the Microphase Separation Transition and the Glass Transition in Diblock Copolymers, 1013P
Subrahmanyam, B.
—; Baruah, S. D.; Rahman, M.; Baruah, J. N.; Dass, N. N.: Kinetic Studies on the n-Alkyl Acrylate Polymerization, 2531C
—; Baruah, S. D.; Rahman, M.; Baruah, J. N.; Dass, N. N.: Reactivity Ratios of Behenyl Acrylate and Vinyl Acetate for Copolymerization, 2273C
Suddaby, K. G.
—; O'Driscoll, K. F.; Rudin, A.: Catalytic Inhibition in Free Radical Polymerizations, 643C
Sudol, E. D. See Guo, J. S., 691C, 703C; Urquiola, M. B., 2619C
Suezawa, H. See Masuda, H., 945C
Sumathi, S. C. See Narasimhaswamy, T., 2165C
Sumitomo, H. See Hashimoto, K., 211C
Summers, J. D. See Lewis, D. A., 1647C
Sun, L. See Zou, D., 137C, 1463C
Sunagawa, T. See Otsu, T., 1347C
Sunita See Brar, A. S., 2549C
Suter, U. W. See Arizzi, S., 415P
Suzuki, N.
—; Miyama, Y.; Takahashi, T.; Noguchi, H.; Saburi, M.; Uchida, Y.: Titanium and Zirconium Chemistry. IV. Polymerization of Epoxides Catalyzed by Early Transition Metal Compounds: Role of Catalyst Ligands, 2067C
Suzuki, T.
—; Oki, Y.; Numajiri, M.; Miura, T.; Kondo, K.; Ito, Y.: Positron Annihilation in Irradiated and Unirradiated Polyethylenes, 517P
Suzuki, Y. I. See Negi, Y. S., 2281C
Swalen, J. D. See Boese, D., 1321P
Sweeny, W.: Improvements in Compressive Properties of High Modulus Fibers by Crosslinking, 1111C

Tabata, Y. See Kostov, G. K., 1077C; Millán, S., 1P
Takahashi, T.
—; Yokozawa, T.; Endo, T.: Cationic Polymerization of γ-Methyl- and α-Methylphenylallene, 583C
Takahashi, T. See Suzuki, N., 2067C
Takahashi, Y. See Foyle, V. P., 257C; Negi, Y. S., 2281C
Takashima, T. See Saegusa, Y., 1375C
Takata, T.
—; Menceloglu, Y. Z.; Endo, T.: Ring-Opening Polymerization of Propyleneimine with *N*-Benzyl Phthalimide Derivatives, 501C
Takata, T. See Atobe, I., 1495C, Yoshida, E., 1193C
Takayama, Y. See Takeichi, T., 2645C
Takeda, Y.
—; Paul, D. R.: Morphology of Nylon-6 Blends with Styrenic Polymers, 1273P
Takeichi, T.
—; Kobayashi, A.; Takayama, Y.: Melt-Processable Oligoamides Having Internal Acetylene Groups in the Backbone, and Thermally Stable Polyamides Therefrom, 2645C
Taketani, N. See Takezawa, Y., 879P
Takezawa, Y.
—; Taketani, N.; Tanno, S.; Ohara, S.: Light Absorption Due to Higher Harmonics of Molecular Vibrations in Transparent Amorphous Polymers for Plastic Optical Fibers, 879P
Takui, T. See Miura, Y., 959C
Tan, Y. Y. See Van De Grampel, H. T., 787C
Tanabe, T. See Fukawa, I., 1977C
Tanaka, K. See Okamoto, K.-I., 1215P, 1223P; Osawa, S., 19P
Tanaka, L.
—; Okano, M.; Toshino, H.; Kita, H.; Okamoto, K.-I.: Effect of Methyl Substituents on Permeability and Permselectivity of Gases in Polyimides Prepared from Methyl-Substituted Phenylenediamines, 907P
Tanigaki, T. See Inoue, K., 145C
Tanihara, N. See Okamoto, K.-I., 1223P
Taniki, Y. See Masuda, H., 1667C
Tanno, S. See Takezawa, Y., 879P
Tasaka, S. See Inagaki, N., 1425C, 2003C
Tashiro, K.
—; Minami, S.; Wu, G.; Kobayashi, M.: Quasiharmonic Treatment of Infrared and Raman Vibrational Frequency Shifts Induced by Tensile Deformation of Polymer

Chains. II. Application to the Polyoxymethylene and Isotactic Polypropylene Single Chains and the Three-Dimensional Orthorhombic Polyethylene Crystal, 1143P
Tatsumi, T.
—; Ito, E.; Hayakawa, R.: Study of the Dielectric β-Relaxation in Poly(ethylene Terephthalate) and Ethylene Isophthalate Terephthalate Copolyesters, 701P
Taylor, L. D. See Fazio, R. C., 329C
Taylor, P. L. See Xu, B.-C., 747P
Teesselink, W. J. D. See Heynderickx, I., 215P
Teki, Y. See Miura, Y., 959C
Tennenbaum, M. See Margel, S., 1499C
Terada, K.
—; Mizoguchi, K.; Hirose, T.: Gas Transport in Poly(vinyl Methylbenzoates), 539P
Tesoro, G. See Liu, F. J., 157C
Teyssie, P. See Wang, J., 2251C
Theil, M. H. See Yang, K.-S., 315P
Thiem, J. See Bachmann, F., 2059C
Thomas, E. L. See Zhang, W., 1285P
Tiers, G. V. D. See Errede, L. A., 1129C
Timpe, H.-J. See Müller, U., 2755C
Toi, K.
—; Ito, T.; Ikemoto, I.; Kasai, T.: Effects of Substituent Groups of Polyimides on Sorption and Diffusion of Gases, 497P
—; Ito, T.; Shirakawa, T.; Ikemoto, I.: Sorption and Diffusion of Gases in a Polyimide, 549P
Tolkatchev, V. A. See Bagryansky, V. A., 951P
Tominaga, Y. See Morishima, Y., 2099C
Tomita, B.
—; Hse, C.-Y.: Cocondensation of Urea with Methylolphenols in Acidic Conditions, 1615C
Tomoi, M. See Chung, K. B., 1089C
Tonelli, A. E. See Schilling, F. C., 91P
Tong, X.
—; Bazuin, C. G.: Plasticization of a Poly(ethyl acrylate) Ionomer by an Alkyl Aniline, 389P
Tornaritis, M. J.
—; Coutsolelos, A. G.: Metalloporphyrins Catalyze Polyene-Polymers to Polyepoxides, 2791C
Toshino, H. See Tanaka, L., 907P
Toso, J. P. See Horas, J. A., 127P
Trend, J. E. See Errede, L. A., 1129C
Trollsås, M. See Johansson, M., 2203C
Trumbo, D.: The Copolymerization Behavior of 5-Bromo- and 5-Chloro-2-Vinyl Thiophenes, 2063C
Tsai, F. H.
—; Overberger, C. G.; Zand, R.: Synthesis and Conformation of Poly(L-Azetidine-2-Carboxylic Acid-L-Proline) and Poly([L-Proline]$_3$-L-Azetidine-2-Carboxylic Acid), 551C
Tsai, H.-B. See Chung, L.-Z., 951C
Tsay, C. S.
—; McHugh, A. J.: A Rationale for Structure Formation During Phase Inversion, 309P
Tsubokawa, N.
—; Ishida, H.: Graft Polymerization of Methyl Methacrylate from Silica Initiated by Peroxide Groups Introduced onto the Surface, 2241C
—; Yoshihara, T.; Sone, Y.: Grafting of Polymers onto Carbon Whisker by Anionic Graft Polymerization of Vinyl Monomers Using Metallized Aromatic Rings and/or Phenoxy Lithium Groups on the Surface as Initiator, 561C
Tsuchida, E. See Nishide, H., 77C
Tsuda, K. See Kondo, S., 1503C; Yamashita, K., 2247C
Tsutsumi, H.
—; Nakagawa, Y.; Miyazaki, K.; Morita, M.; Matsuda, Y.: Polymer Gel Films with Simple Organic Electrochromics for Single-Film Electrochromic Devices, 1725C
Tsvankin, D. Ya.
—; Gerasimov, M. V.; Zhukov, V. P.; Dubovik, I. I.; Tur, D. R.; Papkov, V. S.: Structure and Phase Transitions in Poly[*bis*-(2,2,3,3-tetrafluoropropoxy) Phosphazene], 851P
Tucker, P. A. See Chen, G.-Y., 557P
Tullos, G. See Irvin, J. A., 1675C
Tur, D. R. See Tsvankin, D. Ya., 851P
Tura, J. M. See Fors, P., 2489C

Uchida, Y. See Suzuki, N., 2067C
Ueda, M.
—; Abe, T.; Oda, M.: Synthesis of Aromatic Poly(thioether Ketone), 1993C
—; Ito, T.; Seino, Y.: Synthesis of Polyamides by Nickel-Catalyzed Coupling Polymerization of Aryl Dichloride Containing Amide Structural Units, 1567C
Underhill, A. E. See Edge, S., 2773C
Unroe, M. R. See Malik, A. A., 1747C
Urquiola, M. B.
—; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Emulsion Polymerization of Vinyl Acetate Using a Polymerizable Surfactant. I. Kinetic Studies, 2619C
Uryu, T. See Hatanaka, K., 1223C; Shindo, T., 363C

Valero, M. See Vázquez, B., 1541C
Valles, E. See Liang, K., 465P
Van De Grampel, H. T.
—; Santing, A. G. M.; Tan, Y. Y.; Challa, G.: Template Polymerization of N-Vinylimidazole along Poly(methacrylic Acid) in Water. VI. Crosslinked PMAA as Template, 787C
Van De Mark, M. R. See Sianawati, E., 119C
Van Den Boom, H. See Heynderickx, I., 215P
Van Dyke, J. D. See Peters, E. M., 1891C
Van Veenendaal, N. See Jenneskens, L. W., 133C
Vanderhoff, J. W. See Cheng, C. M., 235C, 245C; Guo, J. S., 691C, 703C; Kim, J. H., 171C
Vanderwal, J.
—; Sidebottom, D.; Walton, D.; Johari, G. P.: Brillouin Scattering Study of a Polymer Hydrogel, 1089P
Varelas, C. G.
—; Steiner, C. A.: Bulk and Microscopic Properties of Copolymer Networks in Mixed Aqueous Solvents, 1233P
Varichon, L. See Rusig, I., 895C
Varma, K. S. See Edge, S., 2773C

Varshney, S. K. See Wang, J., 2251C
Vázquez, B.
—; Goñi, I.; Gurruchaga, M.; Valero, M.; Guzmán, G. M.: Synthesis and Characterization of Graft Copolymers of Methacrylonitrile/Methacrylate Mixtures onto Amylomaize by the Ceric Ion Method, 1541C
Venema, A. See Jenneskens, L. W., 133C
Vernekar, S. P. See Idage, S. B., 513C
Viersen, F. J.
—; Renkema, J.; Challa, G.; Reedijk, J.: Mechanistic Studies of the Oxidative Coupling Polymerization of Phenols. VI. Comparison of Reactivities of DMP, PPO-Dimer, and -Trimer in the Copper-Catalyzed Oxidative Coupling Polymerization, 901C
Vilgis, T. A. See Benmouna, M., 733P
Villeneuve, C. See Slater, G. W., 1451P
Vioux, A. See Belot, V., 613C
Vitalini, D. See Montaudo, G., 525C
Vlček, P.
—; Janata, M.; Otoupalová, J.: Anionic Polymerization of Acrylates. III. Polymerization of 2-Ethylhexyl Acrylate Initiated by Lithium-*tert*-Butoxide, 1519C
—; Kříž, J.: Anionic Polymerization of Acrylates. II. Polymerization of 2-Ethylhexyl Acrylate Initiated by Butyllithium/Lithium-*tert*-Butoxide System in Tetrahydrofuran and Its Mixtures with Toluene, 1511C
Vleeshouwers, S.
—; Kluin, J.-E.; McGervey, J. D.; Jamieson, A. M.; Simha, R.: Monte Carlo Calculations of Hole Size Distributions: Simulation of Positron Annihilation Spectroscopy, 1429P
Vogt, S. See Nowakowska, M., 271C
Volksen, W. See Cotts, P. M., 373P; Hedrick, J. L., 2085C; Kim, S., 177P; Rojstaczer, S., 133P
Vrentas, C. M. See Vrentas, J. S., 1005P
Vrentas, J. S.
—; Vrentas, C. M.: Fickian Diffusion in Glassy Polymer-Solvent Systems, 1005P
Vulić, I.
—; Schulpen, T.: Kinetic Analysis of the Melt Acidolytic (Co)polycondensation of Fully Aromatic Polyesters, 2725C

Waddon, A. J.
—; Keller, A.: The Temperature Window of Minimum Flow Resistance in Melt Flow of Polyethylene. Further Studies on the Effect of Strain Rate and Branching, 923P
Wakao, N. See Yamashita, K., 2247C
Walasek, J.: Local Order and Shape of a Polymer Chain in an External Electric Field, 401P
Walls, D. J.
—; Coburn, J. C.: Influence of Uniaxial Draw on Near-Surface Structure in Poly(ethyleneterephthalate), 887P
Walton, D. See Vanderwal, J., 1089P
Walton, J. H.
—; Miller, J. B.; Roland, C. M.: ^{129}Xe NMR as a Probe of Polymer Blends, 527P
Wan, M.: Absorption Spectra of Thin Film of Polyaniline, 543C
Wang, C. H. See Xia, J. L., 1437P
Wang, D. W. See Barclay, G. G., 1831C, 2663C
Wang, D. W. See Barclay, G. G., 1845C
Wang, J.
—; Varshney, S. K.; Jerome, R.; Teyssie, P.: Synthesis of AB(BA), ABA and BAB Block Copolymers of *tert*-Butyl Methacrylate (A) and Ethylene Oxide (B), 2251C
Wang, J. See Pitt, C. G., 1069P
Wang, J. H. See Percec, V., 429C, 439C
Wang, J. Z.
—; Dillard, D. A.; Ward, T. C.: Temperature and Stress Effects in the Creep of Aramid Fibers Under Transient Moisture Conditions and Discussions on the Mechanisms, 1391P
Wang, J.-S. See Sada, E., 105P
Wang, L.-H. See Guan, J. Y., 687P
Wang, M. See Mangion, M. B. M., 433P
Wang, Manli See Mangion, M. B. M., 445P
Wang, M.-L.
—; Wu, H.-S.: Ion-Exchange Rate Limitation on a Polymer-Supported Phase Transfer Catalytic Reaction, 1393C
Wang, S.
—; Mark, J. E.: Unimodal and Bimodal Networks of Poly(dimethyl-siloxane) in Pure Shear, 801P
Wang, Z. Y.
—; Berard, N.; Hay, A. S.: Synthesis of Linear Polyformal and Copoly(carbonate Formal) from Polycarbonate, 299C
Ward, T. C. See Lewis, D. A., 1647C; Wang, J. Z., 1391P
Warner, C. M.
—; Boyer, R. I.: T_{ll} From Differential Scanning Calorimeter (DSC) Cooling Traces for Atactic Polystyrene, 1177P
Watanabe, H. See Okamoto, K.-I., 1223P
Watanabe, Y. See Asakura, T., 693P
Webber, S. E. See Itoh, Y., 2471C
Wei, Y. C.
—; Hudson, S. M.; Mayer, J. M.; Kaplan, D. L.: The Crosslinking of Chitosan Fibers, 2187C
Weil, E. D.
—; Moallemi, K.: Review of *Thermal Decomposition of Materials—Effect of Highly Intensive Heating*, 1777C
Weinkauf, D. H.
—; Paul, D. R.: Gas Transport Properties of Thermotropic Liquid-Crystalline Copolyesters. I. The Effects of Orientation and Annealing, 817P
—; Paul, D. R.: Gas Transport Properties of Thermotropic Liquid-Crystalline Copolyesters. II. The Effects of Copolymer Composition, 837P
Weir, N. A.
—; Whiting, K.: Photolysis of Poly(*o*-Acetylstyrene) in Solution, 1601C
Weiss, R. A. See Cimecioglu, A. L., 1051C, 1355C; Zhang, B., 91C, 989C
Wells, R. K.
—; Badyal, J. P. S.: Photooxidation of

Polystyrene by O_2 and N_2O, 2677C
Wesslén, B.
—; Wesslén, K. B.: Chromatography of Amphiphilic Graft Copolymers, 355C
Wesslén, B. See Bo, G., 1799C; Kober, M., 1061C
Wesslén, K. B. See Bo, G., 1799C; Wesslén, B., 355C
Wheatley, G. W. See Corfield, G. C., 845C
Whitcombe, M. J.
—; Gilbert, A.; Mitchell, G. R.: Synthesis and Photochemistry of Side-Chain Liquid Crystal Polymers Based on Cinnamate Esters, 1681C
White, B. See Nowakowska, M., 271C
White, N. See Bergbreiter, D. E., 389C
White, R. L.
—; Sikabwe, E. C.: Thermal Degradation of Poly ((E,E)-[6.2]Paracyclophane-1,5-Diene), 2781C
Whiting, K. See Weir, N. A., 1601C
Whittaker, A. K. See O'Donnell, J. H., 185C
Wilén, C.-E.
—; Auer, M.; Näsman, J. H.: Preparation of Hindered Piperidine and Its Copolymerization with Propylene over a Supported High Activity Ziegler-Natta Catalyst, 1163C
Wimberger-Friedl, R.
—; Prast, G.; Kurstjens, A. V.; De Bruin, J. G.: Measurement of the Density Distributions in Quenched Polycarbonate Specimens by a Quantitative Schlieren Optical Technique, 83P
Windle, A. H. See Spontak, R. J., 61P
Winnik, M. A. See Buback, M., 851C
Winter, H. H. See Chien, J. C. W., 2601C
Wittmann, J. C. See Krüger, J. K., 1173P
Wojtowicz, J. See Mercer, F., 1767C
Wolf, C. J.
—; Bornmann, J. A.; Grayson, M. A.: Absorption of Toluene in Poly(aryl-ether-ether-ketone), 113P
—; Bornmann, J. A.; Grayson, M. A.; Anderson, D. P.: Solvent-Induced Crystallinity in Poly(Aryl-Ether-Ether-Ketone) [PEEK], 251P
Wolfe, R. A. See Dinan, F. J., 111C
Woo, S. I. See Kim, I., 2263C
Wood, K. B.
—; Stannett, V. T.: Analysis of Copolymerization Systems Involving Multiple Reaction Pathways, 13C
Woolsey, N. F. See Baumberger, T. R., 1717C
Wright, B. B. See Errede, L. A., 1129C
Wu, G. See Tashiro, K., 1143P
Wu, H.-S. See Wang, M.-L., 1393C
Wu, P. See Xue, G., 1097P
Wu, X. S.
—; Hoffman, A. S.; Yager, P.: Synthesis and Characterization of Thermally Reversible Macroporous Poly(*N*-Isopropylacrylamide) Hydrogels, 2121C
Wunder, S. L. See Johnson, C., 1409P
Wydeven, T. See Golub, M. A., 2683C

Xavier, R.
—; Mahadevan, V.: Polymer-Supported Palladium and Platinum Species as Hydrogenation Catalysts, 2665C
Xia, J. L.
—; Wang, C. H.: Diffusion of Camphorquinone in Uniaxially Drawn Polycarbonate Films, 1437P
Xu, B.
—; Lillya, C. P.; Chien, J. C. W.: Spiro(benzoxasilole) Catalyzed Polymerization of Oxetane Derivatives, 1899C
Xu, B.-C.
—; Taylor, P. L.: Transfer-Matrix Theory of the Crystal-Columnar Transition in Polymeric Liquid Crystals, 747P
Xu, H. See Johnson, C., 1409P
Xue, G.
—; Dong, J.; Wu, P.: Surface-Enhanced Raman Scattering Study of Polymer on Metals. III. Chemisorbed Polybenzimidazole and Its Corrosion-Inhibiting Properties at High Temperature, 1097P

Yager, P. See Wu, X. S., 2121C
Yağci, Y.
—; Kornowski, A.; Schnabel, W.: *N*-Alkoxy-Pyridinium and *N*-Alkoxy-Quinolinium Salts as Initiators for Cationic Photopolymerizations, 1987C
Yamada, T. See Chen, Q., 591P
Yamada, Y. See Inagaki, N., 2003C
Yamaguchi, F. See Miura, Y., 959C
Yamamoto, T. See Kondo, S., 1535C; Sasaki, S., 294P
Yamamoto, Y. See Naka, Y., 1287C, 2149C
Yamana, K. See Sangen, O., 1171C
Yamashita, K.
—; Wakao, N.; Nango, M.; Tsuda, K.: Formose Reaction by Polymer-Supported Thiazolium Salts, 2247C
Yan, D. See Cheng, H., 2181C
Yang, A. C.-M.
—; Lee, C. K.; Ferline, S. L.: Chain Scission in Polystyrene by Impact Fracture, 1123P
Yang, C.-P.
—; Hsiao, S.-H.; Huang, C.-J.: Preparation of Sulfonyl Aromatic Polyamides and Copolyamides by Means of Di- or Triphenyl Phosphite, 597C
—; Hsiao, S.-H.; Lin, J.-H.: New Poly(amide-Imide)s Syntheses. II. Soluble Poly(amide-Imide)s Derived from 2,5-Bis(4-Aminophenyl)-3,4-Diphenylthiophene and Various *N*-(ω-Carboxyalkyl)-trimellitimides, *N*-(Carboxyphenyl)trimellitimides, or *N,N'*-Bis(ω-Carboxyalkyl)pyromellitimides, 1865C
—; Yen, Y.-Y.: New Poly(amide-Imide)s Syntheses. I. Soluble High-Temperature Poly(amide-Imide)s Derived from 2,5-Bis(4-Trimellitimidophenyl)-3,4-Diphenylthiophene and Various Aromatic Diamines, 1855C
Yang, H.
—; Jin, A.; Natansohn, A.: Charge Transfer Complexes of Polyimines Containing *trans-*

1,2-Bis-9-Carbazolylcyclobutane, 1953C
Yang, H.-W. See Chen, Y., 2765C
Yang, K.-S.
—; Cuculo, J. A.; Theil, M. H.: Lyotropic Mesophases of Cellulose in the Ammonia/Ammonium Thiocyanate Solvent System: Phase Relationships, 315P
Yang, M.
—; Zhang, X.; Li, J.; Shen, Z.: New Coordination Catalysts Based on Rare Earth Compounds for Polymerization of 1-Octene, 63C
Yasuda, H. See Iriyama, Y., 1731C
Yates, B. W.
—; Shinozaki, D. M.; Kumar, A.; Meath, W. J.: The Absorption Coefficient Spectrum of Poly(methyl methacrylate) in the Soft X-Ray Region, 185P
Yee, A. F. See Liu, L. B., 221P, 231P
Yeh, T. F. See Liu, H., 879C
Yen, Y.-Y. See Yang, C.-P., 1855C
Yi, M. H. See Choi, K.-Y., 1575C, 1583C
Yiğit, F. See Güven, O., 2055C
Yilmaz, F.
—; Baysal, B. M.: Dipole Moments of Poly(*p*-chlorostyrene) Chains Determined in Benzene, Isopropyl Benzene and *n*-Propyl Benzene, 197P
Yin, J. See Quirk, R. P., 2349C
Yokozawa, T. See Takahashi, T., 583C
Yoo, J. N. See Mohammadi, N., 1311P
Yoon, D. Y. See Boese, D., 1321P; Rojstaczer, S., 133P
Yoshida, E.
—; Takata, T.; Endo, T.: Efficient and Selective Oxidation of a Polymeric Terminal Diol with Cu(II) Mediated by Nitroxyl Radical, 1193C
Yoshida, I. V. P. See Sartoratto, P. P. C., 2333C
Yoshihara, T. See Tsubokawa, N., 561C
Yoshikawa, K. See Minagawa, K., 779P
Yoshikawa, T. See Ishihara, K., 929C
Yoshioka, M. See Otsu, T., 1347C
Yu, D. See Braun, D., 577P
Yu, H. H. See Fina, L. J., 1073P
Yuki, Y. See Kondo, S., 1535C

Zagorska, M.
—; Firlej, L.; Bernier, P.; Kulszewicz-Bajer, I.; Pron, A.: ^{13}C CP-MAS NMR Studies of Poly(4,4′-Dialkyl-2,2′-Bithiophene)s, 1761C
Zakaria, S. See Briscoe, B. J., 959P
Zand, R. See Tsai, F. H., 551C
Zelmon, D. E. See Bai, S. J., 1507P
Zeng, J.-N.
—; Magiera, D. J.; Krull, I. S.: The Synthesis of Poly-L-Amino Acids and Their Characterization by Size Exclusion Chromatography with Low-Angle Laser Light Scattering (SEC-LALLS/UV/DRI), 1809C
Zhang, B.
—; Weiss, R. A.: Liquid Crystalline Ionomers. I. Main-Chain Liquid Crystalline Polymer Containing Pendant Sulfonate Groups, 91C
—; Weiss, R. A.: Liquid Crystalline Ionomers. II. Main Chain Liquid Crystalline Polymers with Terminal Sulfonate Groups, 989C
Zhang, W.
—; Thomas, E. L.: Direct Imaging of Smectic B Phase of Poly(p-Xylylene), 1285P
Zhang, X. See Yang, M., 63C
Zhang, Y.-X.
—; Da, A.-H.; Butler, G. B.; Hogen-Esch, T. E.: A Fluorine-Containing Hydrophobically Associating Polymer. I. Synthesis and Solution Properties of Copolymers of Acrylamide and Fluorine-Containing Acrylates or Methacrylates, 1383C
Zhao, A. X.
—; Chien, J. C. W.: Palladium Catalyzed Ethylene-Carbon Monoxide Alternating Copolymerization, 2735C
Zhao, B.
—; Back, M. H.: Photoinitiation of Acrylamide Polymerization Using the Dianions of Rhodizonic and Croconic Acids, 2399C
Zhao, G. See Cheng, H., 2181C
Zhong, Z. Z.
—; Schuele, D. E.; Gordon, W. L.; Adamic, K. J.; Akins, R. B.: Dielectric Properties of a PMMA/E7 Polymer-Dispersed Liquid Crystal, 1443P
Zhou, J. See Bergbreiter, D. E., 389C, 2049C
Zhou, P.
—; Frisch, H. L.: Graft Copolymer of Polymethyl Methacrylate-g-Polycarbonate Urethane and the Fully Gelled Grafted Networks, 2577C
—; Frisch, H. L.: Interpenetrating Polymer Networks of Poly(carbonate-Urethane) and Polystyrene, 887C
—; Frisch, H. L.; Ghiradella, H.: Interpenetrating Polymer Networks of Poly(carbonate-Urethane) and Polyvinyl Pyridine, 835C
Zhou, P. See Frisch, H. L., 2749C
Zhou, Y.-Q.
—; Brown, N.: The Mechanism of Fatigue Failure in a Polyethylene Copolymer, 477P
Zhu, D.-W. See Katritzky, A. R., 1443C
Zhu, W.
—; Ford, W. T.: Oxidations of Alkenes Catalyzed by a Mn(III) Porphyrin and Cationic Polymer Latexes, 1305C
Zhukov, V. P. See Tsvankin, D. Ya., 851P
Zielinski, J. M.
—; Duda, J. L.: Influence of Concentration on the Activation Energy for Diffusion in Polymer-Solvent Systems, 1081P
Zou, D.
—; Aklonis, J. J.; Salovey, R.: Model Filled Polymers. XI. Synthesis of Monodisperse Crosslinked Polymethacrylonitrile Beads, 2443C
—; Ma, S.; Guan, R.; Park, M.; Sun, L.; Aklonis, J. J.; Salovey, R.: Model Filled Polymers. V. Synthesis of Crosslinked Monodisperse Polymethacrylate Beads, 137C
—; Sun, L.; Aklonis, J. J.; Salovey, R.: Model Filled Polymers. VIII. Synthesis of Crosslinked Polymeric Beads by Seed Polymerization, 1463C
Zuber, M. See Percec, V., 997C
Zurawsky, W. P.
Review of *Fluid Mechanics for Chemical Engineers*, 169C
Zurawsky, W. P. See Hwu, W.-H., 409C